Available online www.jocpr.com

Journal of Chemical and Pharmaceutical Research, 2015, 7(9S):17-21



Research Article

ISSN: 0975-7384 CODEN(USA): JCPRC5

Synthesis of biodiesel from waste cooking oil by two steps process transesterification and ozonation

Lieke Riadi^{a,b*}, Aloysius Yuli Widianto^a, Edy Purwanto^a, Akso Pono^a and Ruth Theresia^a

^aChemical Engineering Department, The University of Surabaya, Jl. Raya Kalirungkut. Surabaya, Indonesia ^bCenter For Environmental Studies, The University of Surabaya, Jl.Raya Kalirungkut. Surabaya, Indonesia

ABSTRACT

The synthesis of biodiesel has been widely studied. There are many raw materials used for the synthesis either from edible or non-edible oil. In this study, we investigated the synthesis of biodiesel using two steps process. The synthesis at 60 °C and ozonation are running in consecutive ways. The waste cooking oil was prepared for synthesis at 60 °C for one hour. The mol ratio of waste cooking oil and methanol was 1:5 and 1.5 % w/w NaOH was used as catalyst. Sample from both synthesis at 60 °C and ozonation process have been analyzed using Gas Chromatography. It has been proved that transesterification product from synthesis at 60°C contained of long chain methyl esters, hence the reaction is esterification from long chain fatty acids to long chain methyl esters which consisted of saturated and unsaturated methyl esters. The dominants long chain methyl esters from synthesis at 60 °C were methyl palmitate, methyl oleat, methyl stearate. There were three unsaturated methyl esters produced which are methyl palmitoleate, methyl oleat and methyl linoleate. All these products were then ozonised at various temperatures. Short chain methyl esters which were from cracking of unsaturated methyl esters and long chain methyl esters remained as product. The short chain methyl esters are methyl nonanoate, methyl hexanoate, and methyl octanoate. Methyl nonanoate was a product from cracking of methyl oleate, whereas methyl hexanoate was a product of cracking of methyl linoleate. It was found that the best temperature used for ozonation was 20 °C.

Keywords: transesterification, ozonolysis, long chain methyl esters, short chain methyl esters, two steps process.

INTRODUCTION

The synthesis of biodiesel has been widely studied, since fossil fuel production from limitation of traditional fossil resources has been a concern in recent years. This issue has attracted many researchers to find an alternative fuel. There are many raw materials used for biodiesel synthesis either edible or non-edible oil. It has been known that biodiesel is produced by the trans-esterification of edible and non edible oils with ethanol or methanol in the presence of catalysts. Biodiesel usually consists of alkyl fatty acid esters which are known as long chain methyl esters (chain length C14 - C22). Biodiesel has been considered as best alternative for diesel fuels for diesel engines and is the first alternative fuel to commercial diesel which has a thoroughly evaluation of emission results. There were many studies in producing biodiesel from soybean, palm and rapeseed oils (Demirbas, 2009). However, there was no study in biodiesel production from waste cooking oils by either ozonation or two steps process which combined transesterification and ozonation. Waste cooking oil was used in this study, since there were many fatty acids in the waste cooking oils used in the study, which were lauric acid 0.34 %; myristate acid 1.32 %; palmitic acid 38.7 %, stearic acid 4.67 %, oleic acid 40.1 %, linoleic acid 12.7 % and others 2.17 % (Riadi, et.al 2013). It will also reduce the problem of waste cooking oils in the disposal area. Moreover, the combustion of biodiesel does not increase the level of carbon dioxide in the atmosphere, since the oil returns carbon dioxide obtained earlier from the atmosphere via photosynthesis, which is then known that biodiesel is carbon neutral (Ong and Bhatia, 2010). The objective of this paper is to assess the production of long chain, short chain methyl esters in the two steps process used in biodiesel synthesis at different temperature and catalyst concentration. Ozone is known as strong oxidative agent, and known to react with double bonds in fatty acids to form intermediate products yield aldehydes, acetal and then formed methyl esters.

EXPERIMENTAL SECTION

Materials

Waste cooking oil from fast food restaurants, Methanol 96 %, Potassium iodide, Magnesium sulphate anhydrate, Potassium Hydroxide and Sodium Carbonate were supplied from Merck, Oxygen gas was purchase from Aneka Gas Industry.

Experiment

Synthesis at 60 °C (Transesterification)

Waste cooking oil and methanol with mol ratio 1:5 were poured into 2 L glass reactor equipped with a cooling system, stirrer, tube sparger and thermocouple. A 1.5 weight % of NaOH was added to the reactor. The experiment was run for 1 hour at 60 °C with agitation speed of 450 rpm. After one hour of experiment, sample was treated for separation between biodiesel and methanol, purified by removing water. Sample was then analysed for methyl esters and intermediates using GC (Gas Chromatography).

Ozonation

The product resulted from synthesis at 60 °C was mixed with methanol with mol ratio of 1:7 and poured in a 2 L stainless steel reactor equipped with a cooling system, stirrer, tube sparger and thermocouple. Each of 1.5 % and 2 % weight of sulfuric acid were added as catalyst. Ozone was produced from oxygen gas using VIRESCO ozone generator (Singapore). The ozone concentration in the feed was maintained about 5.8 mol % at certain flow rate. The reactor outlet was connected to a potassium iodide solution trap hence excess ozone was decomposed. The reaction was run at 20 °C, 450 rpm agitation. Samples were taken every 20 minutes. After the reaction run for 2 hours, the ozone gas was shut off, the reaction products in the reactor were flushed for 10 minutes with oxygen to remove the excess of ozone. Each sample taken was separated using funnel filter to get the biodiesel. The biodiesel was then washed with warm water to remove catalyst and also side product. Water remained in the product was removed by MgSO₄, anhydrate, and the biodiesel was analyzed using GC (Gas Chromatography).

Assays

Gas Chromatography analysis: Analysis of all standards and samples were performed with a HP GC instruments with Carbowax column (30 m length 250 μ m internal diameter, 0.25 μ m thickness) and a flame ionization detector. Helium gas was the carrier and used at flow rate of 0.6 ml/min. The column temperature programming conditions were as follows: temperature was initially set at 60 °C for 2 minutes, increased to 200 °C at rate of 10 °C/min and hold for 4 minutes, it is then raised to 240 °C at rate 5 °C/min and hold for 7 minutes. Temperatures of the injector and detector were 275 °C and 200 °C respectively. Split injection was used at a sample size of 1.0 μ l.

RESULTS AND DISCUSSION

Biodiesel Synthesis at 60 °C

Waste cooking oils used in this experiment consisted of unsaturated and saturated fatty acids. The biodiesel synthesis at 60 °C (transesterification) was designed to synthesis fatty acids and form methyl esters. Methyl esters formed from the experiment is presented in Table 1. The dominant methyl esters resulted from the synthesis were methyl palmitate, oleat and stearate. It is similar with the composition of waste cooking oil which is dominated by palmitic, stearic and oleic acids. There were two unsaturated methyl esters produced from this process, methyl oleate and methyl linoleate. The saturated methyl esters produced form this process were methyl laurate, methyl myristate, methyl palmitate, methyl heptadecanoate, methyl stearate, methyl arichidate. The unsaturated methyl esters produced was 34.33%, whereas the saturated methyl esters produced was 65.67 % This result showed that transesterification process produced methyl esters without intermediates.

Table 1. Methyl esters from synthesis at 60 °C (transesterification)

Unsaturated Methyl esters	Saturated Methyl esters	mg/L
Methyl oleate (C 18:1)		104000
Methyl linoleate (C18:2)		397000
	methyl laurate (C12:0)	4314.22
	methyl myristate (C14:0)	21700
	methyl palmitate (C16:0)	852000
	methyl heptadecanoate (C17:0)	2227.95
	methyl stearate (C18;0)	65000
	methyl arichidate (C20:0)	13200

Ozonation Process

Methyl esters resulted from synthesis at 60 °C were then used for ozonation experiment at 10 °C,20 °C and 30 °C . Moreover, the short chain methyl esters were produced as double bond was attacked from unsaturated methyl esters by ozone. They are methyl hexanoate, methyl octanoate and methyl nonanoate. Other fragments from cracking process was predicted as dimethyl azelate and dimethyl malonate as can be seen at Table 2. (Baber et.al, 2005).

Table 2. Fragments produced from cracking of unsaturated methyl esters

Unsaturated Methyl esters	Fragments of short chain methyl esters & dimethyl esters			
Methyl oleate (C 18:1)	Methyl nonanoate	Dimethyl azelate		
Methyl linoleate (C18:2)	Dimethyl malonate	Methyl hexanoate	Dimethyl azelate	

Methyl octanoate was assumed a synthesis from methyl linolenate (Frankel et.al, 1987), however methyl linolenate was not detected by GC, although it was a component as fatty acid in waste cooking oils which has been considered as others (2.17 %). Short Chain Methyl Esters was continually produced during the ozonation, however long chain methyl esters which have been formed during transesterification were decrease during ozonation. This result will be explained in section 2.3.

Effect of temperature in Ozonation Process

The total short chain methyl esters (SCMEs) produced from ozonation increased with time of reaction, both for 1.5 % and 2 % acid catalyst as can be seen at Figure 1 and 2. The highest value of total short chain methyl esters was at 20 °C. However, the total long chain methyl esters (LCMEs) were decreased during ozonation process as can be seen at Figure 3 and 4. It is proved that ozonation process consisted of transesterification and ozonolysis. The transesterification occurs as a simultaneous reaction with ozonolysis though the experiments were carried out at 10 °C, 20 °C and 30 °C. We assumed that the decrease of long chain methyl esters was due to reverse reaction as a result of backwards reaction of transesterification (Pahola, et.al, 2013). Hence, we need to stop the ozonation process prior 2 hours completion of experiment.




Figure 1. Total SCME at different temperature ozonation (Δ 30 °C, □20 °C, ◊10 °C), 1.5 % acid catalyst

The total methyl esters produced from first step experiment was 1.4 E+06 ppm where as the total methyl esters produced after the ozonation process was 1.2 E+06 ppm which was carried out after 100 minutes. To prevent big loss of methyl esters, we suggest to stop the ozonation process at 40 minutes, which can result in total methyl esters of 2.1 E+06 ppm. The kinematic viscosity of the product at different temperature can be seen at Table 3. The viscosity is match with the viscosity of biodiesel standard (2.3-6 cSt)




Figure 2. Total SCME at different temperature ozonation (Δ 30 °C, \Box 20 °C, \Diamond 10 °C), 2 % acid catalyst




Figure 3. Total LCME at different temperature ozonation (Δ 30 °C, \Box 20 °C, \Diamond 10 °C), 1.5 % acid catalyst

Table 3. The Kinematic viscosity of the product at different temperature

Kinematic viscosity		Temperature		
		20 °C	30 °C	
Kinematic viscosity Products of Ozonation using 1.5 % catalyst (cSt)		3.21	3.028	
Kinematic viscosity Products of Ozonation using 2% catalyst (cSt)		3.65	3.31	




Figure 4. Total LCME at different temperature ozonation (Δ 30 °C, □20 °C, ◊10 °C), 2 % acid catalyst

CONCLUSION


The best operation condition for ozonation after transesterification (60 °C) was at 20 °C using either 1.5 % or 2 % catalyst. To avoid losses of Long chain methyl esters, the ozonation process is suggested to stop at 40 minutes of experiment. Short chain methyl esters and dimethyl esters have been produced as fragments from doubled bond cracking of unsaturated methyl esters due to the ozonolysis. There were losses of long chain methyl esters which have been produced for the step process due to reverse reaction of transesterification in the ozonation process.

Acknowledgements

This study was carried out with the aid of a research grant from Indonesia Directorate General for Higher Education.

REFERENCES

- [1] Baber, T.M, Gravier, D, Lira, CT and Narayan, R. Biomacromolecules, 2005, 1334-1344.
- [2] Demirbas, A. Energy Conversion and Management, 2009, 50, 14-34.
- [3] Frankel, E.N., Neff, W.E., Selke E. and Brooks, D.D. LIPIDS, 1987, Vol. 22, No. 5, 322-326.
- [4] Pahola, T.B, Salazar, J., Diwekar, U. Environmental Progress and Sustainable Energy, 2013, 31, No.1, 11-24.
- [5] Riadi, Lieke and Lie, Hwa and Purwanto Edy and Widianto, Aloysius Yuli. In: Seminar Nasional Perkembangan Riset Dan Teknologi Di Bidang Industri Ke-19. Pusat Studi Ilmu Teknik UGM, Yogyakarta, **2013**



Journal of Chemical and Pharmaceutical Research

Discontinued in Scopus as of 2016


C	DUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
In	Universities and research institutions in India	Pharmacology, Toxicology and Pharmaceutics Pharmaceutical Science	JOCPR	36
PI	UBLICATION TYPE	ISSN	COVERAGE	
J	purnals	09757384	2004, 2011-2016	

SCOPE

Information not localized

Q Join the conversation about this journal

1 of 9 1/12/2022, 11:35 AM



3 of 9

Metrics based on Scopus® data as of April 2021

J Justin Masih 6 months ago

Sir/Madam,

This is in regards to the Journal of Chemical and Pharmaceutical Research.

I am in need of the editor's email address/Phone number or publisher's email address/phone number regarding some important information which I need to ask. Can you please help. The editors email address doesn't seem to be responding. Thanks and awaiting your reply.

reply



Melanie Ortiz 5 months ago

Dear Justin,

Thank you for contacting us.

Unfortunately, we cannot help you with your request.

Best Regards, SCImago Team

D Dr.Salim Jasim Mohammed 10 months ago

Dear

Is the journal (Journal of Chemical and Pharmaceutical Research) Currently indexed within Scopes

reply



Melanie Ortiz 10 months ago

SCImago Team

SCImago Team

Dear Dr. Salim,

Thank you very much for your comment.

All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2019 was released on 11 June 2020. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.

Best Regards, SCImago Team

S saphiaali aitte 11 months ago

Is my published in your journal in Scopus database

reply

4 of 9



Melanie Ortiz 11 months ago

SCImago Team

Dear Saphiaali, thank you very much for your comment. We suggest you consult the Scopus database directly. Keep in mind that the SJR is a static image (the update is made one time per year) of a database (Scopus) which is changing every day.

Best Regards, SCImago Team

D DR SEEMA PARVEEN 1 year ago

i need the ugc approved journal screenshot or proof of JOCPR for the year 2016-2017. plz email it to me urgently

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Dr. Seema, thank you very much for your comment. Unfortunately, we cannot help you with your request, we suggest you contact the journal's editorial staff so they could inform you more deeply. Best Regards, SCImago Team

S saphia 1 year ago

why don't tell me about predeator journal

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Saphia,

Thank you for contacting us.

SJR is a portal with scientometric indicators of journals indexed in Scopus. All the data have been provided by Scopus /Elsevier and SCImago doesn't have the authority over this data. For more information about predatory journals or publishers, you can check the link below:

https://beallslist.weebly.com/

https://predatory-publishing.com/three-quick-ways-to-spot-a-predatory-journal/https://www2.cabells.com/about-predatory

Best Regards, SCImago Team

R Rafatunisa Nahri 1 year ago

Kinkdly respond to my reasearch paper sent to u titled "Assessment of Physico-chemical parameters of Sanjul lake, Phulambri,Dist Aurangabad(m.s) India.

reply



Melanie Ortiz 1 year ago

SCImago Team

Dear Rafatunisa,

thank you for contacting us.

We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

SCImago Team

Unfortunately, we cannot help you with your request, we suggest you contact the journal's editorial staff, so they could inform you more deeply.

Best Regards, SCImago Team



Dr. Rajesh Kumar Singh 2 years ago

You should remove the journal from your website once it is out of SCOPUS coverage or remove their data. If you cannot remove than atleast display with bold letters that JOURNAL IS REMOVED FROM THIS INDEXING Otherwise new researchers are mistakenly send their papers to these journals thinking that this is stll SCOPUS indexed.

Reason for removal from indexing can also be provided for giving lession to other emerging but predatory journals to be more careful.

reply



Melanie Ortiz 2 years ago

Dear Dr. Rajesh,

Thank you for contacting us. The Coverage's data indicates the period in which this journal has been indexed in Scopus. All the journal's data have been provided by Scopus/Elsevier and SCImago has no authority to include or exclude SJR journals. We just show the data provided in the latest update by Scopus.

Keep in mind that the SJR is a static image (the update is made one time per year) of a database (Scopus) which is changing every day. For this reason, we always recommend our users to consult the Scopus database to see the current index status in Scopus.

Best Regards, SCImago Team

Majolagbe 2 years ago

What is the processing/publication fee of this journal?

reply

Majolagbe 2 years ago

What id the processing /publication charges of this journal?

reply

S SUNARTI 2 years ago

Dear SCImago Team

I the SJR in tour data evaluating the journal till 2017 is 0.12, and in the same time 2011-2014 (cancelled)

Is this means that my research article will not included in Scopus/Elsevier evaluation record of my account because My article was published in 2017???

thanks

reply

6 of 9 1/12/2022, 11:35 AM



Melanie Ortiz 2 years ago

SCImago Team

Dear Sunarti,

Our data comes from Scopus/Elsevier, which offers an annual copy of their database. We understand that since the date indicated by Scopus/Elsevier (See Coverage) the journal is no longer indexed in its database.

Unfortunately we cannot help you with your request. We suggest you to contact Scopus for further information about your research article:

https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/

Best Regards, SCImago Team

Y Yen 2 years ago

I have written to email of Journal many times but i did not receive any answer. How do i contact with Editor, Please help me!

reply

S Sayed 2 years ago

Whatsup 44 1625 708989



Melanie Ortiz 2 years ago

SCImago Team

Dear Yen,

thank you for contacting us.

Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to contact the journal's editorial staff (maybe they have a support contact), so they could inform you more deeply. Best Regards, SCImago Team

V Vijendra Kumar 3 years ago

Coverage 2011-2014 (cancelled)

what is the meaning of this?

reply



Elena Corera 3 years ago

SCImago Team

Dear user, our data come from Scopus/Elsevier, which offers an annual copy of your database. We understand that since the date indicated by Scopus/Elsevier the journal is no longer indexed in its database. Best Regards, SCImago Team

F FOUDJO MELACHEU GERTRUDE LAURA 3 years ago

Any submossion charges

reply

H heyam saed 3 years ago

Dear Elena,

I the SJR in tour data evaluating the journal till 2017 is 0.12, and in the same time 2011-2014 (cancelled)

Is this means that my research article will not included in Scopus/Elsevier evaluation record of my account???

thanks



Elena Corera 3 years ago

SCImago Team

Dear Foudjo, in the link below you will find the information corresponding to the author's instructions of this journal. Best regards, SCImago Team http://www.jocpr.com/instruction-to-authors.html

F FOUDJO MELACHEU GERTRUDE LAURA 3 years ago

GREETINGS

please i wish to know the impact factor of this journal

reply



Elena Corera 3 years ago

SCImago Team

Dear Foudjo, SJR uses Scopus data, our impact indicator is the SJR. Check our page to locate the journal. We suggest you consult the Journal Citation Report for other indicators with a Web of Science data source. Best Regards, SCImago Team



Elena Corera 3 years ago

Thanks for your participation!

SCImago Team

Leave a comment

Name

Email

(will not be published)

8 of 9 1/12/2022, 11:35 AM



The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:

Powered by:





Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2020. Data Source: Scopus®

EST MODUS IN REBUS

9 of 9 1/12/2022, 11:35 AM

Source details

Scopus Preview

Journal of Chemical and Pharmaceutical Research

Scopus coverage years: 2004, from 2011 to 2016

(coverage discontinued in Scopus)

Publisher: JOCPR

ISSN: 0975-7384

Subject area: (Pharmacology, Toxicology and Pharmaceutics: Pharmaceutical Science)

Source type: Journal

View all documents >

Set document alert

Save to source list

Improved CiteScore methodology

CiteScore value counts the citations received in the last 4 years to articles, reviews, conference papers, book chapters and data papers published in the last 4 years, and divides this by the number of publications published in the last 4 years.

Current source has not enough data to display citescore value. Learn more >

View CiteScore methodology > CiteScore FAQ >

SJR 2019

0.135

①

1

SNIP 2019 **0.432**

×

About Scopus

What is Scopus Content coverage Scopus blog Scopus API Privacy matters

Language

日本語に切り替える 切換到简体中文 切換到繁體中文 Русский язык

Customer Service

Help Contact us

ELSEVIER

Terms and conditions 7 Privacy policy 7

Copyright © Elsevier B.V ¬. All rights reserved. Scopus® is a registered trademark of Elsevier B.V. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.



Editorial Board

Editorial Board

- Dr. William N Setzer, University of Alabama in Huntsville, Huntsville, USA
- Dr. Shaaban K Mohamed, Manchester Metropolitan University, Manchester, UK
- Dr Shaili Aggarwal, Department of Pharmacology & Physiology, Drexel University College of MedicinePhiladelphia, PA, USA
- Dr. Chengyuan Liang, Department of Pharmacy, Shaanxi University of Science & Technology, Xi' an, Shaanxi, P. R. China
- Dr. Kiran Vangara, Insys Therapeutics, Inc., Chandler, AZ, USA
- Dr. Abdelkader Zarrouk, Laboratory of Applied Chemistry & Environment Department of Chemistry, Faculty of Science, University Mohammed Premier, Oujda, Morocco
- Dr. Vijay Gottumukkala, Eckert & Ziegler Eurotope GMBH, Hopkinton, MA, USA
- Dr. Abhijit Ghosh, Brigham Young University, UT, USA
- Dr. Srinivas Nammi, University of Canberra, Australia
- Dr. Vamsidhar Akurathi, Division of Nuclear Medicine and Molecular Imaging, Boston Children?s Hospital/Harvard Medical School, Boston, MA, USA
- Dr. Tanay Kesharwani, New Link Genetics, Ames, IA, USA
- Dr. Zhi-Zhong Wang, Ningxia Medical University, Yinchuan, Ningxia, P R China
- Dr. Soumik Biswas, Department of Chemistry, Texas A & M University, TX
- Dr. Wael Ahmad Abu Dayyih, Department of Pharmaceutical Medicinal Chemistry and Pharmacognosy, Faculty of Science, Petra University, Amman, Jordan
- Dr. Mahesh Bhide, Coldstream Labs, Kentucky, USA
- Dr. Shivanand Puthli, Tris Pharma Inc., NJ, USA
- Dr. Sidney Augusto Vieira Filho, Universidade Federal de Ouro Preto, Ouro Preto, MG, Brazil
- Dr. Vibha Yadav, Division of Microbiology, Tulane National Primate Research Center, Covington, LA, USA
- Dr. Ahmad F. EL Shahaby, Biotechnology and Genetic Engineering Unit, College of Medicine, Taif University, KSA
- Dr. S A Abubshait, University of Damam, Saudia Arabia
- G Aranovich, Johns Hopkins University, Baltimore, Maryland, USA
- Dr. Hua-Jun Luo, College of Biological and Pharmaceutical Science, China Three Gorges University, Yichang, Hubei province, P. R. China
- Dr. Jackson Roberto Guedes da Silva Almeida, Universidade Federal do Vale do São Francisco, Petrolina, Pernambuco, Brazil
- Dr. Manoj P Dandekar, McGovern Medical School, The University of Texas Health Science Center at Houston, Texas
- Dr. Nora H Al-Shaalan, Princess Nora Bint Abdul Rahman University, Riyadh, Saudi Arabia
- Dr. Inna Razdorskaya, Department of Management and Economics of Pharmacy, Kursk State Medical University, Russia
- Dr. Ahmed O Alnajjar, King Faisal University, Saudi Arabia
- Dr. Waleed M Sweileh, An-Najah National University, Nablus, Palestine
- Dr. Mahmoud Salman, Taif University, Taif, Kingdom of Saudi Arabia
- Dr. G Aranovich, Johns Hopkins University, Baltimore, Maryland, USA
- Dr. Jin Quan Wang, Institute of Bioengineering and Nanotechnology, Singapore
- Dr. Lucas V B Hoelz, Cidade Universitária, Ilha do Fundão, Rio de Janeiro, RJ, Brazil
- Dr. Safwan Fraihat, Department of Chemistry, Faculty of Science, University of Jordan, Jordan

Dr. Dafeng Chu, Department of Pharmaceutical Sciences, School of Pharmacy, Washington State University, Washington

Dr. Dachriyanus, Faculty of Pharmacy, Andalas University, Kampus Limau Manis, Padang, West Sumatra, Indonesia

Dr. Makky E A, University Malaysia Pahang, Kuantan, Pahang, Malaysia

Dr. Jackson Roberto Guedes da Silva Almeida, Universidade Federal do Vale do S\u00e3o Francisco, Petrolina, Pernambuco, Brazil

Dr. Hany A. Omar, Department of Pharmacology, College of Pharmacy, University of Sharjah, UAF

Dr. Omar B Ibrahim, Taif University, Taif, Kingdom of Saudi Arabia

Dr. Nurul Aili Zakaria, Universiti Sains Malaysia, Pulau Pinang, Malaysia

Dr. Mohamed Salama, Faculty of Pharmacy UiTM(Universiti Teknologi Mara), Campus Puncak, Alam, Selangor, Malaysia

Dr. Asep Sukohar, Medical Faculty, Lampung University, Indonesia

Dr. Hanan M Al-Youssef, King Saud University, Riyadh, Saudi Arabia

Dr. Ho Soon Min, Faculty of Applied Sciences, INTI International University, Persiaran Perdana BBN, Putra Nilai, Nilai, Negeri Sembilan, Malaysia

Dr. Alaa E. Ali, Head of Chemistry Department, Faculty of Science, Damanhour University, Damanhour, Egypt

Dr. Uhood J AL- Hamdani, University of Basrah, Basrah, Iraq

Dr. Tariq K. Almog, Tripoli University, Tripoli, Libya

Dr. Tarik Chaouche, Tlemcen University, Tlemcen, Algeria

Dr. Aleksandra N Pavlovi?, University of Ni?, Ni?, Serbia

Dr. Ali H. Al-Mowali, University of Basrah, Basrah, Iraq

Dr. Y A El-Badry, Ain Shams University, Cairo, Egypt

Dr. Alireza Garjani, Tabriz University of Medical Sciences, Tabriz, Iran

Dr. Akmal Shawky Gaballa, Faculty of Specific Education, Zagazig University, Zagazig, Egypt

Dr. Adel Kamel Madbouly Ramadan, Faculty of Science University of Ain Shams Cairo, Egypt

Dr. Aman Dekebo, Adama Science and Technology University, Adama

Dr. Amer E A, Cairo University, Egypt

Dr. Soad A Vehia, Cairo University, Cairo, Egypt

Dr. Atul Kumar Singh, CRNTS, IIT Bombay, Bombay, India

Dr. Aytaç Güder, Giresun University, Turkey

Dr. B Boumoud, Université Mentouri de Constantine, Constantine, Algérie

Dr. B M Rao, Johnson & Johnson Ltd, Mumbai, India

Dr. Shameema Oottikka,

Dr. B S Bhoop, UIPS, Punjab University, Chandigarh, India

Dr. Bachir Benarba, Department of Biology, University of Mascara, Algeria

Dr. Brian Henriksena, Creighton University, Omaha, NE

Dr. C Venkata Rao, Sri Venkateswara University, Tirupati, India

Dr. Seyed Mehdi Talebi, Shahid Beheshti University, Iran

Dr. C. Jayakumar, Department of Chemical Engineering, A. C. Technology, Anna University, Chennai, India

Dr. C. Sampath, Department of Chemistry, Kwa Dlangezwa, KwaZulu-Natal, University of Zululand, South Africa

Dr. Salem Ashoor, University of Misurata, Libya

Dr. Camilia G Michel, Cairo University, Cairo, Egypt

- Dr. S S Sisodia, B N College of Pharmacy, Udaipur, India
- Dr. S P Tripathi, Poorvanchal University, Jaunpur, India
- Dr. Chinyere Okwelogu, University of Lagos, Nigeria
- Dr. S N Meyyanathan, J S S College of Pharmacy, Ooty, India
- Dr. Chukwuemeka P C Azubuike, University of Lagos, Lagos, Nigeria
- Dr. S Lucangioli, Consejo Nacional de Investigaciones Científicasy Tecnológicas, Argentina
- Dr. Chukwuma O Agubata, University of Nigeria, Nsukka
- Dr. Clement Jackson, University of Uyo, Uyo, Akwa Ibom, Nigeria
- Dr. Reza Tayebee, Sabzevar Tarbiat Moallem University, Sabzevar, Iran
- Dr. Craig A Obafemi, Obafemi Awolowo University, Ile-ife, Osun, Nigeria
- Dr. Prem Raj, Lucknow University, Lucknow, India
- Dr. D J Sen, Shri Sarvajanik Pharmacy College, HN Gujarat University, Mehsana, India
- Dr. Prem Prakash Solanki, Banaras Hindu University, Varanasi, India
- Dr. D S Ashilenje, Moi University, Eldoret, Kenya,
- Dr. D S Salomé Kpoviessi, University of Abomey-Calavi, LaCOPS, Cotonou, Benin
- Dr. PF Uzor, University of Nigeria, Nsukka, Enugu State, Nigeria
- Dr. Pauline Mounjouenpou, Institut de Recherche Agricole pour le Dévelopement, Yaoundé, Cameroun
- Dr. Demiana I Nesseem, National Organization for Dr.ug Control and Research, Cairo, Egypt
- Dr. Paul C. Chikezie, Department of Biochemistry, Imo State University, Owerri, Imo State, Nigeria
- Dr. Dewan Taslima Akhter, Stamford University Bangladesh, Dhaka, Bangladesh
- Dr. Patricia A Onocha, University of Ibadan, Nigeria
- Dr. Dilipkumar Pal, Bilashpur Institute of Pharmaceutical Sciences, Guru Ghasidas Viswavidyalaya, Koni, Bilashpur
- Dr. E J Koranteng-Addo, University of Cape Coast, Cape Coast, Ghana
- Dr. P. Selvarajan, Department of Physics, Aditanar College of Arts and Science, Tiruchendur, Tamilnadu
- Dr. Edebi N Vaikosen, Niger Delta University, Wilberforce Island, Nigeria
- Dr. P Sumanatrakul, Prince of Songkla University, Songkhla, Thailand
- Dr. Elsayed T. Helmy, Chemistry Department, Faculty of Science, Mansoura University, Egypt
- Dr. F M AL-Jabri, Basrah University, Basrah, Iraq
- Dr. P M Kanyonga, Pôle de Compétences Pharmacochimie, Faculté des Sciences-Agdal, Ibn Battouta. Rabat- Maroc
- Dr. Gabriel O Egharevba, Obafemi Awolowo University, Ile-ife, Osun State, Nigeria
- Dr. P C Sharma, Kurukshetra University, Kurukshetra, India
- Dr. Galal H Said, Ain-Shams University, Egypt
- Dr. H M Hassan, Al-Azhar University, Nasr City, Cairo, Egypt
- **Dr. Ola I. A. Salem**, Pharm Organic Chemistry Department, Faculty of Pharmacy, Assiut University, Assiut, Egypt
- Dr. Haddad Boumediene, Department of Chemistry, Synthesis and Catalysis Laboratory LSCT, Tiaret University, Tiaret, Algeria
- Dr. Hanaa H. Ahmed, Head of Hormones Department, Medical Research Division, National Research Centre, Egypt
- Dr. Okan Özkaya, Çukurova Üniversitesi, Ziraat Fakültesi Bahçe Bitkileri Bölümü, Balcal? Adana
- Dr. O R Omobuwajo, Niger Delta University, Wilberforce Island, Nigeria
- Dr. Hao Wu, NGM Biopharmaceuticals Inc., 630 Gateway Blvd., South San Francisco, CA

Dr. Hari Kishore Annavarapu, University of Texas Southwestern Medical Center, Dallas, Texas,

Dr. Hassan Ahmadvand, Dept. of Biochemistry, School of Medicine, Lorestan University of Medical Sciences, Khoram Abad, Iran

Dr. Hassan Ali Zamani, Quchan Branch, Islamic Azad University, Quchan, Iran

Dr. Nesreen Nadhum Majeed, Basra University, Basra, Iraq

Dr. Neeta Raj Sharma, Faculty of Biotechnology & Biosciences, Lovely Professional University (LPU), Phagwara, Punjab, India

Dr. Houda Bouchafra, Laboratory of Organic Chemistry Application, Faculty of Sciences and Techniques, FES University Sidi Mohammed Ibn Abdillah, FES, Morocco

Dr. Nasr H El-Hammamy, Alexandria University, AleDr.xandria, Egypt

Dr. Naji A Abood, Basrah University, Basrah, Iraq

Dr. N. Vijayakumar, Department of Biochemistry and Biotechnology, Annamalai University, India

Dr. Murlidhar P. Wadekar, Department of Chemistry, Govt. Vidarbha Institute of Science & Humanities, Amravati, India

Munther Abdul-Jaleel Mohammed-Ali, Basra University, Basra, Iraq

Dr. Mubo A Sonibare, University of Ibadan, Ibadan Nigeria

Dr. Ikotun Adebomi Ayodeji, Bowen University, Iwo, Osun State, Nigeria

Dr. Moynul Hasan, Dhaka International University, Banani, Dhaka, Bangladesh

Dr. Mohammed Y S Abary, Cairo University, Egypt

Dr. J K Koka, University of Cape Coast, Ghana

Dr. J K Tufuor, University of Cape Coast, Cape Coast, Ghana

Dr. Youssef Ramli, Faculty of Medicine and Pharmacy, Mohammed V University- Rabat, Morocco

Dr. J P K, Adotey, University of Cape Coast, Ghana

Dr. Mohammed Rahmatullah, Faculty of Life Sciences, University of Development Alternative, Dhanmondi, Dhaka, Bangladesh

Dr. Mohammed Abdelwahab Abdelgawad, Department of Pharmaceutical Organic Chemistry, Faculty of Pharmacy, Beni Suef University, Beni Suef, Egypt

Dr. Jinghua Duan, Department of Pharmaceutics, School of Pharmacy, University of Washington, Seattle, WA, USA

Dr. Jitendra Ramteke, Department of Physics, SMMC, Nagpur, India

Dr. Julianeli Tolentino de Lima, Universidade Federal do Vale do São Francisco, Petrolina, Pernambuco, Brazil

Dr. Mohamed Abdelmanef Abderrabba, The Molecular Materials and Applications Laboratory, IPEST, University of Carthage, La Marsa, Tunisia

Dr. Kabore Adama, Institut de l?Environnement et de Recherches Agricoles, Ouagadougou, Burkina Faso

Dr. Kawkab Ali Hussain, University of Basrah, Iraq

Dr. Menderes Koyuncu, Yuzuncu Y?l University, Van, Turkey

Dr. Ketan C. Parmar, Sir P T Sarvajanik College of Science, Surat, India

Dr. Mellah Ilyas, Department of Chemistry, Uludag University, Turkey

Dr. Khaled Nabih Zaki Rashed, National Research Centre (NRC), Pharmacognosy Department, Pharmaceutical and Drug Industries Research Division, Dokki, Giza, Egypt

Dr. Maryam Niyyati, Department of Medical Parasitology & Mycology, School of Medicine, Shahid Beheshti University of Medical Sciences, Tehran, Iran

Dr. Majdouline Larif, Separation Process Laboratory, Faculty of Science, University Ibn Tofail, Kenitra, Morocco

Dr. Mahmoud Mahyoob Alburyhi, Faculty of Pharmacy, Sanaa University, Yemen

Dr. Kishorbhai R. Desai, Department of Chemistry, Uka Tarsadia University, Bardoli-Mahuva Road, Bardoli, Surat

- Dr. Konstantinos M. Kasiotis, Benaki Phytopathological Institute, Department of Pesticides Control and Phytopharmacy, Kifissia, Athens
- Dr. Mahmoud Bahmani, University of Medical Sciences, Iran
- Dr. Lotf Ali Saghatforoush, Payame Noor University, Iran
- Dr. Madu P C, Nasarawa State University, Keffi
- Dr. Lotfi Baameur, Kasdi Merbah University, Ouargla, Algeria
- **Dr. M. V. Ramana**, Department of Physics, S. R. & B. G. N. R. Government Arts and Science College, Khammam, A.P., India
- Dr. M P Kanyonga, UER de biochimie, chimie médicale et pharmacologie, I S T M Kinshasa, R D Congo
- Dr. M K Gafar, Kebbi State University of Science and Technology, Aliero, Nigeria
- Dr. M O Agwara, University of Yaoundé I, Yaoundé, Cameroon
- Dr. Kabore Adama, Institut de l?Environnement et de Recherches Agricoles, Ouagadougou, Burkina Faso
- Dr. Jitendra Ramteke, Department of Physics, SMMC, Nagpur, India
- Dr. J K Tufuor, University of Cape Coast, Cape Coast, Ghana
- Dr. Chinyere Okwelogu, University of Lagos, Nigeria Dr. Chukwuemeka P C Azubuike, University of Lagos, Lagos, Nigeria
- Dr. Bachir Benarba, Department of Biology, University of Mascara, Algeria
- Dr. Amer E A, Cairo University, Egypt
- Dr. Aleksandra N Pavlovic, University of Nis, Visegradska, Nis, Serbia
- Maulin Pramod Shah, Chief Scientist & Head-Industrial Waste Water Research Lab, Division of Applied & Environmental Microbiology Lab, Enviro Technology Limited, Ankleshwar, India
- Dr. Abdülmelik ARAS, Kafkas university, Kars, Turkey
- Dr. Marco Fiore, Department of Anesthesiological, Surgical and Emergency Sciences, Italy
- Dr. Shahin Gavanji, Biotechnology, Isfahan university, Iran
- Antonio Vassallo, University of Basilicata. Viale dell? Ateneo Lucano, Potenza (ITALY)

Volume 7, Issue 9 2015: Journal of Chemical and Pharmaceutical Research

Polyethersulfone / poly(acrylic acid) / calcium chloride composite membranes for improved dye removal K. Rambabu* and S. Velu

Page No: 247-253

Investigation into the studies on anti-histaminic and bronchodilator activity of polyherbal compound (Siringiyathi Chooranam) in albino rats

Amutha K.*, Selvakumari U. and Ramachandran M.

Page No: 777-781

Impatiens balsamina: An overview

Meenu B., Neeraja E. D., Greeshma Rejimon and Alexeyena Varghese*

Page No: 16-21

Comparison of Indonesian medicinal herbal red betel and green betel leaves for the removal of lead from aqueous solution.

I. Nyoman Ehrich Lister, Siffa Fauziah, Rahmiana Zein, Yunazar Manjang and Edison Munaf Page No: 254-263

Separation of inorganic anion from biomaterial using methacrylate-based column in ion chromatography capillary system

Hidayat, Rahmiana Zein*, Edison Munaf, Lee Wah Lim and Toyohide Takeuchi Page No: 76-80

Phytoremediation effect of Ricinus communis, Malva parviflora and Triticum repens on crude oil contaminated soil Sakina Saadawi*, Marwa Algadi, Amal Ammar, Salah Mohamed and Khairi Alennabi Page No: 782-786

Quantitative determination of some heavy metals in children herbal preparations available in Syrian market Myriam Soussanieh* and M. Amer Zamrik

Page No: 264-269

Preparation and characterization of virgin coconut oil nanoemulgel

Padmadevi Chellapa, Ahmad Mustafa Eid and Nagib Ali Elmarzugia,*

Page No: 787-793

Hepatoprotective activity of Michelia champaca L. against carbontetrachloride induced hepatic injury in rats T. Ananthi* and R. Anuradha

Page No: 270-274

The removal of Cr(VI) with Dimocarpus longan as a low cost biosorbent

Florenly, Refi Ikhtiari, Hermansyah Aziz, Syafrizayanti and Rahmiana Zein

Page No: 81-88

Curcumin loaded polysaccharide based micro particles for ulcerative colitis: Preparation, characterization, in vitro/in vivo evaluation

Sima Singh and Uma Ranjan Lal*

Page No: 275-283

Extraction of zinc from polluted waters using bio-sorbents derived from Prosopis cineraia, Tephrosia purpurea and Justicia adhatoda plants

Y. Hanumantha Rao, G. V. Krishna Mohan and K. Ravindhranath* Page No: 794-808

Phytochemical screening and antimicrobial activity of the solvents��?fractionated leaves extract of Clax subscorpioidea

Isah Abdulazeez, Aisha Yusuf Lawal and Sani Aliyu

Page No: 22-26

Synergistic inhibition of drug resistant breast cancer cells growth by the combination of luteolin and tamoxifen involves Nrf2 downregulation

Mohammad Ali Esmaeili Page No: 291-296

Characterization and utilization of kepok banana bark powder (Musa balbisiana Colla) as absorbent of metal ions Pb(II) & Cd(II) in aqueous solution

Henni Nengsih, Zilfa and Refilda Suhaili

Page No: 89-93

Validation of HPLC method for the analysis of methotrexate in bulk drug and pharmaceutical dosage forms P. Suguna, B. Sathyanarayana, G. Chandrasekhar and B. Narasimhulu Page No: 27-35

Muscle relaxant and antibacterial activity of leaf extracts of Feronia limonia

Praveen D.*, Ranadheer Chowdary P. Sajel S. and Vijey Aanandhi M.

Page No: 809-812

Highlights on mechanisms of newly synthesized compounds targeting multiple systems provide a novel perspective on Alzheimer's disease treatment

Hanaa H. Ahmed, Gamal A. Elmegeed*, Maher A. Hashash, Mervat M. Abd-Elhalim and Dina S. Elkady

Page No: 297-318

Photoproduction of hydrogen by anoxygenic phototrophic consortium isolated from Bhima Amarja River, Karnataka Swetha Garimella, Vasantha Mittapelli, R. Roopa, Sabina Harold and Ramchander Merugu* Page No: 813-816

UV-CIO2 assisted decolorization of methylene blue

H. A. Habeeb Alshamsi and H. A. Khayoon Al Shdood

Page No: 36-44

Comparative yield analysis of Chilli (Capsicum annuum L.) by application of Vermicompost and Panchagavya Mudiganti Ram Krishna Rao*, M. Sathish Kumar and Neema Kumari Jha Page No: 319-323

Biosorption of cadmium ion from aqueous solutions by low-cost soybean waste (Gliycine max)

Harmiwatia, Salmarizab, Desi Kurniawati, Intan Lestari, Edison Munaf, Reni Desmiarti and Rahmiana Zein*

Page No: 94-100

UV derivative spectrophotometric methods for estimation of ofloxacin in bulk and pharmaceutical dosage form Rajan V. Rele

Page No: 817-822

In situ gel based on gellan gum as new carrier for nasal to brain delivery of venlafaxine hydrochloride: In vitro evaluation and in vivo study

Inayat B. Pathan*, Sankat R. Nirkhe and Anand Bairagi Page No: 324-331

Inhibition effect of 4-hydroxyquinoline-2-carboxylic acid on corrosion of mild steel in 1M sulphuric acid solution R. Ganapathi Sundaram�, M. Sundaravadivelu*, G. Karthik and G. Vengatesh Page No: 823-835

Unique UV spectrophotometric method for reckoning of dapagliflozin in bulkand pharmaceutical dosage forms Karuna Priya Chitra, M. China Eswaraiah and M. V. Basaveswara Rao Page No: 45-49

Evaluation of wound healing properties of Salvia splendens leaves in streptozotocin induced diabetic rats Mahendra Pratap Chopra*, Papiya Mitra Mazumder and Dinakar Sasmal Page No: 836-842

The effect of banana starch concentration on the properties of chitosan-starch bioplastics Lanny Sapei*, Karsono Samuel Padmawijaya, Okky Sijayanti and Petrus Jaya Wardhana Page No: 101-105

Niosomal transdermal gel formulation of curcumin having anti-inflammatory effect in experimental rat models Latifah Rahman, Arisanty and Marianti A. Manggau Page No: 843-849

Assessment of cadmium concentrations in wastewater, soiland vegetable samples grown along Kubanni stream channels in Zaria, Kaduna State, Nigeria

S. O. Oladeji and M. D. Saeed Page No: 332-339

Extraction technique to separate kaempferol from Soursop (Annona muricata) leaves Irmanida Batubara*, Suminar Setiati Achmadi and Wenny Nurwendari Page No: 106-110

Isolation and characterisation of cournarin from the stem bark of Polyalthia longifolia Adlis Santoni, Dewanti Suci, Yola Marta, Mai Efdi and Sanusi Ibrahim* Page No: 850-859

Green synthesis of silver nanoparticles and their antimicrobial property of endophytic fungi isolated from Mentha arvensis L. and Psidium guajava L

Senthamarai Manogaran, Navaneetha Krishnan, Vinitha Sree Senthilkumar, Sowmiya Manivannan, Vijayalekshmi Veerababhu and Kilavan Packiam Kannan Page No: 340-346

Equilibrium and kinetics modeling biosorption of Zn(II) in aqueous solution using durian (Durio zibethinus) seed as low-cost biosorbent

Intan Lestari, Salmariza Sy, Harmiwati, Desy Kurniawati, Admin Alif, Edison Munaf, Rahmiana Zein and Hermansyah Aziz Page No: 111-122

Production and quality evaluation of Kunun-zaki (A Nigerian fermented cereal beverage) from Millet and Vignaracemosa blends

Islamiyat Folashade Bolarinwa, Sulaiman Adebisi Olaniyan, Misbaudeen Abdul- Hammed and Moruf Olanrewaju Oke Page No: 347-352 UV-Visible studies of chemical bath deposited Ni3Pb2S2 films

Ho S. M.

Page No: 50-55

Model of pollution impact for policy design in controlling dioxin/furan emission (Case study: Metal ferrous and nonferrous industry in Cilegon)

Lina Warlina Page No: 123-134

Optimization and validation of process for formulation of duloxetine hydrochloride capsules

Lavudi Saida and P. Chaitanya Sravanthi

Page No: 860-867

Effect of iron oxide nanoparticle in bio digestion of a portable food-waste digester

Sreekanth K. M. and Debjyoti Sahu

Page No: 353-359

Biosorption metal ion of Pb (II) and Cd (II) using kepok banana weevil powder (Musa balbiana colla)

Melati Surya Hafni, Zilfa and Refilda Suhaili*

Page No: 135-138

Evaluation of clinical changes after use of tetracycline fibers in chronicperiodontitis patients

Gupta Nidhi, Gupta Amit, Agarwal Anirudh, Sharma Sumit and Garg Shiv

Page No: 56-59

Growth and characterization of L-proline potassium bromide: A semiorganic NLO crystal

V. Vasantha Kumari1, P. Selvarajan2 and R. Thilagavathi

Page No: 133-143

Synthesis, antimicrobial and ion exchange studies of some terpolymer resins derived from substituted resorcinol, biuret and formaldehyde

Maroju Ravichander, Gunreddy Anand Reddy, Vadlapudi Malathi, Jalapathi Pochampalli* and Rajakomuraiah Thampu

Page No: 868-871

A simple and rapid chromatographic technique for the quantification of Albendazole from marketed solid dosage forms

Amit Kumar De, Ashok Kumar Bera and Biswajit Pal*

Page No: 360-365

Preparation, characterization of ZnO/CoFe2O4 magnetic nanocomposites and activity evaluation under solar light irradiation

Rahmayeni*, Devi A., Yeni Stiadi, Novesar Jamarun, Emriadi and Syukri Arief

Page No: 139-146

Evaluation of antioxidant and antibacterial activities of endophytic fungi isolated from Bauhinia racemosa Lam and Phyllanthus amarusSchum and Thonn.

Poorani Kandasamy, Senthamarai Manogaran, Madhankumar Dhakshinamoorthy and Kilavan Packiam Kannan

Page No: 366-379

A novel validated RP-HPLC-DAD method for the estimation of Lenvatinib Mesylate in bulk and pharmaceutical dosage form

Uttam Prasad Panigrahy* and A. Sunil Kumar Reddy

Page No: 872-881

A catalytic test of Mn(II) and Ni(II) grafted on modified mesoporous silica in transesterification of vegetable oil

Admi*, Vanella Indah Pratiwi, Fitria Ramadhani, Sry Wahyuni, Jervita Sari, Meri Asnita, Wiza Ladya, Syukri Arief, Emdeniz, Mai Efdi, Zulhadjri and Syukri

Page No: 14-16

Synthesis of biodiesel from waste cooking oil by two steps process transesterification and ozonation

Lieke Riadia,*, Aloysius Yuli Widianto, Edy Purwanto, Akso Pono and Ruth Theresia Page No: 17-21

Synthesis and antibacterial activity of novel hydrazides containing thienopyrimidine

Laxmikant S. Pavase and Dhananjay V. Mane*

Page No: 670-675

Influence of power plants TC "Kosova", in contamination with heavy metals in the Sitnic •?« River, groundwater and soils in this zone

Skender Demaku*, Ilir Shehu, Aziz Behrami, Arton Gjokaj, Agron Suhogerllaj, Bahrije Dobra and Islam Krasnigi

Page No: 186-191

Adsorption profile of Cu (II) using Soursop (Annona muricata L) leaves powder as biosorbent

Buter Samin, Edy Fachrial, Almahdy, Edison Munaf, Refildae, Zulkarnain Chaidir and Rahmiana Zein Page No: 22-27

Phenyl ethanone and sterols from Acanthaster planci as potential PPAR-ligand

Nurul Hazirah Mat Lazim, Asnuzilawati Asari*, Faridah Mohamad, Tg. Muhammad T. S., Noraznawati Ismail, Mariam Taib, Aziz Ahmad and Habsah Mohamad

Page No: 121-126

Study of thermodynamic properties of choline chloride urea in aqueous mediaat different temperatures

S. S. Nandre, U. G. Deshpande* and S. R. Patil

Page No: 192-196

Synthesis, characterization and biological properties of benzimidazol-8- hydroxy quinoline clubbed azodye and its transition metal chelates

Arun Singh*, Varsha Parmar and Sanjay Kumar Saraf

Page No: 676-681

Simulation of temperature control methodologies for chemical reactor

P. Poongodi and R. Madhu Sudhanan

Page No: 682-689

Nd (III) complexes with schiff base ligands: Synthesis, characterization and antimicrobial studies

Shilpa P. Idhol Page No: 197-203

Synthesis, characterization and chelating properties of furan ring containing organic ligands

Harshadkumar P. Patel, Sefali S. Patel and Asha D. Patel

Page No: 690-694

Biosorption of zinc (II) ions from aqueous solution by Androgaphis paniculata leaves powder on batch method Delia, Zulkarnain Chaidir, Almahdy, Rahmiana Zein*and Edison Munaf

Page No: 28-38

Synthesis and antibacterial activity of transition metal complexes of 2-amino acetate, 6-nitro benzothiazole

Nitin H. Bansod* and Gajanan N. Chaudhari

Page No: 204-208