

**STUDY EFFECTIVITY THERAPY COMBINATION OF  
“SAMBUNG NYAWA (*Gynura Procumbens* (Lourr) Merr.) AND  
UNURIC ACID FORMULATION” AS A DRUG  
HYPERURICEMIA**

**ABSTRACT**

Research of combination effect from Sambung nyawa (*Gynura procumbens* (Lourr) Merr.) and “STKL” unuric acid formulation conducted concerning to blood serum uric acid. This research purpose to know pharmacologic effect combination of Sambung nyawa (*Gynura procumbens* (Lourr) Merr.) 500 mg/capsule one a day two capsules and “STKL” unuric acid formulation 500 mg/capsule third a day one capsule for degrading blood serum uric acid, influence of pattern arrangement eat and therapy time. This research consist of 4 groups, that is control group 1 which only and experiment treated just with mealtime arrangement. Control group 2 which only use traditional drug Sambung nyawa with mealtime arrangement. Control group 3 which only use traditional drug ‘STKL’ unuric acid formulation with mealtime arrangement and a group which use combination traditional drug Sambung nyawa and “STKL” unuric acid formulation with mealtime arrangement. Each group treated for 2 weeks and 4 weeks, and uric acid rate examined every 2 weeks.

**Key words:** blood serum uric acid, Sambung nyawa (*Gynura procumbens* (Lourr) Merr.), and “STKL” unuric acid formulation.