Automation, Control and Intelligent Systems 2015; 3(5): 95-99 Published online December 1, 2015 (http://www.sciencepublishinggroup.com/j/acis) doi: 10.11648/j.acis.20150305.16 ISSN: 2328-5583 (Print); ISSN: 2328-5591 (Online)



# Integrated Supply Chain Network Model for Allocating LPG in a Closed Distribution System

# Amelia Santoso<sup>\*</sup>, Dina Natalia Prayogo, Joniarto Parung

Industrial Engineering Department, University of Surabaya, Surabaya, Indonesia

### **Email address:**

amelia@staff.ubaya.ac.id (A. Santoso), dnprayogo@staff.ubaya.ac.id (D. N. Prayogo), jparung@staff.ubaya.ac.id (J. Parung)

## To cite this article:

Amelia Santoso, Dina Natalia Prayogo, Joniarto Parung. Integrated Supply Chain Network Model for Allocating LPG in a Closed Distribution System. *Automation, Control and Intelligent Systems.* Vol. 3, No. 5, 2015, pp. 95-99. doi: 10.11648/j.acis.20150305.16

**Abstract:** This paper proposes a model of integrated supply chain network for allocating subsidized Liquefied Petroleum Gas (LPG) in a closed distribution system. Subsidized LPG is selected as a case study due to its specific product in Indonesia. Since 2007, the Indonesian government makes policy, namely energy conversion from kerosene to LPG. The main purpose of converting kerosene to LPG is to reduce subsidies on fuel oil. The distribution system consists of several filling stations, distributors and retailers. Currently, the distribution of subsidized LPG, does not flow smoothly because there will be a shortage or excess tubes in retailers mainly because it uses a closed distribution system. A closed distribution means that people who are eligible to buy subsidized LPG will be given a card for identifying them as a legal receiver of the LPG. The model is developed using mathematical approach with reference to previous transshipment study. Based on the developed model and by using a numerical example as a case study, the allocation of LPG from filling station to the distributors and from the distributor to the retailers with minimum distribution costs can be determined. LPG in some specific retailers is supplied by only one distributor which is authorized to distribute subsidized LPG on the retailers. However, this model has limitations to arrange the route filling and distribution route.

Keywords: Supply Chain Network, Subsidized LPG, Closed Distribution System

# 1. Introduction

Since 2007, the Indonesian government makes policy, namely energy conversion from kerosene to LPG. The main purpose of converting kerosene to LPG is to reduce subsidies on fuel oil. During this time, kerosene, which has a high production cost is consumed by the majority of low-income communities which are concentrated in rural areas. Therefore government provides subsidies to ease the burden of their energy costs.

LPG starter pack in the form of a gas stove, a tube with its accessories has been distributed in total of more than 56 million packs in 29 provinces in Indonesia. The problem faced now is when and where we doing the refill.

Smoothing material flow is one of the goals in the concept of supply chain, which consists of several echelons [1]. Likewise in the distribution system, if the flow of LPG distribution does not go smoothly, there will be a shortage or excess in retailers mainly because it uses a closed distribution system. A closed distribution means that people who are eligible to buy subsidized LPG will be

given a card for identifying them as a legal receiver of the LPG [2].

The lack of proper LPG's distribution can be caused by faulty allocation of LPG's distribution under the authority and responsibility of filling depots or distributors. Hence, in order to overcome the problems, it is necessary to redesign distribution network system. This distribution network design serves as an input to the government in making policy on LPG distribution system based on the real conditions of the field. In other words, we need the concept of distribution network design to manage the allocation of multi LPG filling depot to distributor and from distributor to retailers.

Figure 1 below shows the current down-stream LPG supply chain (distribution). Government applies closed distribution system for distributing subsidized LPG tubes or canisters in order to ensure the subsidized LPG would reach the proper targets.



#### Figure 1. LPG supply chain (distribution)

# 2. Related Work

There are many distribution network designs in the literatures which concern with interaction among member of supply chain. Most of the interaction treats each member of the supply chain as a separate system. As a result, many of the problems solved with minimum integrated [3]. Here, we present previous study which is associated with the main objective of the research.

The main objective of this closed distribution network design is to minimize the total distribution cost. The total distribution cost per year consists of total distribution cost from filling stations to distributors and from distributors to retailers. Generally, network design covers supply allocation, and selecting location of supply chain members in the public and private economic sectors. Distribution network design relates to real situations where an organization needs to get the most effective and efficient distribution facilities [4]. According to Meng, Huang, and Cheu, the integration of location decisions with other relevant decisions is a basic feature that distribution design has to capture in order to support decision-making involvement in strategic supply chain planning [5].

According to Melo et al, [6] a company's distribution network must meet service goals at the lowest possible cost. In some instances, a company may be able to save millions of dollars in logistics costs and simultaneously improve service levels by redesigning its distribution network. To achieve this, an ideal network must have the optimum number, size, and location of facilities.

As already presented in the introduction, that because of the LPG distribution system does not run smoothly; it is necessary to redesign the distribution network of LPG. Distribution Networks is needed to be redesigned for the purpose of allocations from filling station to the distributor and from the distributor to the retailer. One of the main models that can be used is the transshipment models. Transshipment problem which was first introduced by Orden [7] refers to a development of the transportation problem by considering the possibility of transshipment. The point is that any shipping or receiving point is permitted as an intermediate point. At the transshipment problem, an origin or destination can transport subsidized LPG to another origin or destination [8].

Development models will take into consideration the concept of transshipment [9] the model uses the concept of fixed and variable costs that proposed by Chopra and Meindl. The design of this network distribution aims to produce low distribution costs as proposed by Watson et al. [10]. The model developed is composed of 1). LPG allocations from filling station to the distributor and from the distributor to the retailer. 2) the size of the vehicle and the number of orders by distributors to the filling station.

The next part will present the development model based on this transshipment problem.

# 3. Research Methodology

This research using analytical based methodology to answer the questions: how to allocate, and what are the number of allocation of filled tubes from multi filling station to certain multi distributor and from each distributor to certain retailers in order to minimize total distribution cost per year.

Method of building model is as follows: Firstly, previous related work namely transshipment is analyzed and then developed with mathematical approach to create a new mathematical model. Secondly, the new distribution network design is tested using numerical example with real data as single case study problem. Based on this approach, the research can make a conclusion about model and giving several suggestions for future research.

# 4. Development Model

The integrated supply chain network model is developed for distributing subsidized 3-kg LPG tubes from filling stations to distributors and from distributors to retailers. This model determines number of allocation from multi filling station to certain multi distributor and from each distributor to certain retailers.

In this model, a filling station supplies multi distributor and a distributor can be supplied by more than one filling station. A distributor supplies multi retailer but only a certain distributor can supply a retailer.

Each distributor has a number of trucks with a number of empty tubes in the truck that will be filled by a filling station according to quota. After all empty tubes in a truck are filled, the truck directly distributes the LPG tubes to multi certain retailers of the distributor.

#### 4.1. Mathematical Notations

The mathematical notations are used in developing model as follows:

- Indices s: Filling station s=1..S
- a: Distributor a=1..A

*p*: Retailer *p*=1..P

Decision Variables

 $Q_{sa}^{fd}$ : Number of LPG tubes that are supplied by filling station *s* to distributor *a* 

 $Q_{ap}^{dr}$ : Number of LPG tubes that are supplied by distributor *a* to retailer *p* 

 $Z_{sa}^{fd}$ : 1 if filling station s supplies distributor a, and 0 otherwise

 $Z_{ap}^{dr}$ : 1 if distributor *a* supplies retailer *p*, and 0 otherwise

 $JHT_{sa}$ : Number of day-trucks of subsidized LPG that are supplied from filling station *s* to distributor *a* 

Variables/Parameters

 $K_s$ : Capacity of filling station s

 $JT_a$ : Number of trucks owned by distributor a

 $D_p$ : Monthly LPG demand of retailer p

 $FC_{sa}^{fd}$ : Fixed cost of distributing LPG from filling station s to distributor a

 $VC_{sa}^{fd}$ : Variable cost of distributing LPG per tubes from filling station *s* to distributor *a* 

 $FC_{ap}^{dr}$ : fixed cost of distributing LPG from distributor *a* to retailer *p* 

 $VC_{ap}^{dr}$ : Variable cost of distributing LPG per tubes from distributor *a* to retailer *p* 

*LO*: the order size contract of subsidized LPG per day between certain distributor and specific filling station

JMLH: number of days per month

*MINJHT*: minimum number of day-trucks that are used from filling station to distributor

#### 4.2. Mathematic Formulation

The objective function is to minimize total cost of LPG supply chain. The total cost consists of fixed cost and variable cost at fulfilling station, distributor and retailer.

$$\min \frac{TC = \sum_{s} \sum_{a} FC_{sa}^{fd} Z_{sa}^{fd} + \sum_{s} \sum_{a} VC_{sa}^{fd} Q_{sa}^{fd}}{+ \sum_{a} \sum_{p} FC_{ap}^{dr} Z_{ap}^{dr} + \sum_{a} \sum_{p} VC_{ap}^{dr} Q_{ap}^{dr}}$$
(1)

This model was developed by considering some constraints to ensure the model according to the condition of the distribution of subsidized LPG.

$$\sum_{a} Q_{sa}^{fd} \le K_s \qquad ; \forall s \tag{2}$$

$$Q_{sa}^{fd} \le LO JMLH JT_a Z_{sa}^{fd} \quad ; \forall s, a \qquad (3)$$

$$Q_{sa}^{fa} = LO JHT_{sa} \quad ; \forall s, a \tag{4}$$

$$JHT_{sa} \ge MINJHT \ Z_{sa}^{fd} \quad ; \forall s, a \tag{5}$$

$$JHT_{sa} \le JMLH JT_a \qquad ; \forall s, a \tag{6}$$

$$\sum_{s} Q_{sa}^{fd} \ge \sum_{p} Q_{ap}^{dr} \qquad ; \forall a \tag{7}$$

$$Q_{ap}^{dr} \le LO JMLH Z_{ap}^{dr} \qquad ; \forall a, p \tag{8}$$

$$\sum_{a} Z_{ap}^{dr} = 1 \quad ; \forall p \tag{9}$$

$$Q_{ap}^{dr} = D_p Z_{ap}^{dr} \quad \forall a, p \tag{10}$$

$$\sum_{p} Q_{ap}^{dr} \le LO \ JMLH \ JT_a \qquad ; \forall a \tag{11}$$

$$Z_{sa}^{fa} \in \{0,1\} \quad \forall s,a \tag{12}$$

$$Z_{ap}^{dr} \in \{0,1\} \quad \forall a,p \tag{13}$$

$$Q_{sa}^{fd} \ge 0 \& integer ; \forall s, a$$
 (14)

$$Q_{ap}^{dr} \ge 0 \& integer \quad ; \forall a, p \tag{15}$$

$$JHT_{sa} \ge 0 \& integer ; \forall s, a$$
(16)

Constraint (2) ensures each filling station never distributes subsidized LPG tubes to their distributor more than its capacity. Constraint (3) ensures there is never a supply from the filling station to the distributor exceeds the capacity of all truck owned by the distributor. The next constraint (4) guarantees number of LPG tubes are filled and supplied from a filling station to a distributor must be a multiple of the vehicle capacity in accordance with their contracts (LO). Constraint (5) deals with the contract between a filling station and a distributor has to be equal to or greater than minimum day-trucks are used. Number of day-trucks is guaranteed not to be greater than total trucks per month that owned by each distributor (constraint 6). Constraint (7) guarantees the supply balance so that the distributor has no inventory. Constraint (8) ensures a retailer can only be supplied by a distributor that has been decided as suppliers while constraint (9) guarantees each retailer is only supplied by one certain distributor. Constraint (10) and (11) ensure the amount of allocation from a distributor to a retailer is equal to demand of the retailer and total of all allocation from a distributor to all retailer do not greater than its all vehicle capacity. Constraint (12) and (13) guarantee two decision variables are binary while constraint (14), (15) and (16) guarantee the last three decision variables have to be integer and always greater than zero.

# **5.** Numerical Example

Supply chain structure of 3-kg subsidized LPG consists of two filling station, four distributors and 77 retailers. The capacity of filling stations and distributors can be seen in the following Table.

Table 1. Capacity of filling.

filling station	capacity	distributor	number of trucks	capacity of truck
F1	84,000	D1	2	28,000
F2	67,200	D2	3	42,000
		D3	2	28,000
		D4	3	42,000

Table 2. Demand of each retailer.

retailer	demand	retailer	demand	retailer	demand
P1	2995	P26	2643	P51	2163
P2	2085	P27	3199	P52	827
P3	2228	P28	2776	P53	1514

retailer	demand	retailer	demand	retailer	demand
P4	2497	P29	2758	P54	1020
P5	885	P30	761	P55	1610
P6	1931	P31	3093	P56	1441
P7	2683	P32	3093	P57	2378
P8	100	P33	2115	P58	763
P9	891	P34	3343	P59	1372
P10	943	P35	979	P60	2364
P11	113	P36	3040	P61	2450
P12	2189	P37	179	P62	2032
P13	1690	P38	1680	P63	1793
P14	2097	P39	850	P64	2623
P15	1442	P40	246	P65	2772
P16	2123	P41	425	P66	648
P17	1861	P42	1988	P67	2388
P18	2655	P43	1777	P68	1778
P19	1396	P44	2887	P69	3245
P20	2485	P45	334	P70	2254
P21	3061	P46	702	P71	2643
P22	1254	P47	2875	P72	1036
P23	1640	P48	2841	P73	189
P24	1346	P49	3113	P74	917
P25	2523	P50	100	P75	1223
				P76	1734
				P77	1517

Table 3. Fixed cost of distribution from filling station to distributor.

	D1	D2	D3	D4
F1	144,000,000	142,000,000	129,000,000	143,000,000
F2	145,000,000	141,000,000	143,000,000	127,000,000

Table 4. Fixed cost of distribution from filling station to distributor.

	D1	D2	D3	D4
F1	78,000	77,000	57,000	52,000
F2	51,000	58,000	59,000	69,000

With fixed and variable cost from distributor to retailer, the following result is obtained.

					_
	D1	D2	D3	D4	
F1	0	11200	28000	42000	
F2	28000	30800	0	0	
TOTAL	28000	42000	28000	42000	

**Table 6.** Number of day-trucks of subsidized LPG that are supplied from filling station to distributor.

шт	Distributor						
JUI	1	2	3	4			
F1	0	20	50	75			
F2	50	55	0	0			
TOTAL	50	75	50	75			

*Table 7.* Detail distribution allocation from filling station to distributor and distributor to retailer.

Filling station	QSA	Distributor	QAP	retailer
F1	42000	Dist 4	2189	P12
			1442	P15
			2123	P16
			1861	P17

Filling station	OSA	Distributor	OAP	retailer
Fining station	QSA	Distributor	3093	P31
			3093	P32
			3040	P36
			179	P37
			1777	P43
			334	P45
			2841	P48
			100	P50
			1514	P53
			1020	P54
			1441	P56
			2032	P62
			1793	P63
			2772	P65
			3245	P69
			2254	P70
			917	P74
			1223	P75
			1517	P77
		TOTAL	41800	23
F 1	28000	Dist 3	2085	P2
			100	P8
			891	Р9
			113	P11
			2097	P14
			1396	P19
			2776	P28
			761	P30
			3343	P34
			425	P41
			2887	P44
			3113	P49
			1372	P59
			2364	P60
			648	P66
			1778	P68
			1734	P76
		TOTAL	27883	17
F 1	11200	dist 2	2497	P4
			2683	P7
			943	P10
			1690	P13
			3061	P21
F 2	30800	Dist 2	1254	P22
			2643	P26
			3199	P27
			2115	P33
			979	P35
			850	P39
			246	P40
			/02	P46
			2875	P4/
			827	P52
			2378	P57
			763	P58
			2450	P61
			2623	P64
			2388	P67
			3000	- • /

Filling station	QSA	Distributor	QAP	retailer
			2643	P71
	42000	TOTAL	41972	22
F 2	28000	Dist 1	2995	P1
			2228	Р3
			885	P5
			1931	P6
			2655	P18
			2485	P20
			1640	P23
			1346	P24
			2523	P25
			2758	P29
			1680	P38
			1988	P42
			1610	P55
			1036	P72
			189	P73
		TOTAL	27949	15

# 6. Conclusion

Based on the developed model, and by using a numerical example as a case study, the allocation of LPG from filling station to the distributor and from the distributor to the retailer with minimum distribution costs can be determined. Every retailer can be supplied by only one distributor which is authorized to distribute subsidized LPG on the retailer. It means retailers cannot be supplied by other distributors. Distributors can only fill an empty tube on the filling station that is authorized to supply distributor.

The developed model has been able to establish the allocation of filling stations that will supply a particular distributor. The model has also been able to establish which distributor that will supply a particular retailer. Based on the developed model, and by using a numerical example as a case study, the allocation of LPG from filling station to the distributor and from the distributor to the retailer with minimum distribution costs can be determined. LPG in some specific retailers is supplied by only one distributor which is authorized to distribute subsidized LPG on the retailers.

The model has been able to establish the allocation of filling stations that will supply a particular distributor. The model has also been able to establish which distributor that will supply particular retailers. However, this model has limitations to arrange the route filling and distribution route. This initial model will be developed in further research to establish the fleet distributors' route.

# Acknowledgements

We would like to thank the Ministry of Research, Technology and Higher Education, which provides financial grants so that our research can be done.

# References

- [1] Chopra, S., & Meindl, P.," Supply Chain Management: Strategy, Planning and Operation", 5th Edition, 2013, Prentice-Hall.
- [2] R. D. Fadillah, "LPG Stock 'Safe' Despite Scarcity in Market," Retrieve June 29, 2012, from The Jakarta Post: http://m.thejakartapost.com/news/2012/06/04/lpg-stock-safe-d espite-scarcity-market.html
- [3] Cohen M.A, Hau.l., "Strategic Analysis of Integrated Production-Distribution Systems: Models and Methods", 1988, Operations Research, Vol. 36, No. 2.
- [4] M. Hlyal, A. Ait Bassou, A. Soulhi, J. El Alami, N. El Alami, "Designing A Distribution Network Using A Two Level Capacity Location Allocation Problem: Formulation And Efficient Genetic Algorithm Resolution With An Application To A Moroccan Retail Company", 2015 Journal of Theoretical and Applied Information Technology. Vol.72 No.2.
- [5] Q. Meng, Y. Huang, and R. L. Cheu, "Competitive facility location on decentralized supply chains," 2009, Eur. J. Oper. Res., vol. 196.
- [6] Melo M.T., S. Nickel and F. Saldanha-da-Gama, "Network Design Decisions in Supply Chain Planning, 2001, Fraunhofer-Institut fur Techno- und Wirtschaftsmathematik ITWM Fraunhofer-Platz 1.
- [7] Orden A (1956) "Transshipment problem", 1956. Management Science, Vol.2, Issue.3.
- [8] Here Y.T., M. Tzur and EY, Cesan, "The multilocation transshipment problem", 2006, IIE Transactions Vol.38.
- [9] Benham Malakooti, "Operation and Production systems with multiple objectives, Chapter 9 supply chain and transportation", 2014. John Wiley and Sons, Inc., New Jersey.
- [10] Watson M., S. Lewis, P. Cacioppi and J. Jayaraman., "Supply Chain Network Design: Applying Optimization and Analytics to the Global Supply Chain", 2013. FT Press, New Jersey.





# Automation, Control and Intelligent Systems



Science Publishing Group

Automation, Control and Intelligent Systems :: Science Publishing Group https://www.sciencepublishinggroup.com/journal/editorialboard?journa...

Dronose a Special Issue					Username	Login
Statement of		Propose a	Spec	lai issue	Password	Register
Home Journals Spec	al Issues Books	Submission Se	ervices	Contact Us	Article Title	Q
Automation, Con	trol and Intel	ligent System	าร			
Home   Archive   Special Issue	s   Indexing Editorial	Board Reviewers   Sub	bmission G	uidelines   Article Processing Charges	Publication Ethics   Copyright   FA	Q
Home / Journals / Electrical & Comput	er Science / Automation, Contr	rol and Intelligent Systems / Ec	ditorial Board			
Editorial Board						
Ahmed Jaber Abougarair	Hao Wu			Md Rakib Shahriar	Sumit Kumar Pandey	
Department of Electrical and Electri Engineering, University of Tripoli Tripoli, Libya	nics Anhui Univ Ma'anshan,	ersity of Technology , Anhui, China		Department of Computer Science, University of Florida Gainesville, Florida, United States	of Department of Electrical Engineer Institute of Engineering Science & Howrah, West Bengal, India	ing, Indian Technology
	Professor	Hongbin Ma				
Angelo Tusset	北京理工大	学		Mohammad Zand	Timothy Oladunni	
Department of Mathematics, Federa of Technology Ponta Grossa, Parana, Brazil	l University Beijing, Chi	na Ting		Department of Business Development and Technology, Aarhus University Herning, Denmark	Department of Computer Science, the District of Columbia Washington, United States	University of
	School of C	omnuting and Creative Medi	ia			
AR Junejo	University (	College of Technology Sarawa	ak	Nagaraju Devarakonda	Ting Zhang	8 8 185
DOH Optimization and Health Mana Gyeongsang National University Jinju, South Korea	gement Lab, Sarawak, M	alaysia		School of Computer Science & Engineering, VI AP University Vijayawada, Andhra Pradesh, India	<ul> <li>College of Mechanical and Electric Soochow University Suzhou, China</li> </ul>	al Engineering,
	Jean marie	e launic Noong mezui	cole			
Ayad Al Mahturi	normale su	périeure de l'enseignement	core	Nikolaos Sofianos	Tong Wang	
School of Engineering and Informat Technology, University of New Soutl Canberra, Australia	on technique Wales Libreville, E	stuaire, Gabon		Department of Electrical & Computer Engineering, Democritus University of Thrace Xanthi, Thrace, Greece	Department of Control Science an Harbin Institute of Technology Harbin, Heilongjiang, China	d Engineering,
	Jian Yuan					
Ayman Alkhazraji	Institute of	Oceanographic Instrumenta	ation, Qilu	Omar Abdulwahhab	Vaitheeswaran Vembarasan	
Electrical & Electronics Eng. Manama, Bahrain	Jinan, Shan	of Technology Idong, China		Department of Computer Engineering, Univers of Baghdad Baghdad, Iraq	sity Department of Mathematics, Facu and Humanities, Sri Sivasubramar College of Engineering	lty of Sciences 1iya Nadar
Baoping Yuan	Julio Uren	da			Kanchipuram, Tamil Nadu, India	
Department of Engineering, Chiba L Northville, Michigan, United States	niversity Departmen Departmen of Texas at	t of Mathematical Sciences a t of Computer Science, The L El Paso	and University	Peng Hang School of Mechanical and Aerospace Engineering, Nanyang Technological University	Vincent Andrew Akpan Department of Biomedical Techno	ology, Federal
Basil H. Jasim	El Paso, Tex	kas, United States		Singapore	University of Technology Akure Akure, Nigeria	
Department of Electrical engineerin of Engineering , University of Basra	g , College h Professor	Junyong Zhai		Qi Zhang		
Basrah, Maaqal, Iraq	School of A Nanjing, Ch	utomation, Southeast Unive ina	rsity	School of Control Science and Engineering, Shandong University	Wenfeng Zheng School of Automation, University of Science and Technology of China	of Electronic
Bhagawati Prasad Joshi	K Narasim	ha Pao		Jinan, Shandong, China	Sichuan, China	
Department of Applied Sciences, NF Engineering Institute Pithoragarh	Seemant Departmen	t of Electrical and Electronic	s	Rahib Abiyev		
Uttarakhand, India	Engineering Bangalore,	g, B.M.S. College of Engineeri India	ing	Department of Computer Engineering, Near Ed University	ast Xiaocong Li Department of Mechatronics, Sing	apore Institute
Constanta Zoie Radulescu	K Muthan	nil Sudar		consol, north cyprus, rundy	Singapore	
Department of Modelling, Simulatio Optimization, National Institute for	n amd Research and Departmen	t of CSE, Kalasalingam Acade	emy of	Rajarajan Ramasamy		
Development in Informatics Bucharest, Romania	Research a Srivilliputh	nd Education ur,, India		Department of Electrical and Electronics Engineering, Excel Engineering College Namakkal, Tamilnadu, India	Xiaoshan Bai College of Mechatronics and Conti Shenzhen University	rol Engineering,
Daniel Bonello	KANIMOZH	11 V			Shenzhen, Guangdong, China	
Department of Communications,Sch Electrical and Computer Engineerin	ool of Faculty of C ,University Chennai, Ta	Computing, Sathyabama Univ Imilnadu, India	versity	Professor Rajeev Gupta Department of Electronics, Rajasthan Technic	al Professor Yi Liu	
of Campinas Campinas, São Paulo, Brazil	Ke Ma			University Dadabadi Kota, Rajasthan, India	School of Automation, Guangdong Technology	University of
Davia Vac	Optimizatio	on and Control Group, Pacific	c .	Drefessor Data Ct-	Guangznou, Guangdong, China	
School of Automation Guangdong L	Northwest	National Laboratory Vashington, United States		Department of Electronics Palasthan Technic	al Yingnan Pan	
Technology		assumption, onned states		University	Bohai University	
Guangzhou, Guangdong, China	Larbi Djila	ıli		Kota, India	Jinzhou, Liaoning, China	
Dirman Hanafi	Departmen	t of Engineering, Universidad	d	Rajesh Kumar	Yury Nikitin	
Department of Electrical Engineerin	g, Faculty of Carmen, Ca	mpeche, Mexico		Department of Electronics and Communicatio	n Department of Mechatronic Syste	ms, Kalashnikov
Electrical and Electronic Engineerin	g, Universiti			Engineering, Govind Ballabh Pant Institute of	Izhevsk State Technical University	tion
Batu Pahat, Johor, Malaysia	Laurent A	utrique		Uttarakhand, India	iznevsk, ouniuruy, kussidn redela	cion.
2 22 2 2	Departmen Computer F	t of Control Engineering and Engineering, University of An	igers	te de la carte contentes		
Dursun Ekmekci	Angers, Fra	nce		Professor Róbert Habil. Szabolcsi		
University	ig , Karabuk			Mechatronics and Vehicle Engineering, Obuda		
Karabuk, Turkey	Internation	al College, Qingdao Universi d Technoloøv	ity of	University Budapest, Pest, Hungary		
Gaofeng Che	Qingdao, 🛽	」东, China		Shahah Karoor		

Shahab Kareem

Department of Information System Engineering, Erbil Polytechnic University

#### Gaofeng Che

1 of 2

College of Computer and Information Engineering, Henan Normal University Xinxiang, Henan, China

Luís Fernando Coelho Amaral

3/10/2022, 4:21 PM

Automation, Control and Intelligent Systems :: Science Publishing Group https://www.sciencepublishinggroup.com/journal/editorialboard?journa...

<b>Guiyang Xin</b> School of Informatics, University of Edinburgh Edinburgh, Lothian, United Kingdom <b>Hanane Zermane</b> Department of Industrial Engineering, Batna 2 University Batna, Algeria	Department of Mathematics, of Maranhão São Luís, Maranhão, Brazil <b>Professor Mathavaraj Rav</b> Department of Mechanical E Academy of Science and Tecl Campus Thiruvananthapuram, Kerala	Federal University ikumar T ngineering, Vidya hnology, Technical , India	Erbil, Iraq Shreya Pare Centre for Artifici Technology Sydney, NSW, Aus Siddesh Siddes Department of Ee Visvesvaraya Tech Chitradurga, India	al Intelligence, University of tralia h Ictronics and Communication, nological University	
PUBLICATION SERVICES JOIN Journals Join Special Issues Join Conferences Bec Books Qua Copyright Ben	US as an Editor-in-Chief as an Editorial Member ome a Reviewer lification & Requirement efits & Responsibilities	RESOURCES Open Access For Authors For Librarians For Bookselleı Article Proces	rs sing Charges	SPECIAL SERVICES Download Certificates Recommend to Library Ordering from SciencePG Subscribe	ADDRESS Science Publishing Group 1 Rockefeller Plaza, 10th and 11th Floors, New York, NY 10020 U.S.A. Tel: (001)347-983-5186



### FOLLOW SciencePG

Sitemap | Terms & Conditions | Privacy Policy | Feedback | Services | Contact Us

Copyright © 2012 -- 2022 Science Publishing Group - All rights reserved. Use of this Web site signifies your agreement to the terms and conditions.

SelencePG	Propose a Special Issue		Login
San Strang San	Password		
ome Journals Special Iss	ues Books Submission Services Contact Us		(
Automation, Control	and Intelligent Systems exing   Editorial Board   Reviewers   Submission Guidelines   Article Processing Charges   Publication Ethics	Copyright   FAQ	
Archive	Home / Journals / Electrical & Computer Science / Automation, Control and Intelligent Systems / Archive		
2021, Volume 9 🗾 📕	Archive Volume 3, Issue 5, October 2015		
Vol. 9, Issue 4, Dec.			
Vol. 9, Issue 3, Sep.	OPENBACCESS	Abstrac	t
Vol. 9, Issue 2, Jun.	Multiplex Communication with Synchronous Shift and Weight Learning in 2D Mesh Neural Network	PDF	
Vol. 9, Issue 1, Mar.	Takuya Kamimura, Yasushi Yagi, Shinichi Tamura, Yen-Wei Chen		
2020. Volume 8	Pages: 63-70 Published Online: Sep. 9, 2015		
2019. Volume 7	DOI: 11/10/10/14/14/14/14/14/14/14/14/14/14/14/14/14/		
2018 Volume 6	OPEN @ ACCESS	Abstrac	t
2013, Volume 5	Electric Power Remote Monitor Anomaly Detection with a Density-Based Data Stream Clustering Algorithm	🔎 PDF	
2017, Volume 5 🛛 🖌	Liyue Chen, Tao Tao, Lizhong Zhang, Bing Lu, Zhongling Hang		
2016, Volume 4 🦼	DOI: <u>10.11648/j.acis.20150305.12</u> Views <u>4331</u> Downloads <u>161</u>		
2015, Volume 3 🗾 🗾 🗾			
Vol. 3, Issue 6, Dec.	OPENGACCESS	Abstract	t
Vol. 3, Issue 5, Oct.	Feedback Control of the Lottery System in Theme Park	PDF	
Vol. 3, Issue 4, Aug.	Noriaki Sakamoto Pages: 76-80 Published Online: Oct. 28. 2015		
Vol. 3, Issue 3, Jun.	DOI: <u>10.11648/j.acis.20150305.13</u> Views <u>4154</u> Downloads <u>154</u>		
Vol. 3, Issue 2, Apr.			
Vol. 3, Issue 2-1, Mar.	OPEN @ ACCESS	Abstract	t
Vol. 3. Issue 1. Feb.	lei Ma Chenhui Xie Vi Chun Chengliang Liu	N PUP	
2014 Volume 2	Pages: 81-86 Published Online: Nov. 12, 2015		
2014, Volume 2	DOI: <u>10.11648/j.acis.20150305.14</u> Views <u>2631</u> Downloads <u>189</u>		
2013, volume 1 🛛 🖌	anen B arrere	Abstrac	
Submit a Manuscript	MAC Protocols Design for Smart Metering Network	PDF	
Submit a Manuscript	Yue Yang, Yanling Yin, Zixia Hu		
Special Issues	Pages: 87-94 Published Online: Nov. 26, 2015		
special issues	DOI: <u>10.11648/j.acis.20150305.15</u> Views <u>4236</u> Downloads <u>145</u>		
Propose a Special Issue	OPENBACCESS	Abstrac	t
Special Issue Guidelines	Integrated Supply Chain Network Model for Allocating LPG in a Closed Distribution System	PDF	
Join Editorial Board	Amelia Santoso, Dina Natalia Prayogo, Joniarto Parung Pages: 95-99 Published Online: Dec. 1, 2015 DOI:1016.01/j.colf50.01555 University of Constraints		
Become a Reviewer	DOI: 10/10/04/13/2012/03/210 VIEWS 12/0 DOWINDIGS 1/0		

PUBLICATION SERVICES	JOIN US	RESOURCES	SPECIAL SERVICES	ADDRESS
Journals Special Issues Conferences Books Copyright	Join as an Editor-in-Chief Join as an Editorial Member Become a Reviewer Qualification & Requirement Benefits & Responsibilities	Open Access For Authors For Librarians For Booksellers Article Processing Charges	Download Certificates Recommend to Library Ordering from SciencePG Subscribe	Science Publishing Group 1 Rockefeller Plaza, 10th and 11th Floors, New York, NY 10020 U.S.A. Tel: (001)347-983-5186



#### FOLLOW SciencePG

Sitemap | Terms & Conditions | Privacy Policy | Feedback | Services | Contact Us Copyright © 2012 -- 2022 Science Publishing Group – All rights reserved. Use of this Web site signifies your agreement to the terms and conditions.