



The open access IOP Conference Series provides a fast, versatile and cost-effective proceedings publication service for your conference. Key publishing subject areas include: physics, materials science, environmental science, bioscience, engineering, computational science and mathematics.

We are celebrating the 10th anniversary of IOP Conference Series and, to mark this occasion, we have put together a collection of the most influential work to have been presented at recent conferences. We want to thank conference organizers, authors, referees and readers for working with us in the past ten years. [Browse the collection here](#).

[View published volumes](#) [Forthcoming volumes](#) [Testimonials](#)

Browse our published proceedings

Volumes are published via [IOPscience](#). Through the following links you can view all published content for each proceedings title:

- [Journal of Physics: Conference Series \(JPCS\)](#)
[2018](#) / [2017](#) / [2016](#) / [2015](#) / [2014](#) / [2013](#) / [2012](#) / [2011](#) / [2010](#) / [2009](#) / [2008](#) / [2007](#) / [2006](#) / [2005](#) / [2004](#)
- [IOP Conference Series: Materials Science and Engineering \(MSE\)](#)
[2018](#) / [2017](#) / [2016](#) / [2015](#) / [2014](#) / [2013](#) / [2012](#) / [2011](#) / [2010](#) / [2009](#)
- [IOP Conference Series: Earth and Environmental Science \(EES\)](#)
[2018](#) / [2017](#) / [2016](#) / [2015](#) / [2014](#) / [2013](#) / [2012](#) / [2011](#) / [2010](#) / [2009](#) / [2008](#)

[Search
Conference
Proceedings](#)

IOPcorporate
Free access
for your company

 **IOP ebooks**
The society book
publisher in physics

IOP Conference Series team



Anete Ashton
Publisher, Conference Series

Anete Ashton is the Publisher for the proceedings programme at IOP Publishing. With an MA in linguistics and over ten years' experience in proceedings publication she has developed and grown the IOP Conference Series and has commissioned some of the most prestigious conferences in physics and related subject areas.

E-mail [Anete Ashton](mailto:Anete.Ashton@iop.org)
Tel +44 (0)117 930 1280



Steph Gill
Conference Publishing Co-ordinator

Steph looks after the day-to-day operations of IOP Conference Series, including commissioning content and liaising with conference organizers/editors. Steph joined the Conference Series team after eight years in the Production department. She has a degree in Media and Film from the University of Winchester.

E-mail [Steph Gill](mailto:Steph.Gill@iop.org)
Tel +44 (0)117 930 1252



Kayleigh Parsons
Editorial Assistant, Conference Series

Kayleigh works three days a week with the operations of IOP Conference Series, including system organisation and point of contact for organisers/editors. Kayleigh joined IOP Publishing back in 2008 working in Publishing, she then took 18 months off to travel but re-joined the company in 2015. Kayleigh then joined the Conference Series team in 2018.

E-mail [Kayleigh Parsons](mailto:Kayleigh.Parsons@iop.org)
Tel +44 (0)117 930 1252 or 1280



Svetlana Kalinina
Technical Production Editor

Svetlana Kalinina is a Production Editor who coordinates the online and print production of proceedings for IOP Conference Series journals. She joined IOP in January 2002. She has a degree in genetics from St.Petersburg State University.

Contact us

Publication procedure and editorial questions can be sent to the individual journal e-mail addresses:

- *Journal of Physics: Conference Series*
jpcs@iop.org
- *IOP Conference Series: Materials Science and Engineering*
mse@iop.org
- *IOP Conference Series: Earth and Environmental Science*
ees@iop.org
- Or to the general address:
conferenceseries@iop.org

Author guidelines for conference proceedings

— Preparing your proceedings paper

IOP Conference Series uses author-supplied PDFs for all online and print publication. Authors **must** prepare their papers using Microsoft Word or LaTeX, according to the [guidelines and templates](#), and then convert these files to PDF.

It is important to ensure that when you submit your paper, it is in its final form ready for publication, and has been thoroughly proofread. IOP do not copy edit or reformat papers and will not send out author proofs prior to publication. Post-publication changes are not permitted, so please ensure that your paper has been checked for errors.

By submitting a paper an author and all co-authors are assumed to agree with the terms of the [IOP Proceedings Licence](#).

Do not submit your papers directly to IOP Publishing; please contact your conference organizer for submission instructions.

As a summary, please ensure the following:

- Paper size is European A4.
- Margins are 4cm (top), 2.5cm (left and right) and 2.7cm (bottom).
- The paper includes the author name and affiliation (full address including country).
- There are no page numbers, or headers and footers, within the paper.
- The PDF is free of formatting errors (e.g. corrupt equations, missing or low-resolution figures), since conversion from Word to PDF can introduce formatting errors.
- Text is single spaced, *not* double spaced.
- The PDF file is editable and *not* password protected.
- All pages are portrait (landscape pages should be rotated).
- Reference lists are checked for accuracy. **References can only be linked via Crossref if they are correct and complete.**
- Figures are placed within the text, *not* collected at the end of the document.
- A thorough proofread is conducted to check the standard of English and ensure wording is clear and concise.

— Templates and guidelines for proceedings papers

Essential guidelines

Please follow these essential guidelines when preparing your paper:

- [Basic guidelines for preparing a paper](#)
- [Guidelines for preparing reference lists](#)

Templates

Authors must prepare their papers using our Microsoft Word or LaTeX2e templates, and then convert these to PDF format for submission:

- [Microsoft Word templates](#)
- [LaTeX2e class file](#)

Multimedia

If you would like to submit multimedia to accompany your paper, you might find these guidelines useful:

- [Multimedia guidelines](#)

Table of contents

Volume 209

December 2018

[◀ Previous issue](#) [Next issue ▶](#)

3rd International Conference on Biomass: Accelerating the Technical Development and Commercialization for Sustainable Bio-based Products and Energy 1–2 August 2018, Bogor, Indonesia

[View all abstracts](#)

Accepted papers received: 13 November 2018 **Published online: 19 December 2018** **Prelims**

OPEN ACCESS 3rd International Conference on Biomass: Accelerating the Technical Development and Commercialization for Sustainable Bio-based Products and Energy + View abstract View article PDF	011001
OPEN ACCESS List of committees International Conference on Biomass 2018 + View abstract View article PDF	011002
OPEN ACCESS Photograph + View abstract View article PDF	011003
OPEN ACCESS Peer review statement + View abstract View article PDF	011004

Papers

OPEN ACCESS Carbon Footprint of Strait Vegetable Oil and Bio Diesel Fuel Produced from Used Cooking Oil H Fujita, K Nakano, H Matsuo and E Hambali + View abstract View article PDF	012001
OPEN ACCESS Oil Palm Yield at Lowland Area through Groundtruthing of LiDar Strip Hariyadi, Laode S. Iman, Rio O. Segara, Azar Rachdian and Kresno D. Santosa + View abstract View article PDF	012002
OPEN ACCESS ASSESSING MECHANICAL PROPERTIES AND ANTIMICROBIAL ACTIVITY OF ZINC OXIDE-STARCH BIOFILM E. Warsiki and J.T. Bawardi + View abstract View article PDF	012003

OPEN ACCESS		012004
Small-scale utilization of torrefied woody biomass fuel in rural area		
T Yoshida, D Kamikawa and M Inoue		
+ View abstract View article PDF		
OPEN ACCESS		012005
The Effect Fogging of Corn Kernels to Maize Weevil, <i>Sitophilus zeamais</i> Population		
H. Setyaningrum, M. I. Munir, V. Bimantara, S. Mubarak and I. Rohimin		
+ View abstract View article PDF		
OPEN ACCESS		012006
Improvement of Cassava Bagasse Flour Characteristics To Increase Their Potential Use as Food		
Beni Hidayat, Udin Hasanudin, Siti Nurjanah and Neti Yuliana		
+ View abstract View article PDF		
OPEN ACCESS		012007
The Influence of Essential Oil Addition to Oxidative Stability of Palmoil Biodiesel		
Dwi Setyaningsih and Daud Gerald Siahaan		
+ View abstract View article PDF		
OPEN ACCESS		012008
Production of Broiler Chicken Carcass Fed on Rice Bran Biomass in Different Marketed Ages		
H. Hafid, Rahman, Nuraini, Y. Wati, Inderawati, S.H. Ananda and L. Ba'a		
+ View abstract View article PDF		
OPEN ACCESS		012009
Effect of Organosolv Pretreatment on Delignification for Bioethanol Feedstock from Oil Palm Empty Fruit Bunch (OPEFB)		
Efri Mardawati, Ibad Badruzaman, Sarifah Nurjanah and Yazid Bindar		
+ View abstract View article PDF		
OPEN ACCESS		012010
Enhancement of lytic polysaccharide monoxygenase activity derived from <i>Neurospora</i> sp. in solid substrate fermentation of oil palm empty fruit bunch		
L J Virginia, D Wijaya and A Suwanto		
+ View abstract View article PDF		
OPEN ACCESS		012011
Product Development of Chocolate with Quality Function Deployment Approach: A Case Study in SMEs Chocolate Industry in Indonesia		
Humiras Hardi Purba, M. Syamsul Maarif, Indah Yuliasih and Aji Hermawan		
+ View abstract View article PDF		
OPEN ACCESS		012012
Analysis of Energy Gap and The Refractive Index of Barium Strontium Titanate ($Ba_{0.2}Sr_{0.8}TiO_3$) Films doped of Chlorophyll from Green Leafy Vegetables		
E K Palupi, H Alatas and Irzaman		
+ View abstract View article PDF		
OPEN ACCESS		012013
Extraction and Characterization of Silicon Dioxide from Rice Straw		
PH Nazopatul, Irmansyah and Irzaman		
+ View abstract View article PDF		
OPEN ACCESS		012014
Harvesting effectiveness of <i>Chlorella</i> sp. biomass using different flocculation treatments of <i>Moringa oleifera</i> extract and pH conditions		
Wasiatul Maghfiroh, Erdawati, Ganjar Saefurahman, Syarif Hidayatuloh and Mujizat Kawaroe		
+ View abstract View article PDF		

OPEN ACCESS	012015
<p>The Use of Response Surface Method in Optimization of Levan Production by Heterologous Expressed Levansucrase from Halophilic Bacteria <i>Bacillus licheniformis</i> BK2</p> <p>N U Permatasari, E Ratnaningsih and R Hertadi</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012016
<p>DRAGON FRUIT FRESHNESS DETECTOR BASED ON METHYL RED COLOUR INDICATOR</p> <p>E. Warsiki and N. Rofifah</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012017
<p>Production of ectoine by <i>Halomonas elongata</i> BK-AG25 using osmotic shock technique</p> <p>I Putu Parwata, Deana Wahyuningrum, Sony Suhandono and Rukman Hertadi</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012018
<p>Bioprocess engineering of bioethanol production based on sweet sorghum bagasse by co-culture technique using <i>Trichodemareesei</i> and <i>Saccharomyces cerevisiae</i></p> <p>E A Syadiah, L Haditjaroko and K Syamsu</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012019
<p>The Mapping of Agroindustry Based on Cassava</p> <p>Fitriani, Bina Unteawati, Zainal Mutaqin and Sutarni</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012020
<p>Economic analysis of sorghum plant cultivation as biomass source for 2nd generation biofuel feedstock</p> <p>Erliza Hambali, Mira Rivai, Obie Farobie, Nindiyo Caroko, Septhian Marno and Ari Imam Sutanto</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012021
<p>Effect of Adding Activated Carbon of Palm Kernel Shell on Carbon Papers as Electrochemical Double Layer Capacitors</p> <p>O N Tetra, Syukri and H Aziz</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012022
<p>Potency of Yeast - Microalgae <i>Spirulina</i> Collaboration in Microalgae-Microbial Fuel Cells for Cafeteria Wastewater Treatment</p> <p>Sylvia Anggraeni Motto, Marcellinus Christwardana and Hadiyanto</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012023
<p>Distribution Analysis of the Supply Chain of Catfish (<i>Pangasius</i>) Agribusiness in Kota Gajah District, Central Lampung, Indonesia</p> <p>Sutarni, Fadila Marga Saty and Bina Unteawati</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012024
<p>Optimization of rhamnolipid production from bioconversion of palm oil mill effluent (POME) waste by <i>Pseudomonas stutzeri</i> BK-AB12 using response surface methodology</p> <p>Rahmad Rizki Fazli and Rukman Hertadi</p> <p>+ View abstract View article PDF</p>	
OPEN ACCESS	012025
<p>Chlorophyll, ascorbic acid and total phenolic contents of sweet potato leaves affected by minimum postharvest handling treatment</p> <p>Siti Nurdjanah</p> <p>+ View abstract View article PDF</p>	

-
- OPEN ACCESS** 012026
Seed viability and fungi infected seeds of *Leucaena* sp. at several treatments of essential oils, temperatures and storage periods
N Yuniarti, T Suharti and D Syamsuwida
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012027
The Potential of Waste Cooking Oil and Oily Food Waste as Alternative Biodiesel Feedstock in Padang Municipality
Fadjar Goembira and Taufiq Ihsan
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012028
Growth and Resin Production Structure of *Pinus merkusii* Under Different Environment Condition (Case study in Perum Perhutani Seedling Seed Orchard)
A Susilowati and H H Rachmat
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012029
Determining Factors of Banana Chips Production in Lampung, Indonesia
M Apriyani and F M Saty
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012030
Influence of Types of Fatty Materials and Addition of Sugar Concentration on Fruit Leather Quality from Dragon Fruit Albedo (*Hylocereus polyrhizus*)
Dina Mardhatilah, Ida Bagus Banyuro Partha and Herra Hartati
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012031
The Properties of Sandwich Particleboard (SPB) Made From Bamboo Belangke and Corn Stalk Bagasse Bonded With Isocyanat in Various Levels
A H Iswanto and H D Anjarani
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012032
Effect of Chopping on the Quality of Fucoïdan Extracted from *Sargassum filipendula*
Ellya Sinurat and Diini Fithriani
[+ View abstract](#) [View article](#) [PDF](#)

-
- OPEN ACCESS** 012033
Effect of Extraction Time and Na₂CO₃ Concentration on The Characteristics of Alginate Extracted from *Sargassum sp.*
Erliza Hambali, Satya Chandra Wibawa Sakti, Mochamad Zakki Fahmi, Febri Eko Wahyudianto, Nuryono, P Yessi, Mohamad Yani, Ellya Sinurat and Borneo Satria Pratama
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012034
Effect of pre-drying time and citric acid content on *Imperata cylindrica* particleboards properties
F A Syamani, S S Kusumah, L Astari, K W Prasetyo, E S Wibowo and Subyakto
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012035
Growth and productivity of mushroom oyster (*Pleurotus ostreatus*) on mixed planting media of cocopeat with sawdust
R Rambey, G P N Matondang and E B M Siregar
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012036
Physico-chemical Properties Tests of Palm Oil Based Foaming Agent Using Water Solvent Media from Peatland
Mira Rivai, Erliza Hambali, Ani Suryani, Gatot Pramuhadi, Rista Fitria and Shaeiful Firmansyah
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012037
Study on Surfactant-Solvent Mixture Formulation and Its Application on Pesticide Emulsion Product
J Foliadi, E Hambali and H Fujita
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012038
Study on Palm Oil-Based Glycerol Ester as An Antifoaming Agent
R Febryantara, E Hambali, H Fujita and A Suryani
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012039
Synthesis and application CTAC surfactant from palmyl alcohol in insecticide emulsifiable concentrate formulation
E N Yunira, A Suryani, Dadang and S Tursiloadi
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012040
Formulation and Storage Stability of Nanoencapsulated *Proteus penneri* and *Bacillus aerophilus*
Y I P Misto, R D M C Sitorus, I D Permatasari, E Noor and T C Sunarti
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012041
Properties of Co-Pyrolysed Palm Kernel Shell and Plastic Grocery Bag with CaO as Catalyst
Thoharudin, Muhammad Nadjib, Tito Hadji Agung Santosa, Juliansyah, Andean Zuniardi and Rizki Shihabudin
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012042
Risk Analysis and Mitigation Strategy for Sugar Cane Production Processes (Case Study: X Sugar Cane Factory – West Java)
Suripto, Machfud, M. Romli and AHY Rosidi
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012043
Cellulose-Based Nanohydrogel from Corn Cob with Chemical Crosslinking Methods
C Winarti, M Kurniati, A B Arif, KS Sasmitaloka and Nurfadila
[+ View abstract](#) [View article](#) [PDF](#)

-
- OPEN ACCESS** 012044
Change of chemical components content in andong and yellow bamboo due to various steam treatment
Muhammad Iqbal Maulana, A K Arif, D S Nawawi, N J Wistara, F Febrianto and S Nikmatin
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012045
Effect of Acetic Acid and Ethanol as Additives on Bacterial Cellulose Production by *Acetobacter xylinum*
Y E Agustin and K S Padmawijaya
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012046
High-value chemicals from marine macroalgae: opportunities and challenges for marine-based bioenergy development
A Bayu and T Handayani
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012047
Application of Mono-Diacyl Glycerol from Palm Oil By Product as Emulsifier for Body scrub
Dwi Setyaningsih, Putik Loka Wijayanti and Neli Muna
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012048
Reduction of silicon dioxide from bamboo leaves and its analysis using energy dispersive x-ray and fourier transform-infrared
Aminullah, E Rohaeti, B Yulianto and Irzaman
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012049
Conversion banana and orange peel waste into electricity using microbial fuel cell
Elviliana, O S L Toding, C Virginia and S Suhartini
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012050
A Decision Tree Approach to Estimate the Microalgae Production in Open Raceway Pond
Supriyanto, Ryozo Noguchi, Tofael Ahamed, Demura Mikihide and Makoto M. Watanabe
[+ View abstract](#) [View article](#) [PDF](#)


-
- OPEN ACCESS** 012051
Bioethanol Production from Bamboo Pulp using Enzymatic Saccharification with Several Concentration of Surfactant
I Winarni and R Maulidina
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012052
Extending wire method for field assessment of surface peat thickness loss due to peat fire incidence in oil palm plantations
Herdhata Agusta, Fifin Nasyirotun Nisya, Gani Cahyo Handoyo, Nyoto Santoso, Idung Risdiyanto, Wawan and Krisantini
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012053
Anaerobic Biogas Production Using Microalgae *Chlorella* sp. as Biomass Co-digested by Cow Manure and Cow Rumen Fluid as Inoculum.
H Ambarsari, R Adrian and B S Manurung
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012054
The Study of Converging-Diverging Nozzle for Improving the Impulse Momentum of Cross Flow Turbine in a Bio-Micro Power Plant
H Pujowidodo, A I Siswantara, G G R Gunadi and A Daryus
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012055
The effect of cow manure and cow rumen fluid on biogas production using *Oscillatoria* sp. biomass
N Benedict, H Ambarsari, E Sukara and Rohmatussolihat
[+ View abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012056
The usage of carbon dioxide gas on pyrolysis process and its effect on biomass catalytic conversion
Setiadi and Danestyhan Arif Pradana
[+ View abstract](#) [View article](#) [PDF](#)

PAPER • OPEN ACCESS

Effect of Acetic Acid and Ethanol as Additives on Bacterial Cellulose Production by *Acetobacter xylinum*

To cite this article: Y E Agustin and K S Padmawijaya 2018 *IOP Conf. Ser.: Earth Environ. Sci.* **209** 012045

View the [article online](#) for updates and enhancements.




IOP ebooks
Bringing you innovative digital publishing with leading voices
to create your essential collection of books in STEM research.
Browse our titles and journals or contact us for more information.
[www.iopscience.iop.org](#)

PAPER • OPEN ACCESS

Effect of Acetic Acid and Ethanol as Additives on Bacterial Cellulose Production by *Acetobacter xylinum*

To cite this article: Y E Agustln and K S Padmawijaya 2018 *IOP Conf. Ser.: Earth Environ. Sci.* **209** 012045

View the [article online](#) for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

Effect of Acetic Acid and Ethanol as Additives on Bacterial Cellulose Production by *Acetobacter xylinum*

Y E Agustin and K S Padmawijaya

Chemical Engineering Department, University of Surabaya, Indonesia

Email : yuana@staff.ubaya.ac.id

Abstract. Bacterial cellulose was the result of fermentation by *Acetobacterium xylinum*. Fermentation medium that used in this research is HS (Hestrin – Shramm) media with $MgSO_4$ as cofactor and also with 5% (v/v) glycerol and 0.8% (w/v) urea as additional carbon and nitrogen sources. This research focus is to determine the effect of acetic acid and ethanol as additives agent in the production of bacterial cellulose. Addition of additives to the fermentation medium aims to improve the characteristic of bacterial cellulose. Variable that used in this research is additive concentration (0.5%, 1%, 1.5%, and 2% v/v). Synthesized bacterial cellulose will be physically and mechanically characterize using dry thickness measurement, water capacity measurement, swelling ability, tensile strength and elongation at break measurement. Morphology measurement will be known through SEM (Scanning Electron Microscopy) and FTIR (Fourier Transform Infra Red) analysis. SEM analysis showed that addition of 1.5% (v/v) acetic acid to the fermentation medium gave more fiber on bacterial cellulose than addition of 1.5% ethanol, this result also supported by FTIR analysis. Rated of moisture content and swelling ratio of bacterial cellulose using 1.5% (v/v) ethanol higher when compared with 1.5% acetic acid on fermentation medium. Tensile strength and elongation at break analysis showed that bacterial cellulose has the highest tensile strength and the lowest elongation at break value with addition of 1.5% (v/v) acetic acid to the fermentation medium.

1. Introduction

Biodiesel is one of the best choices that have the potential to effectively reduce the dependence on petroleum. Glycerol is the major by-product from biodiesel production and it is one major concern regarding biodiesel production. In general, biodiesel production generates 10% crude glycerol (w/w) during transesterification of triglycerides with an alcohol, most frequently methanol. Crude glycerol generated during biodiesel production contains impurities such as alcohol, salts, heavy metals, and water, it is must be purified before use in further applications. Many processes already used to purify crude glycerol from biodiesel industries. However, many techniques lack sufficient selectivity and yield to make them commercially viable [1]. A wide variety of microorganisms can utilize glycerol. When considering the microbial conversion of glycerol (as the sole carbon source) into value-added products, however, the options are somewhat limited. Crude glycerol could be an economic carbon and nutrient source for bacterial cellulose production.[2] [3]

Bacterial cellulose (BC) produced by gram negative bacteria, *Acetobacter xylinum*, is a pure cellulose nanofiber with a diameter of approximately 50 nm. Bacterial cellulose presents very interesting properties such as high purity, unique physical and mechanical properties that arise from its tridimensional and branched nano and micro-fibrillar structure and biocompatibility. These singular characteristic triggered considerable interest on BC, especially in the biomedical area. Some examples of applications are as wound healing membranes for substituting natural skin, cirurgical implants but



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

also other high added value applications such as membranes for audio devices and optically transparent nanocomposites [4][5][6]. This study focuses on the effects of acetic acid and ethanol as additives on bacterial production from glycerol by *Acetobacter xylinum*. Furthermore, the physical and mechanical properties of the bacterial cellulose were determination.

2. Material and methods

Glycerol was provided by PT. Brataco Chemica with purity 87% (in weight). While strain of *Acetobacter xylinum* was provided by Agrotekno Sarana Industri. Modified Hestrin and Scharmm (HS) media with Magnesium Sulphate ($MgSO_4$) as a cofactor were used as fermentation media in this research. HS media was modified by replacing D-glucose with glycerol as an additional carbon source and also urea was added as an additional nitrogen source. Fermentation media contains 2%w/v glucose, 0.5%w/v peptone, 0.5%w/v yeast extract, 0.5%w/v disodium phosphate, 0.115w/v citric acid, 5% v/v glycerol, 0.8% w/v urea and 0.115%w/v magnesium sulphate. Concentration of additive (acetic acid and ethanol) that used in this research was 0.5%, 1 %, 1.5%, and 2% v/v.

2.1. Cultivation media and conditions

Inoculum was cultured for 24 hours in Mc. Cartney bottle containing fermentation media at 26°C and 150 rpm orbital speed. For BC production, static incubations were performed in Erlenmeyer's flasks for 14 days. To purified BC production, pellicles were rinsed with water to remove the culture medium, and then boiled in 1N NaOH solution at 90°C for 20 minutes in order to eliminate the bacteria cells from the cellulose matrix. Then, pellicles were washed with distilled water till neutralization. Dry weight was measured after drying the films at 50°C till constant weight.

2.2. Analytical method

Bacterial cellulose films were characterized for Scanning Electron Microscopy (SEM) analysis, Fourier Transform Infrared Spectroscopy (FTIR) analysis, thickness and mechanical properties as described below.

2.2.1 Scanning Electron Microscopy

The surface and morphology of bacterial cellulose films were analyzed by Scanning Electron Microscopy in Sepuluh Nopember Institute of Technology. The freeze- dried samples were coated with gold.

2.2.2 Fourier Transform Infrared Spectroscopy

The chemical structure of bacterial cellulose films were analyzed by FTIR (Bruker). The bacterial cellulose produced by *Acetobacter xylinum* from our research was mixed well with potassium bromide (KBr) powder and press into small tablet.

2.2.3 Thickness measurement

Thickness of each bacterial cellulose film was measured at eight different positions by a thickness gauge, and the values were averaged.

2.2.4 Tensile Strength and Elongation at break

Mechanical properties of the films were investigated using autograph in University of Airlangga, Surabaya. The dimensions of the test specimen were 7 cm x 2 cm. each test was performed in duplicate.

3. Results and discussion

3.1. Bacterial cellulose production

Acetobacter xylinum formed a cellulose layer on the fermentation media containing HS- $MgSO_4$ medium with glycerol as an additional carbon source and urea as an additional nitrogen source at the end of 14 days incubation at 26°C. NaOH and water were used to purify the pellicles of bacterial cellulose. After purification bacterial cellulose was dried at 50°C. Two additives, acetic acid and ethanol, were added to the fermentation media to control the growth of bacterial cellulose and also to increase mechanical properties of bacterial cellulose. Acetic acid was added to control the acidity level

of fermentation media and optimized the production of bacterial cellulose. Ethanol was added to increase the growth rate of bacterial cellulose, ethanol can act as energy source on bacterial cellulose fermentation (Rani et al., 2011)




Fig 1. Bacterial cellulose production with addition of (a) 1.5% v/v ethanol (b) 1.5%v/v acetic acid

3.2. Characterization of bacterial cellulose (BC)

3.2.1 Fourier Transform Infrared Spectroscopy (FTIR) Analysis

FTIR spectra obtained from bacterial cellulose films are shown in Table 1. The result showed that bacterial cellulose from this research have O-H bond at 3530-3430 cm^{-1} . The peaks at 1542-1528 cm^{-1} were attributed to bending O- H group. Another intense peak located at 1600 cm^{-1} was attribute to C-O (β -glycosidic bond) group.

Table 1. Bacterial cellulose functional group from FTIR analysis

Functional Group	Wavelength, cm^{-1}		
	Bacterial cellulose	Bacterial cellulose with 1.5% v/v ethanol on fermentation media	Bacterial cellulose with 1.5% v/v acetic acid on fermentation media
O-H	3433.41	3527.92	3446.91
O-H Bend	1541.18	1529.6	1527.67
β -1, 4- glycosidic	1163.11	1163.11	1159.26

3.2.2 Scanning Electron Microscopy (SEM) Analysis

Surface morphology of bacterial cellulose that produced by different fermentation media was shown in Figure 2. Bacterial cellulose from HS-MgSO₄ media has compact surface morphology with loose fibril structure (Fig 2a). Bacterial cellulose from modified HS-MgSO₄ media with 1.5%v/v ethanol as an additive has random assembly of fibril and also porous structure (Fig 2b). The structure of bacterial cellulose produced in modified HS-MgSO₄ media with 1.5% v/v acetic acid has more compact surface morphology with lots of fibril (Fig 2c).

of fermentation media and optimized the production of bacterial cellulose. Ethanol was added to increase the growth rate of bacterial cellulose, ethanol can act as energy source on bacterial cellulose fermentation (Rani et al., 2011)




Fig 1. Bacterial cellulose production with addition of (a) 1.5% v/v ethanol (b) 1.5%v/v acetic acid

3.2. Characterization of bacterial cellulose (BC)

3.2.1 Fourier Transform Infrared Spectroscopy (FTIR) Analysis

FTIR spectra obtained from bacterial cellulose films are shown in Table 1. The result showed that bacterial cellulose from this research have O-H bond at 3530-3430 cm^{-1} . The peaks at 1542-1528 cm^{-1} were attributed to bending O- H group. Another intense peak located at 1600 cm^{-1} was attribute to C-O (β -glycosidic bond) group.

Table 1. Bacterial cellulose functional group from FTIR analysis

Functional Group	Wavelength, cm^{-1}		
	Bacterial cellulose	Bacterial cellulose with 1.5% v/v ethanol on fermentation media	Bacterial cellulose with 1.5% v/v acetic acid on fermentation media
O-H	3433.41	3527.92	3446.91
O-H Bend	1541.18	1529.6	1527.67
β -1, 4- glycosidic	1163.11	1163.11	1159.26

3.2.2 Scanning Electron Microscopy (SEM) Analysis

Surface morphology of bacterial cellulose that produced by different fermentation media was shown in Figure 2. Bacterial cellulose from HS-MgSO₄ media has compact surface morphology with loose fibril structure (Fig 2a). Bacterial cellulose from modified HS-MgSO₄ media with 1.5%v/v ethanol as an additive has random assembly of fibril and also porous structure (Fig 2b). The structure of bacterial cellulose produced in modified HS-MgSO₄ media with 1.5% v/v acetic acid has more compact surface morphology with lots of fibril (Fig 2c).




Fig 2. SEM images of the top view of bacterial cellulose (BC) produced in (a) HS-MgSO₄ media (b) Modified HS-MgSO₄ media with 1.5% v/v of ethanol as an additive (c) Modified HS-MgSO₄ media with 1.5% v/v of acetic acid as an additive

3.3. Thickness measurement

Fig 3 showed the dry thickness of bacterial cellulose produced on this research using two different additives at modified HS-MgSO₄ media. The maximum thickness of bacterial cellulose was produced on modified HS-MgSO₄ media with 1.5% v/v ethanol concentration. Hence, HS-MgSO₄ media with additional of 5% and 1% of acetic acid did not form bacterial cellulose, maybe because *Acetobacter xylinum* not perfectly oxidized acetic acid from fermentation media and the pH of fermentation media was not support for bacterial cellulose fermentation .




Fig 3. Bacterial cellulose thickness at various additive concentrations

3.4. Mechanical test

The mechanical properties of bacterial cellulose at various media were presented in Table 2. Increasing of ethanol as an additive on fermentation media will decrease tensile strength but increase the elongation of break of bacterial cellulose formation. Ethanol was increase the elasticity of bacterial cellulose. Ethanol with 1.5% v/v produced bacterial cellulose with tensile strength was about 68.978 MPa and the elongation at break was about 2.83. Bacterial cellulose formation with 1.5% v/v acetic acid addition give higher tensile strength, it was about 153.637 Mpa, but with lower elongation at break, only 0.9429. Bacterial cellulose with acetic acid as additive has rigid characteristic.

Table 2. Mechanical properties of bacterial cellulose at various media

Additive	Concentration (%v/v)	Young Modulus (N)	Tensile Strength (Mpa)	Elongation at break (100%)
Ethanol	0.5	94.34	152	1.7000
	1.0	161.81	151	2.6286
	1.5	107.089	68.978	2.8300
	2.0	34.814	55.259	3.6286
Acetic Acid	0.5	-	-	-
	1.0	-	-	-
	1.5	92.183	153.637	0.9429
	2.0	57.859	98.066	2.0429

4. Conclusions

Bacterial cellulose composite was successfully prepared in this research. Bacterial cellulose produced with 1.5%v/v of acetic acid addition has better characteristic and mechanical properties compared with addition of 1.5%v/v ethanol (higher tensile strength). These results showed that glycerol can be used as a potential substrate for bacterial cellulose production.

5. References

- [1] Tsouko E, Constantina K, Dimitrios L, Nikolaos K, Ioanna M, Seraphim P, Fotis P, Vitor A, Apostolis K 2015 *Int. J. Mol. Sci* **16** 14832-14849
- [2] Johnson D T, Katherine A T 2007 *AICHe Environmental Progress* **26(4)** 338-348
- [3] Agustin Y E, Padmawijaya K S, Rixwari H F, Yuniharto V A S 2018 *IOP Conf. Series : Earth and Environmental Science* **141** 1-5
- [4] Vazquez A, Maria L F, Patricia C, Miguel G 2013 *J. Polym. Environ.* **21** 545-554
- [5] Cheng K C, Jeffrey M C, Ali D 2009 *Cellulose* **16** 1033-1045
- [6] Kose R, Naoki S, Makoto Y, Kenji T 2013 *Cellulose* **20** 2971- 2979