

FERMENTED ASHITABA TEA LEAVES AS A NUTRITIOUS BEVERAGES: A PRODUCT INNOVATION

Prita Ayu Kusumawardhany¹, Ardhia Deasy Rosita Dewi², M.E. Lanny Kusuma Widjaja³, Hazrul Iswadi⁴

Universitas Surabaya, Jl. TenggilisMejoyo, Kali Rungkut, Surabaya

Email: pritaayu@staff.ubaya.ac.id

Abstract. In Industrial Revolution 4.0 era, a company needs to have a sustainable competitive advantage due to the intense and rapid competition. The customers are very demanding for a health-promoting beverage with improved functionality, so developing products capability as an innovation strategy can increase competitiveness. Ashitaba (Japanese celery plant) is a herbal plant that has many benefits to relieve diabetes, heart disease, and other diseases. Fermentation process had increased the health benefits and the pleasant flavour of beverage. Quality fermented beverage product contains antioxidant and sensory as fermented ashitaba tea leaves was evaluated then compare with the original. Key Performances Indicators/KPIs represents an important tool for assuring that the objectives of innovation are optimized. For the result, final fermented beverages called a Kombucha, has higher antioxidant capacity than Ashitaba tea leaves. The production of organic acids and metabolic compound has decreased the bitterness, increased sweetness, and increased appearance of fermented ashitaba leaves tea compare with ashitaba leaves tea. Fermenting ashitaba tea leaves can improve the product quality and acceptability.

1. INTRODUCTION

Indonesia is known as one of the largest tropical countries in the world which has the potential as a producer of world medicinal plants. One of them is Ashitaba or Japanese Celery. Ashitaba is a rare plant that thrives in Trawas, Mojokerto Regency which is cultivated organically by the Trawas community to be processed into herbal products and treatments that are efficacious to prevent and cure certain diseases such as tumors, diabetes, heart disease and others. Currently the Ministry of Agriculture is focusing on developing programs for the cultivation of vegetables, fruit, ornamental plants and medicinal plants to meet the domestic and export markets so that the welfare of farmers continues to increase. The Ministry of Agriculture spurred the cultivation of medicinal plants and the production of finished products not only to meet their own needs but also targeted for export. This is important for the welfare of farmers and the addition of foreign exchange. The main raw materials used are Ashitaba plants includes leaves, stems, roots and sap which are cultivated by Trawas farmers.

Indonesia produces and exports many agricultural products in the form of raw materials and imports its processed products. In the long run this is very detrimental to domestic producers because of the loss of added value. The profit margin for processed products is greater than selling raw materials and semi-finished goods. Indonesia's commodity competitiveness is weak because it still relies on the comparative advantage of abundance of natural resources and less educated workforce. The resulting product is dominated by primary products that are natural or resource based and unskilled labor intensive. Today's market dynamics demand modern processed products for consumer needs, which cause the lack of need for traditional processed products from the community. To that end, Indonesia's agricultural development policy must step towards to industrialization through the

development of processed products, where the export of agricultural products must gradually switch from primary products to processed products and at the same time reduce imports of processed products. The development of processed products has multiple advantages such as export promotion and import substitution, creating added value, creating industrial employment, and increasing technology adoption. The development of the agricultural processing industry must have a competitive and comparative advantage and be supported by the availability of quality and continuity of raw materials which will be processed.

The world is now entering the era of the industrial revolution 4.0. The industrial revolution 4.0 is characterized by a variety of applied technologies and distributed manufacturing which is able to change production patterns and business models in various industrial sectors. Rapid development in information technology has become the basis in human life. All things become borderless with the use of unlimited computing and data technology resources that are influenced by the development of the internet and massive digital technology as the backbone of the movement and connectivity of humans and machines. Global competition is becoming increasingly fierce in the era of the Industrial Revolution 4.0, so there is a need for innovation. Indonesian Ministry of Research, Technology and Higher Education said that the challenge of a country to become a developed country has shifted, no longer measured by the amount of natural resources owned but by how much the amount of innovation that can be produced to drive the country's economic growth.

According to Sam (2011), innovation is essential to gain competitive advantage and create value, and its outcomes can be both tangible (e.g., new products, designs, expertise) and intangible (e.g., new processes and ways of conducting business). Product innovation could be a differentiate major success factor in today's aggressive and competitive food markets (Suwannaporn, 2010). Currently Ashitaba processed products are still limited to tea. Ashitaba is a commodity that can still be developed by innovation to be more varied. To make Ashitaba or Japanese celery as a value-added product, it is proposed to make kombucha.

The purpose of this paper is to emphasize the importance of innovation by using KPIs as a measurement tool. Ashitaba tea leaf beverage products that are fermented will be formulated then evaluated using KPIs for optimization of product innovation planning.

2. METHODS

Specific methodologies are needed to identify product innovations that meet the indicators so that they are useful for accurate decision making. Tools for product innovation is carried out with 2 tests: (1) antioxidant activity and (2) descriptive sensory analysis. After conducting the two tests, the next method is to use the Key Performance Indicators (KPIs) as an important tool to ensure that the innovation goals are optimized.

Ashitaba leaves powder with 120 mesh particle size was prepared before then ashitaba leaves was taken from Trawas, Mojokerto. The research was conducted on the kombucha based on Ashitaba tea leaves and control samples of Ashitaba tea. The kombucha fermentation process was followed based on Gramza-Michalowska et al's method (2016) with slight modifications. Four grams of ashitaba tea leaves powder (after dried at 60°C in cabinet dryer) were added to 1 L of boiling distilled water and allowed to infuse for 10 min then added sucrose 80 g. The infusion was left to cool (30±2°C), then filtered. After filtered, ashitaba leaves tea poured into sterile jars with lids and kept protected from sunlight. The next step is the fermentation process for 8 days 28±2°C followed by adding kombucha layer (SCOBY). The control samples (Ashitaba tea) were followed to the same procedure but no need SCOBY (Fig 1).

To calculate antioxidant capacity, kombucha ashitaba were stored for eight days. Prior to the assessment of DPPH radical scavenging assay, the samples were filtered then centrifuged (5 min, 2000 rpm) and the supernatant was collected. The pH evaluation of kombucha tea was evaluated using a pH meter. The DPPH procedure described by Michalowska et al 's method (2016) based on the

absorbance decrease of DPPH solution (2,2-diphenyl-1-picrylhydrazyl) at $\lambda = 515$ nm in the presence of antioxidants. The percent of antioxidant activity (%inhibition) was measured using this formula :

$$\text{Inhibition (\%)} = \frac{\text{Absorbance of control} - (\text{absorbance of sample} - \text{blank})}{\text{Absorbance of control}} \times 100$$

Descriptive sensory evaluations were achieved for Kombucha using five trained panellists. The screening procedure to obtain panellists was followed on Meilgaard et al (1999). The trained panellist was elaborated to generate lexicon to evaluate kombucha ashitaba which consist of overall acceptability, smoothness, clarity, consistency, colour, taste and aroma attributes using a 0-15 scale. Data analyses were performed using one tailed T-test. All statistical then evaluate with IBM SPSS Statistic 24 (SPSS Inc, USA).




Fig 1. Ashitaba tea and Kombucha Ashitaba tea with SCOBY

3. Result and Discussion

The effect of fermentation process on Ashitaba tea leaves can increase the antioxidant activity (% inhibition of radical DPPH). Based on the data, there is a significant difference in the percentage of antioxidant activity (Table 1). The differences in DPPH radical scavenging capacity due to by the initial polyphenol content of ashitaba tea. The polyphenol of ashitaba tea was changing in fermenting process. However, Chu and Chen (2006) revealed that phenol content might not conclude the antioxidative potential of kombucha, whereas the metabolites of kombucha produced play an essential role such as gluconat acid.

Table 1. Antioxidant activity of beverages based on Ashitaba leaves

| Parameter | Ashitaba tea | Kombucha Ashitaba tea |
|-------------------------------------|--------------------------|--------------------------|
| Antioxidant activity (% inhibition) | 60.14 ^a ±2.34 | 77.93 ^b ±0.97 |

Note: Different letter notations behind the mean in each row indicate a significant difference based on T-test with a P-value of 0.05. *Ascorbic acid as positive control. The antioxidant activity of ascorbic acid was 90.06%

DPPH radical scavenging capacity reduced at a slow rate in incubation time of fermentation process. Mester and Tien (2000) advised that the enzymes produced during the fermentation process was cut aromatic hydrocarbons in non-specific, radical-based oxidation, which could result in the appearance of more hydrophilic components. The antioxidant activity of kombucha ashitaba tea is due to the existence of tea polyphenols and ascorbic acid. Furthermore, Bacteria and yeast enzymes was producing a low-molecular-weight component and the structural modification of polyphenols. The activity depended upon the tea material used, fermentation time, and microorganism of the kombucha culture. Yellow brownish colour contains a higher number of biologically active substances (Jayabalan et al., 2008; Malbaša et al., 2011).

Table 2. Descriptive sensory analysis of beverages based on Ashitaba leaves

| Attributes | Beverages based on Ashitaba leaves | |
|------------|------------------------------------|--------------------|
| | Pure Tea | Kombucha |
| Appearance | Overall acceptability | 3.88 ^a |
| | Smoothness | 3.75 ^a |
| | Consistency | 4.97 ^a |
| | Clarity | 2.35 ^a |
| Color | Greenish color | 14.08 ^b |
| | Brownish color | 7.85 ^a |
| Taste | Sourness | 2.67 ^a |
| | Astringent | 7.9 ^b |
| | Bitterness | 8.47 |
| | Green tea like | 3.33 ^a |
| Aroma | Sourness | 3.45 ^a |
| | Beer/fermented | 2.11 ^a |
| | Sweetness | 2.05 ^a |
| | Grassy like | 13.21 ^b |

Note : The scale ranging from 0 – 15 (low to high). Different letter notations behind the mean in each row indicate a significant difference based on T-test (P-value <0.05)

Sensory evaluation was performed in descriptive analysis of beverages based on ashitaba leaves showed that different significantly. The highest overall acceptability, consistency, clarity and smoothness were evaluated (Table 2). Clarity scores in appearance of kombucha ashitaba which might have been the result of *Acetobacter xylinum* producing a fibrous structure. The taste of kombucha samples were evaluated base on the kind of tea leaf used for the kombucha fermentation process. Acetic acid bacteria produce acid, which is acknowledged as a sourness taste in kombucha. The bitter taste was reduced by the kombucha layering activity during the fermentation process, since it produces amino acids reducing the bitterness of the alkaloid compound of tea. The acidic substance maintains a balance in kombucha, giving an abundant flavour, graded as sour and beer. Kombucha tea brews also differed with regard to aroma intensity. The colour was evaluated and showed that kombucha more have yellow brownish colour than pure tea ashitaba. Malbaša et al.(2011) also suggested the differences in the kombucha samples, and described them as being a light brown colour, sour and sparkling drink.

Table 3 describes a correlation between objectives, expected results and KPIs. the planning stages of innovation with the tests that have been carried out on kombucha analysed with the correlation of objectives, results and measurements in accordance with the specified KPIs. Based on table 3, the product innovation tests conducted are in accordance with the KPIs. The objectives, results and measurements carried out as a planning for making kombucha are expected to improve the quality and performance of the product.

Table 3. Key Performance Indicators/ KPIs description

| No. | Objectives | Results | KPI | Measurement |
|-----|--|--|---|--|
| 1. | Fermenting Ashitaba leaves tea powder with optimum condition for making a Kombucha as development nutritious beverages | Kombucha Ashitaba Leaves tea with higher antioxidant activity than ashitaba leaves tea for innovative product based on ashitaba powder | Increasing high quality Fermenting Ashitaba leaves tea powder based on increased nutrition in Kombucha Ashitaba compared to ashitaba tea. | Measuring the antioxidant activity of Kombucha Ashitaba leaves tea in comparison with Ashitaba leaves tea (without fermentation process) Analyze the antioxidant activity of kombucha ashitaba using DPPH analysis method |
| 2 | Identification of sensory analysis of kombucha ashitaba for overall acceptance of consumer compare with ashitaba tea | Kombucha ashitaba increase the sourness and decreased the bitterness of the taste and aroma t ashitaba tea. Fermenting ashitaba also increasing the overall acceptability of ashitaba tea (without fermentation) | Increasing high performance of kombucha ashitaba based on acceptability of kombucha compared to ashitaba tea. | Describe the attributes of sensory performance (appearance, colour, taste, aroma) using descriptive sensory analysis method then compare with specific attributes of ashitaba leaves tea. Specific attributes are needed to analyse important attributes of kombucha and ashitaba tea for acceptability of the product |

4. CONCLUSION

Innovation through the creation and use of knowledge has been recognized as a major driver of economic growth. The intense competition in the 4.0 industrial revolution caused the agricultural industry especially Ashitaba need to adapt well to be able to win the competition. Processed product innovation needs to be done so that Ashitaba has added value and has a greater margin so that it can provide welfare for Ashitaba community in Trawas, Mojokerto.

Development of food products are very dependent on consumer perception and acceptance. Kombucha as a processed innovation product from Ashitaba is expected to be accepted by consumers. Kombucha has higher antioxidant activity than Ashitaba tea leaves. The production of organic acids and metabolic compound may increase the sourness of taste and aroma also decreased the bitterness of kombucha ashitaba leaves tea. Fermenting ashitaba tea leaves can improve the product quality and acceptability.

The methodology for developing KPIs is applied to product innovation with the aim of optimizing it by setting steps to systematically achieve process objectives. In conclusion, quality improvement as a result of product innovation in the form of kombucha and improvement in kombucha performance illustrate that innovation planning has been carried out optimally.

5. ACKNOWLEDGEMENT

This work is to disseminate the results of community service entitled Ashitaba Regional Development Program (Japanese celery) in Trawas, Mojokerto Regency. This community service program is funded by the Directorate of Research and Community Service Directorate General of Research and Technology, Strengthening and Development of the Ministry of Research, Technology and Higher Education in accordance with the 2019 budget year community service contract number: 111/SP2H/PPM/DRPM /2019.

REFERENCES

- [1] Banu, S. Geanina. 2017. Measuring Innovation Using Key Performances Indicators. 11th International Conference Interdisciplinarity in Engineering. 10.1016/j.promfg.2018.03.128.
- [2] Chu, S.-C., Chen, C. 2006. Effects of origins and fermentation time on the antioxidant activities of kombucha. *Food Chem.*, 98, 502–507.
- [3] Gramza-Michałowska, A., Kulczyński, B., Xindi, Y., Gumienna, M. 2016. Research on the effect of culture time on the kombucha tea beverage's antiradical capacity and sensory value. *Acta Sci. Pol. Technol. Aliment.*, 15(4), 447–457. DOI: 10.17306/J.AFS.2016.4.43
- [4] Hoon, L. Y., Choo, C., Watawana, M. I., Jayawardena, N., Waisundara, V. Y. 2014. Kombucha 'tea fungus' enhances the tea polyphenol contents, antioxidant activity and alpha-amylase inhibitory activity of five commonly consumed teas. *J. Funct. Foods*, DOI: 10.1016/j.jff.2014.07.010
- [5] Jayabalan, R., Subathradevi, P., Marimuthu, S., Sathishkumar, M., Swaminathan, K. 2008. Changes in free-radical scavenging ability of kombucha tea during fermentation. *Food Chem.*, 109(1), 227–234.
- [6] Malbaša, R. V., Lončar, E. S., Vitas, J. S., Čanadanović-Brunet, J. M. 2011. Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chem.*, 127, 1727–1731
- [7] Sam Saguy I. 2011. Paradigm shifts in academia and the food industry required to meet innovation challenges. *Trends Food Sci Tech* 2011; 22: 467–75.
- [8] Suwannaporn P, Speece MW. 2010. Assessing new product development success factors in the Thai food industry. *Brit Food J* 2010; 112: 364–86.



ISBN 978-602-14917-9-9

**PROCEEDINGS OF THE 2nd INTERNATIONAL
ON FOOD AND AGRICULTURE**

**Bali Nusa Dua
Convention Center**

**November
2nd - 3rd,
2019**

The 2nd International Conference on Food and Agriculture
"Contribution of Applied Sciences and Technology
to Food and Agroecology"



conference.polije.ac.id/icofa2019

PUSAT PENELITIAN DAN PENGABDIAN KEPADA MASYARAKAT
POLITEKNIK NEGERI JEMBER

[Home](#) / [Editorial Team](#)

Editorial Team

Editor in Chief

Dr. S.TP. M.Sc. Titik Budiati

Editor

Agung Wahyono, S.TP. M.Si. PhD., Politeknik Negeri Jember, Indonesia

Dadik Pantaya, Politeknik Negeri Jember, Indonesia

S.Kom, M.Cs Hendra Yufit Riskiawan, Indonesia

PhD Hafiz Shahbaz, University of Veterinary and Animal Science, Pakistan

Prof. Dr. Indarto Indarto, Universitas Negeri Jember, INDONESIA

Prof. Eun Joong Kim, Kyungpook National University, South Korea

Prof. Dr. Hadiyanto Hadiyanto, Universitas Diponegoro, INDONESIA

Prof. Dr. Joko Santoso, Institut Pertanian Bogor, INDONESIA

Prof. Dr. Kudang Boro Seminar, Institut Pertanian Bogor, INDONESIA

Prof. Dr. , DAA DEA Ali Agus, Universitas Gadjah Mada, INDONESIA

Prof. Dr. Xiong Ying, WUXI Institue of Technology, China

Prof. Woo-Won Kang, Kyungpook National University, South Korea

Assoc. Prof. Dr. Rosma Ahmad, University Sains Malaysia

Assoc. Prof. Dr. Weerapon Thongma, Maejo University Thailand

Prof. Dr. Dewi Apri Astuti, (Institut Pertanian Bogor, Indonesia)

Prof. Dr., M.Sc., Ph.D.IPU Budi Guntoro, Universitas Gadjah Mada, Indonesia

Merry Muspita Dyah Utami, Pusat Penelitian dan Pengabdian Masyarakat Politeknik Negeri Jember, Indonesia

Dr. R. Abdoel Djamali, Politeknik Negeri Jember, Indonesia

Dr. Kasutjaningati Kasutjaningati, Politeknik Negeri Jember

Organizing Committee (Politeknik Negeri Jember)

MP Saiful Anwar, Politeknik Negeri Jember, Indonesia

MT Surateno Surateno, Politeknik Negeri Jember, Indonesia

M.Si Abi Bakri, Politeknik Negeri Jember, Indonesia

M.Kom Wahyu Kurnia Dewanto, Politeknik Negeri Jember, Indonesia

Dr. Nantil Bambang Eko Sulistyono, Politeknik Negeri Jember, Indonesia

Dr. Ir. Budi Hariono, M.Si, Politeknik Negeri Jember, Indonesia

Agung Wahyono, S.TP. M.Si. PhD., Politeknik Negeri Jember, Indonesia

MT Nugroho Setyo Wibowo, Politeknik Negeri Jember, Indonesia

S.Kom Dwi Putro Sarwo Setyohadi, Politeknik Negeri Jember, Indonesia

Suluh Nusantoro, S.Pi, M.Sc, Politeknik Negeri Jember, Indonesia

Steering Committee

Prof. Dr. Dewi Apri Astuti, (Institut Pertanian Bogor, Indonesia)

Prof. Dr. Hadiyanto Hadiyanto, Universitas Diponegoro, INDONESIA

Prof. Dr. Joko Santoso, Institut Pertanian Bogor, INDONESIA

Prof. Dr. Kudang Boro Seminar, Institut Pertanian Bogor, INDONESIA

Prof. Dr. , M.Sc., Ph.D.IPU Budi Guntoro, Universitas Gadjah Mada, INDONESIA

Prof. Dr. , DAA DEA Ali Agus, Universitas Gadjah Mada, INDONESIA

Prof. Dr. Xiong Ying, WUXI Institue of Technology, China

Prof. Woo-Won Kang, Kyungpook National University, South Korea

Assoc. Prof. Dr. Rosma Ahmad, University Sains Malaysia

Assoc. Prof. Dr. Weerapon Thongma, Maejo University Thailand

Prof. Dr. Indarto Indarto, Universitas Negeri Jember, INDONESIA

[Open Journal Systems](#)

Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

Platform &
workflow by
OJS / PKP

Proceeding of the 1st International Conference on Food and Agriculture

Current Issue

Vol. 2 (2019): Proceeding of the 2nd International Conference on Food and Agriculture



Proceeding of the 2nd International Conference on Food and Agriculture

Published: 27-12-2019

Artikel

FUZZY MULTI-CRITERIA DECISION MAKING TO CLASSIFY LAND CAPABILITY AND SUITABILITY

Adi Heru Utomo, Aji Seto Arifianto

[PDF \(Bahasa Indonesia\)](#)

EXPERIMENTAL STUDY OF OCTANE NUMBER FUEL PLASTIC WASTE POLYPROPYLENE PURIFICATION RESULT WITH ABSORPTION DISTILLATION

Aditya Wahyu Pratama, Ahmad Robiul Awal Udin

[PDF \(Bahasa Indonesia\)](#)

QUALITY OF LACTOBACILLUS PLANTARUM YN 1.3, LACTOBACILLUS PENTOSUS YN 1.6 AND L.PLANTARUM YN 1.1. AFTER FREEZE DRYING UTILIZING A DIFFERENT BINDING AGENT, AS PROBIOTIC BACTERIA ISOLATED FROM GOAT MILK.

Afriza Yelnetty, Rahmawaty Hadju

[PDF \(Bahasa Indonesia\)](#)

EFFECTIVENESS OF EDAMTIKA FORMULA TO INCREASE BODY WEIGHT IN ADOLESCENTS

Agatha Widiyawati, Yoswenita Susindra, Alinea Dwi Elisanti, Efri Tri Ardianto

 PDF (Bahasa Indonesia)

DEVELOPMENT OF AGRICULTURE DATA CENTER BASED ON CLOUD OBJECT STORAGE

Agus Hariyanto, Bekti Maryuni Susanto

 PDF (Bahasa Indonesia)

EXTRACTION OF PROTEASE ENZYMES FROM GINGER FOR MEAT MIXING PROCESS

Agus Santoso, Yossi Wibisono, Anang Supriyadi

 PDF (Bahasa Indonesia)

DESIGN AND DEVELOPMENT OF YOUNG COCONUT SKIN MACHINERY TO SUPPORT FRESH MARKETING OF FRESH YOUNG COCONUT IN THE STATE AND EXPORT

Anang Supriadi Saleh, Supriono Supriono, Yana Suryana, Agus Santoso, Ansarullah Ansarullah, GA Rifaldi

 PDF (Bahasa Indonesia)

THE INFLUENCE OF LEADERSHIP STYLE TO PERFORMANCE BY ORGANIZATIONAL CULTURE AS VARIABLE INTERVENING (STUDY OF SMES FASHION IN JEMBER)

A Galushasti, Sri Sundari, Muksin Muksin

 PDF (Bahasa Indonesia)

FRESHWATER FISHERIES AGRIBUSINESS DEVELOPMENT IN JEMBER REGENCY

Andi Muhammad Ismail, Financia Mayasari

 PDF (Bahasa Indonesia)

EXPERT SYSTEM FOR TYPHOID FEVER DISEASE DIAGNOSIS USING A WEB-BASED APPLICATION

Andri Permana, Demiawan Rachmatta Putro Mudiono

 PDF (Bahasa Indonesia)

MODIFICATION OF HIGH FAT DIET AND CATTLE BRAIN SONDE TO WEIGHT CHANGES IN WISTAR DYSLIPIDEMIA RATS

Arisanty Nursetia Restuti

 PDF (Bahasa Indonesia)

THE EFFECT OF HIGH FAT DIET (HFD) OF HDL CHOLESTEROL LEVEL AND BODY WEIGHT ON

MALE WHITE WISTAR RATS

Ayu Febriyatna, Ratih Putri Damayati, Firda Agustin

 PDF (Bahasa Indonesia)

ACTIVE PASSIVE THERMOELECTRIC SYSTEM HELMET FOR PERSONAL COMFORT

azamataufiq budiprasojo, Risse Entikaria Rachmanita

 PDF (Bahasa Indonesia)

POTENTIALS STUDY ON WIND ENERGY IN PAYANGAN BEACH, JEMBER BY DRONE SURVEYOR DATA OBSERVATION

Bayu Rudiyanto, Muhammad Fakhri Andi Hamdika, Azamataufiq Budiprasojo, Budi Hariono

 PDF (Bahasa Indonesia)

IDENTIFICATION OF CORN COMMODITY TO MAINTAIN SUSTAINABILITY OF FOOD SECURITY: STUDY OF CORN COMMODITIES IN JEMBER REGENCY

Dessy Putri Andini, Guntur Pribadi

 PDF (Bahasa Indonesia)

DECISION SUPPORT SYSTEM FOR SELECTING STRATEGY OF AGROINDUSTRY DEVELOPMENT BASED ON "TAPE" IN BONDOWOSO REGENCY

Didiek Hermanuadi, Aulia Brilliantina, Elok Kurnia Novita Sari

 PDF (Bahasa Indonesia)

HERITABILITY AND GENETIC GAIN OF THE AGRONOMIC CHARACTERS OF CROSSES BETWEEN LOCAL BLACK RICE AND WHITE RICE IN F2 GENERATION

Dwi Rahmawati, Hari Prasetyo, P Santika

 PDF (Bahasa Indonesia)

ENDOGENOUS HORMONES AT THE BEGINNING OF LEAF GROWTH AFTER VERNALIZATION OF GARLIC BULB (ALLIUM SATIVUM L.) IN INDONESIAN LOCAL VARIETIES

Edi Siswadi, Sekar Utami Putri, Refa Firgiyanto, Nuhak Nufitasari, M. Zayin Sukri, Cholyubi Yusuf

 PDF (Bahasa Indonesia)

IMPLEMENTATION OF GOOD MANUFACTURING PRACTICE (GMP) ON COCONUT PALM SUGAR PROCESSING AT CRAFTSMEN BUSINESS GROUP IN WONOSOBO-BANYUWANGI VILLAGE AS A HELICOS CENTER

Elly Kurniawati, Rinda Nurul Karimah, Arinda Lironika Suryana, Prawidya Destarianto

 PDF (Bahasa Indonesia)

UTILIZATION OF DHT11 AND HC-06 SENSORS IN HUMIDITY AND TEMPERATURE CONTROL OF MUSHROOM CAGE

Ery Setiyawan Jullev Atmadji, Vigo Dewangga, Aditya Wahyu Pratama

 PDF (Bahasa Indonesia)

UTILIZATION OF SENTIMENT ANALYSIS USING THE DATA SCIENCE APPROACH TO IMPROVE CUSTOMER SATISFACTION

Ery Setiyawan Jullev Atmadji, Nanik Anita Mukhlisoh, Risqi Ahmad Sultoni

 PDF (Bahasa Indonesia)

PREDISPOSING FACTOR OF THE WILLINGNESS OF HOUSEWIVES TO TAKE HIV/AIDS TEST IN THE COASTAL AREAS OF JEMBER REGENCY

Faiqatul Hikmah, Ida Nurmawati, Ervina Rachmawati

 PDF (Bahasa Indonesia)

ALTITUDE OPTIMIZATION USING ULTRASONIC SENSORS OF UNMANNED AERIAL VEHICLE FOR FOLIAR FERTILIZER

Faisal Lutfi Afriansyah, Fendik Eko Purnomo, N Zainal Fanani, Ika Widiastuti, Niyalatul Muna

 PDF (Bahasa Indonesia)

DEVELOPMENT OF THE DOCTORâ€™S OFFICE QUALITY INFORMATION TECHNOLOGY (DOQ-IT) IN EFFORT TO INCREASE PATIENT SECURITY

Feby Erawantini

 PDF (Bahasa Indonesia)

PROMOTING SOCIAL SKILLS AND PERSONAL DEVELOPMENT IN TEACHING PRAGMATICS IN EFL CLASSROOM WITH PLAYFUL RHYMES

Fitri Wijayanti, Alfi Hidayatu Miqawati

 PDF (Bahasa Indonesia)

IMPACTS OF RISING STRATEGIC FOOD PRICES ON POVERTY IN INDONESIA

Ana Arifatus Saâ€™adiyah, Doppy Roy Nendissa, Aldon MHP Sinaga

 PDF (Bahasa Indonesia)

QUALITY OF RICE STRAW SILAGE WITH VARIOUS ADDITIVES

H Ramdani, A Sudarman, W D Astuti, Y Widyastuti

 PDF (Bahasa Indonesia)

MAINTAINING THE PRODUCTION OF OYSTER MUSHROOMS SUPPLY CHAIN THROUGH THE DIVERSIFICATION OF ITS PROCESSED PRODUCTS USING STATISTICAL PROCESS CONTROL (SPC)

Hendra Yufit Riskiawan, Dwi Putro S Setyohadi, Budi Hariono, M Fathoni Kurnianto, Dhanang Eka Putra, Refa Firgiyanto

 PDF (Bahasa Indonesia)

DESIGNING A PYTHON BASED TEXT PRE-PROCESSING APPLICATION FOR TEXT CLASSIFICATION

Hermawan Arief Purwanto, Taufiq Rizaldi

 PDF (Bahasa Indonesia)

PETENTIAL PRODUCTION AND WASTE FOR LIVESTOCK CATTLE FOOD THREE HYBRID MAIZE ON THE YOUNG HARVEST

I N Adijaya, NLG Budiari, IPA Kertawirawan

 PDF (Bahasa Indonesia)

THE EFFECT OF GIVING ADDITIONAL FEEDS ON BALI CATTLE TO PRODUCTIVITY, PERFORMANCE, AND SELLING PRICE OF CALVES IN MARGINAL LAND (CASESTUDY IN BATUMADEG VILLAGE, NUSA PENIDA SUB DISTRICT, KLUNGKUNG REGENCY)

I P A Kertawirawan, N L G Budiari, I N Adijaya

 PDF (Bahasa Indonesia)

IMPLEMENTATION AND ASSESSMENT OF FOOD SAFETY SYSTEM IN A SMALL DAIRY PLANT AT KALIGONDO AREA, BANYUWANGI, EAST JAVA, INDONESIA

I Putu Dody Lesmana, Beni Widiawan, Nanik Anita Mukhlisoh, Merry Muspita Dyah Utami

 PDF (Bahasa Indonesia)

DESIGN OF A WASTE MANAGEMENT MODEL USING INTEGRATED ORGANIC AND SOLID WASTE MANAGEMENT: A CASE OF GAMBIRONO SUBDISTRICT, JEMBER

I Putu Dody Lesmana, Beni Widiawan

 PDF (Bahasa Indonesia)

LEVEL OF SWINE PRODUCTIVITY ON THE SWINE DEVELOPMENT PROGRAM IN GIANYAR REGION

Parwati IA, N Suyasa, A Sischa Jati Utami

 PDF (Bahasa Indonesia)

FERTILIZER AND WATER EFFICIENCY IN CITRUS PLANTS USING FERTILIZER IRRIGATION

MOBILE CONTROL

Ika Widiastuti, Fendik Eko Purnomo

 PDF (Bahasa Indonesia)

MODELING OF THE FACTORS THAT INFLUENCE SUGAR PRODUCTION IN ASEMBAGUS SITUBONDO SUGAR FACTORIES

Irma Harlianingtyas, Dian Hartatie, A Salim Salim, Supriyadi Supriyadi

 PDF (Bahasa Indonesia)

MODEL OF LIVESTOCK COMMUNICATION NETWORK AS PLASMA IN BROILER PARTNERSHIP IN MALANG DISTRICT

J A Putritamara, S Azizah, N Febrianto

 PDF (Bahasa Indonesia)

EFFECT OF SOAKING BANAHONG (ANREDERA CORDATA) LEAF EXTRACT WITH DIFFERENT DOSES ON CARP (CYPRINUS CARPIO) SEEDS INFECTED BY AEROMONAS SP

Juliana Juliana, Citra Panigoro, Yuniarti Koniyo

 PDF (Bahasa Indonesia)

FLOWERING INDUCTION OF PHALAENOPSIS ORCHIDS WITH A COMBINATION OF BAP AND TEMPERATURE CONCENTRATION

lisa erfa, Desi Maulida, Ferziana Ferziana

 PDF (Bahasa Indonesia)

WAFER FEED CONTAINING BY PRODUCT OF HABBATUSSAUDA (NIGELLASATIVA) OPTIMIZATION PROCES WITH MOLASSES VISCOSITY APPROACH

M Dicky Kurniawan, Indah Wijayanti, Yuli Retnani

 PDF (Bahasa Indonesia)

THE SCENARIO OF THE BANANA CHIPS BUSINESS DEVELOPMENT MODEL IN LAMPUNG

M Apriyani, FM Saty, E Asliana

 PDF (Bahasa Indonesia)

THE EFFECT OF INFORMATION SYSTEM USABILITY AND MIDWIFE INVOLVEMENT TOWARD PERCEIVED USEFULNESS OF JEMBER SAFETY CENTER (JSC) WITH FAI IN JEMBER REGENCY

Maya Weka Santi, Atma Deharja

 PDF (Bahasa Indonesia)

DESIGN AND IMPLEMENTATION OF A BLDC SPEED CONTROL SYSTEM WITH PWM SIX-STEP COMUTATION ON DISABILITY ELECTRIC MOTORBIKES

Mochamad Irwan Nari, Siti Diah Ayu Febriani, Riados Sholihin

 [PDF \(Bahasa Indonesia\)](#)

RECORDING NATURAL DISASTER VICTIM PATIENTS BY USING ANDROID-BASED IN JEMBER REGENCY

M. Choirur Roziqin, Dony Setiawan Hendyca Putra

 [PDF \(Bahasa Indonesia\)](#)

APPLICATION OF AUTOMATIC HATCHING MACHINE TECHNOLOGY IN SOLO DUCK CATTLE COMMUNITY AT DESA BALET BARU, KECAMATAN SUKOWONO - KABUPATEN JEMBER

Mochammad Nuruddin, Ujang Suryadi

 [PDF \(Bahasa Indonesia\)](#)

DIETDUCATE : INTELLIGENT EDUCATION APPLICATION OF NUTRITION TO ACHIEVE AN IDEAL WEIGHT BASED ON EVIDENCE

Muhammad Iqbal, M R Permadi, Huda Oktafa

 [PDF \(Bahasa Indonesia\)](#)

STRATEGY TO IMPROVE THE VALUE CHAIN OF NAOOGST TOBACCO AGRIBUSINESS

Muksin alyasini

 [PDF \(Bahasa Indonesia\)](#)

THE IMPLEMENTATION OF ENGLISH JEMBER APPLICATION BASED ON WEB IN IMPROVING THE ABILITY OF ENGLISH VOCABULARY FOR MADRASAH ALIYAH AS-SHOFA STUDENTS

Nila Susanti, Vigo Dewangga

 [PDF \(Bahasa Indonesia\)](#)

SUBSTITUTION OF RICE BRAN WITH SOIL BEAN SKIN TO INCREASE THE GROWTH OF COWS IN BULELENG DISTRICT, BALI

NLG Budiari, IPA Kertawirawan, IN Adijaya, M Sugianyar

 [PDF \(Bahasa Indonesia\)](#)

APPLICATION OF RTU MEDIA FOR BIOSAFETY OF MIE LETHEK, INDONESIAN BENDO-CASSAVA NOODLES, BASED ON CHROMOGENIC AGAR

N Nurhayati, M Belgis, E Suswati, U Purwandari

 [PDF \(Bahasa Indonesia\)](#)

Technical Efficiency of Red Chili Pepper (*Capsicum annum L.*) Farming in Bangli, Indonesia

Nyoman Ngurah Arya

 [PDF \(Bahasa Indonesia\)](#)

PHYSICAL, ANATOMICAL AND CARCASS DIVERSITY OF SUPERIOR NATIVE CHICKEN SENSI AGRINAC AND KUB MAINTENANCE IN FARMERS

Nyoman Suyasa, Ida Ayu Parwati

 [PDF \(Bahasa Indonesia\)](#)

TOTAL CONSUMPTION OF HONEY WHICH PROVIDES LOW RESPONSE TO GLYCEMIC INDEX AND GLYCEMIC LOAD

Oke Anandika Lestari, Yohana Sutiknyawati Kusuma Dewi

 [PDF \(Bahasa Indonesia\)](#)

CONSUMER'S PREFERENCE ON BATIK PATTERN AND QUALITY IN INCREASING THE PURCHASE DECISION OF JEMBER BATIK PRODUCT

Oktanita Jaya Anggraeni

 [PDF \(Bahasa Indonesia\)](#)

FERMENTED ASHITABA TEA LEAVES AS A NUTRITIOUS BEVERAGES: A PRODUCT INNOVATION

Prita Ayu Kusumawardhany, Ardhia Deasy Rosita Dewi, M.E. Lanny Kusuma Widjaja, Hazrul Iswadi

 [PDF \(Bahasa Indonesia\)](#)

BODY MASS INDEX AND ITS CORRELATION TO BIOMARKER SIGNS OF METABOLIC SYNDROME

Puspito Arum, D A Perwiraningrum, A E Werdiharini

 [PDF \(Bahasa Indonesia\)](#)

SUPPLY CHAIN ANALYSIS OF ROSE PROCESSED PRODUCTS IN JEMBER DISTRICT

R Alamsyah Sutantio

 [PDF \(Bahasa Indonesia\)](#)

THE DEMAND FOR BEEF IN INDONESIAN URBAN

R Anindita

 [PDF \(Bahasa Indonesia\)](#)

EFFICACY OF NATURAL HERBAL AS ECTOPARASIT AGENT

Retno Widayani, Noviyanti Noviyanti, Muh. Farid Rifai, Zaitun Zaitun

 PDF (Bahasa Indonesia)

THE DEVELOPMENT OF WEB-BASED CHRONIC DISEASE MONITORING MANAGEMENT ACCORDING TO COMPLETENESS ASPECT OF CLINICAL DOCUMENTATION IMPROVEMENT (CDI)

Rinda Nurul Karimah, S Farlinda, I Milla, D Himmasari, A Layland

 PDF (Bahasa Indonesia)

THE DEVELOPMENT OF INTEGRATED WASTE PROCESSING AND MANAGEMENT ON CREATIVE INDUSTRY IN TAMANSARI TOURISM VILLAGE, BANYUWANGI REGENCY TO IMPROVE THE ENVIRONMENTAL AND ECONOMIC CLEANLINESS

Rinda Nurul Karimah, I P D Lesmana, Beni Widiawan

 PDF (Bahasa Indonesia)

APPLICATION of NEAR INFRARED SPECTROSCOPY TO DETERMINE SUGARCANE QUALITY IN CORE SAMPLER SYSTEM

Risvan Kuswurjanto, riantarti riantarti, Opal Priya Wening

 PDF (Bahasa Indonesia)

THE IMPACT OF THE DEVELOPMENT OF DAIRY CATTLE AGRO TOURISM ON SOCIAL ECONOMY ANDCOMMUNITY EMPOWERMENT IN THE KRUCIL AGROPURO REGION PROBOLINGGO REGENCY

rizal Rizal, Tanti Kustiari

 PDF (Bahasa Indonesia)

EFFECT OF CHITOSANâ€™S COATING AND HARVESTING TIME TO THE QUALITY AND SHELF-LIFE OF MELON (CUCUMIS MELO L.)

RIZKA NOVI SESANTI, Sismanto Sismanto, R M Sari, F Ali, D Maulida

 PDF (Bahasa Indonesia)

MAKING OF NATURAL PLANT GROWTH REGULATOR (PGR) IN THE TELADAN FARMER'S GROUP OF SUMBERJAMBE DISTRICT, JEMBER, EAST JAVA

Sepdian Luri Asmono, Dhanang Eka Putra, Irma Harlianingtyas

 PDF (Bahasa Indonesia)

THE EFFECTS FERMENTED NATURAL PLANT GROWTH REGULATOR ON PRANCAK 95 TOBACCO (NICOTIANA TABACUM L. VAR PRANCAK 95) ACCLIMATIZATION

Sepdian Luri Asmono, I Harlianingtyas, Dhanang Eka Putra

[PDF \(Bahasa Indonesia\)](#)

ANALYSIS OF HEAT TRANSFER EVAPORATION PROCESS FOR MAKING ANTS SUGAR MADE FROM FRESH RAW NEERA

Rizza Wijaya, Budi Hariono, isnu FK

[PDF \(Bahasa Indonesia\)](#)

QUALITY IMPROVEMENT AND COMPETITIVENESS OF MODIFIED CASSAVA FLOUR (MOCAF) ACCOMPANIMENTS USING APPROPRIATE STIMULANT TECHNOLOGY

Sri Sundari, A Ahsin Kusuma M

[PDF \(Bahasa Indonesia\)](#)

SUPPLY CHAIN MANAGEMENT IN BAMBOO CRAFTS BUSINESS IN JEMBER DISTRICT (CASE STUDY IN KUB ANDRIKA JAYA AND KUB IDA JAYA)

Sumadi Sumadi, Rediyanto Putra, Retno Murwanti

[PDF \(Bahasa Indonesia\)](#)

DEVELOPMENT OF "CASSIM COFFEE" PRODUCTS THROUGH CONSUMER EVALUATION

Sumadi Sumadi, Oryza Ardhiarisca, Rahma Rina Wijayanti, Rediyanto Putra

[PDF \(Bahasa Indonesia\)](#)

APPLICATION OF DIGITAL MARKETING IN BAMBOO CRAFTS BUSINESS IN JEMBER DISTRICT (CASE STUDY ON KUB ANDRIKA JAYA AND KUB IDA JAYA)

Sumadi Sumadi, Didik Hermanuad, Rediyanto Putra

[PDF \(Bahasa Indonesia\)](#)

APPLICATIONS OF LIQUID ORGANIC FERTILIZER AZOLLA AND NITROGEN FERTILIZER TOWARDS RESULTS AND QUALITY OF SPINACH (AMARANTHUS SP.)

Suratno Suratno, M Asyim, HF Rohman, Zayin Sukri

[PDF \(Bahasa Indonesia\)](#)

STRATEGY MODEL TO INCREASE JEMBER COCOA (THEOBROMA CACAO L.) COMPETITIVENESS

Taufik Hidayat, R S Mahanani

[PDF \(Bahasa Indonesia\)](#)

GEOGRAPHIC INFORMATION SYSTEM OF CROPS

Trismayanti Dwi Puspitasari, Z E Fitri, N S Indrastana, A D K Putra

[PDF \(Bahasa Indonesia\)](#)

Hay, Provides Problem Solution of Fulfilling Forages Feed for Dairy Cattle Agribusiness

Uyun Erma Malika, A F Prasetyo

[PDF \(Bahasa Indonesia\)](#)

PREFERENCE OF SUPERIOR LOCAL CHICKEN MEAT FROM AGRICULTURAL RESEARCH AND DEVELOPMENT AGENCY KUB AND SENSI-1 AGRINAC AT SATO NADI GROUP IN JEHEM VILLAGE, BANGLI

Wayan Trisnawati, I Nyoman Suyasa, Anastasia Sischa Jati U

[PDF \(Bahasa Indonesia\)](#)

Development of Indonesian Geographical Small and Medium Enterprises (UMKM) Distribution Visualization Systems to Support the Improvement of People's Economy

Wenny Dhamayanthi, Endro Sugiartono, Nugroho Setyo Wibowo, Khafidurrohman Agustianto

[PDF \(Bahasa Indonesia\)](#)

COST ANALYSIS AND BUSINESS INCOME OF SHEEP FEED PRODUCTION (CASE STUDY IN CV, GUMUKMAS MULTIFARM JEMBER)

Yana Suryana, Ujang Suryadi, Iswahyono Iswahyono, Ridwan Iskandar

[PDF \(Bahasa Indonesia\)](#)

IMPLEMENTATION INTERNET OF THINGS PLATFORM AT GREENHOUSE OTOMATION SYSTEM

Yogiswara Yogiswara, Surateno Surateno

[PDF \(Bahasa Indonesia\)](#)

PHYTOCHEMICAL AND ANTIOXIDANT ACTIVITY FROM FRUIT OF KULIM (SCORODOCARPUS BORNEENSIS BECC.)

Dewi Y. S. K, Purwayantie Purwayantie

[PDF \(Bahasa Indonesia\)](#)

TEMPEH SOYBEANS WITH LOCAL PRODUCTION FROM A NEW METHODS

Yossi Wibisono, Titik Budiati, Agus Santoso

[PDF \(Bahasa Indonesia\)](#)

VALUE ADDED ANALYSIS OF SWEET POTATO CHIPS PROCESSING IN JEMBER REGENCY

Aulia Brilliantina, Elok Kurnia Novitasari, B Y Pratiwi, I R A Sasmita

[PDF \(Bahasa Indonesia\)](#)

MECHANICAL PROPERTIES OF AGROFIBER COMPOSITE RUBBER REINFORCED RAMIE FIBER AND BANANA STEM FIBER APPLICATIONS IN AUTOMOTIVE COMPONENTS

Andik Irawan, D A Tyagita, H Nurruddin

[PDF \(Bahasa Indonesia\)](#)

WASTE PLANT PRODUCTION FROM COFFEE THAT OBTAIN MANURE AND BIOURIN AS A FORAGE SOURCE FOR BALI CATTLE

A. Sischa Jati Utami, A.A.N.B. Sarmuda Dinata

[PDF \(Bahasa Indonesia\)](#)

GAIN ENHANCEMENT WIRELESS SENSOR TRANSMISSION FOR AGRICULTURE SECTOR USING LINEAR POLARIZATION ANTENNA IN 2.4 GHZ FREQUENCY

Agus Purwadi, Victor Phoa

[PDF \(Bahasa Indonesia\)](#)

QUALITY IMPROVEMENT OF COPRA THROUGH THE IMPLEMENTATION OF WHITE COPRA DRYING OVEN

Ahmad Zubair Sultan, Nur Hamzah, Muh. Rusdi

[PDF \(Bahasa Indonesia\)](#)

SOYBEAN COMMODITY MARKETING SYSTEM IN JEMBER REGENCY

Dhanang Eka Putra, R A Syaban, A A G Putri

[PDF \(Bahasa Indonesia\)](#)

BISCUIT ORGANOLEPTIC TEST OF DRAGON FRUIT (HYLOCEREUS POLYRHIZUS) AND MORINGALEAVES FOR ANEMIA

Efri Tri Ardianto, Yani Subaktilah, Agatha Widiyawati, Alinea Dwi Elisanti

[PDF \(Bahasa Indonesia\)](#)

CAVENDISH BANANA SEEDLING ACCLIMATIZATION AND ENLARGEMENT ON SOME MEDIA PLANTING COMBINATIONS

Ferziana Ferziana, Desi Maulida

[PDF \(Bahasa Indonesia\)](#)

ORGANOLEPTIC PROPERTIES AND ACCEPTABILITY OF MODISCO WITH MORINGA LEAF FLOUR

Indah Muflihatin, Galih Purnasari

[PDF \(Bahasa Indonesia\)](#)

NITROGEN LEVELS OF GOAT MANURE AND CHICKEN EXCRETA BIOCULTURE WITH ADDITION OF GRADUAL YOUNG COCONUT HUSK WASTE

Istanti Istanti, D.A. Priyadi, D. Triasih, S. Ton

[PDF \(Bahasa Indonesia\)](#)

DESIGN OF THE OFF-GRID SOLAR POWER PLANT INSTALLATION SYSTEM FOR COOKING PROCESS USING ELECTRIC STOVE

Mochammad Nuruddin, Ahmad Fahriannur, Saiful Anwar, Riski Imanu Widya

[PDF \(Bahasa Indonesia\)](#)

SUSTAINABILITY ANALYSIS OF INTEGRATED FARMING BUSINESS MODELS OF FOOD CROP AND BEEF CATTLE

Nantil Bambang Eko Sulistyono, N.D Wahyono, Merry Muspita Dyah Utami

[PDF \(Bahasa Indonesia\)](#)

THE IMPACT OF CLIMATE CHANGE ON THE PRODUCTION OF FOOD AND VEGETABLE COMMODITIES IN JEMBER REGENCY

Ratih Puspitorini Y A, Suwardi Suwardi

[PDF \(Bahasa Indonesia\)](#)

RABBIT PRODUCTION VIS-À-VIS POVERTY ALLEVIATION AND FOOD SECURITY IN ASIA

R Rajendran, T Kavanya, A K Thiruvenkadan

[PDF \(Bahasa Indonesia\)](#)

SHELF LIFE OF DODOL PACKED BY EDIBLE FILM

R Smeets Rittichai

[PDF \(Bahasa Indonesia\)](#)

BETTER HEALTH WITH PLANT OLIGOSACCHARIDES: TRENDS AND FUTURE

Rosma Ahmad

[PDF \(Bahasa Indonesia\)](#)

FEASIBILITY OF BREWING MAKGEOLLI (TURBID RICE WINE) USING PARTIALLY GELATINIZED WHEAT FLOUR AND TAPIOCA FLOUR

Woo-Won Kang, Agung Wahyono, Jin-Ah Jeon, Seok-Tae Jeong

 [PDF \(Bahasa Indonesia\)](#)

DEMAND FOR ANIMAL FOOD IN THE RURAL AND URBAN OF MALUKU, INDONESIA

L R Maula, R Anindita, T S M Rianti, A R Pratama, N Khoiriyah

 [PDF \(Bahasa Indonesia\)](#)

[View All Issues](#) >

Open Journal Systems

Information

[For Readers](#)

[For Authors](#)

[For Librarians](#)

Platform &
workflow by
OJS / PKP