## **PAPER • OPEN ACCESS**

# Computer vision system in measurement of the volume and mass of egg using the disc method

To cite this article: M Widiasri et al 2019 IOP Conf. Ser.: Mater. Sci. Eng. 703 012050

View the <u>article online</u> for updates and enhancements.

# Computer vision system in measurement of the volume and mass of egg using the disc method

## M Widiasri, L P Santoso and J Siswantoro

Department of Informatics Engineering, Faculty of Engineering, University of Surabaya

Jl. Kali Rungkut, Surabaya, 60293, Indonesia

E-mail: monica@staff.ubaya.ac.id

Abstract. One important process in egg production is the sorting process to determine the grade of the egg. The volume and mass of the egg are the factors needed in this sorting process. But the conventional way to measure egg volume and mass can damage egg and takes a long time. This paper proposes a Computer Vision System (CVS) to measure egg volume and mass quickly, accurately, precisely without damaging the egg. The disc method is a method used to calculate the volume of an object with a circular cross-section such as an egg. CVS was designed to calculate the volume using the disc method and calculate the egg mass using density and regression models, based on images captured in real-time or images that have been captured previously. The validation process is carried out using 50 egg samples by comparing results from the proposed method with manual measurements. To compare the time needed by CVS and manual measurement, an average test was used. To test the output accuracy of the volume and mass of egg, relative absolute error, ANOVA test, and correlation test were used. Whereas to test the output precision, the coefficient of variation was used. Based on the results of the testing conducted, CVS in the proposed method successfully measuring the volume and mass of egg quickly, accurately, precisely, without damaging the egg.

### 1. Introduction

Egg volume and mass are important factors in the egg production process. One process that uses volume and mass of the eggs as its criteria is the sorting process. Because of the importance of knowing the volume and mass of eggs, the calculation method used must be precise and efficient. One method commonly used to measure egg volume is the water displacement method, where the volume of spilled water is the same as the volume of eggs put into it. But this method is considered to be less accurate, can damage the eggs, and takes a long time [1]. The using of the computer vision system (CVS) is a better alternative to the existing manual method. Computer Vision System (CVS) can measure accurate, precise, quick, and non-destructive egg volume [2]. To measure the volume of eggs, the method proposed used is a two-dimensional CVS, where the camera will capture the cross-sectional image of the egg. Assuming that eggs are an axisymmetric object, the egg volume can be calculated by rotating the cross-section of an egg around its long axis [3]. We can then use various methods of calculating the volume of solids of revolution, namely the cone method [4], methods based on the Pappus theorem [5], Simpson's rules [6], and the disc method [7][8]. The disc method assumes

Published under licence by IOP Publishing Ltd

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

that the volume of a solid of revolution is the sum of the volume of all the thin cylinders that made up the object. The disc method used by Bridge et al. [7] to calculate the volume of Florida Scrub-Jay bird eggs. Koc [8] also uses the disc method to calculate the volume of watermelons. The result from a study by Bridge [7] shows that the volume calculation is accurate. However, the CSV system used cannot automatically align the image obtained parallel to the main axis. This will cost extra time for the user to align the egg manually. The system proposed by Koc [8] was less accurate because as the size of the watermelon increased, the image processing method overestimated the volume. This was because of the change in distance between the camera and the watermelon surface. Although the distance between the camera and the surface where the object lays was constant, the distance between the watermelon surface and the camera reduced with increasing watermelon size.

Mass has a very close relationship with volume. The information about egg's mass was not only used in the grading process but was also used to determine egg-yolk to egg ratio, eggshell thickness, and egg hatchability [9]. For egg mass calculations, if the egg volume is known, the egg mass can be obtained from multiplying the volume and density of eggs [5]. In addition, estimation of egg mass can also be done using a linear regression model [9]. This system uses diameter data obtained from digital image processing to estimate the mass of "White Leghorn Line" chicken eggs.

A similar system that has been developed, there is no system that can calculate the volume and mass of objects simultaneously. This study aims to propose a 2D CVS for predicting the volume and mass of egg using the disc method from the image of the egg. The proposed CSV system can automatically align the image obtained parallel to the main axis. The rest of the paper is organized as follow, section 2 explains the proposed computer vision system. The experimental results and discussion are provided in Section 3. The conclusion is explained in Section 4.

### 2. Proposed computer vision system

Computer Vision System proposed consists of hardware part and software apart. Hardware in the system is mainly used to take a picture of the egg. Software in the system is used to process the image captured, and perform mathematical calculations to find the volume and mass of the eggs.


# 2.1. Hardware part

The hardware consists of a camera, LED lighting, black background, and a computer to operate the software, as can be seen in Figure 1. The camera used in this system is a portable webcam "Logitech C170" with a resolution of 5 MP and connected to a computer via a USB cable. This webcam is also equipped with a clamp, making it easier to place. The webcam is placed 30 cm above the egg, with lighting coming from a 5 watts LED lights placed 40 cm above the webcam. The system uses dark-colored cotton fabric. This cover cloth serves to block light from outside the system during the image capture process.

# 2.2. Software part

The processing phase consists of image capture, initial processing, segmentation, opening-closing, rotation, extracting the size of the egg object, volume calculation using the disc method, and mass calculation.

- 1. Image Capture. The image capture process is carried out using a portable webcam placed right above the image. The captured image has an RGB color space and is then stored on the hard drive in jpg format with a size of  $640 \times 480$  pixels.
- 2. Initial processing. Initial processing begins with the color transformation of the image from the RGB color space to the gray scale. The filtering process is done using a Gaussian filter with a 7x7 kernel size, aims to clear the image of existing noise.
- 3. Segmentation. The segmentation process separates an object from the background. This process begins with the search for the Threshold (T) value automatically. Pixels in gray scale images that have an intensity greater than T will be recognized as objects (white) with binary value 1, otherwise, it will be recognized as a background (black) with binary value 0.






Figure 1. Hardware used in CVS

**Figure 2**a. Cross-section of the object divided into n rectangles; b: cylindrical rotation results on the x-axis

- 4. Opening-closing. An opening-closing process is performed to remove white spots on the background and black dots on the foreground.
- 5. Rotation. An image that was not aligned properly will be rotated until its axis parallel to the x or y-axis.
- 6. Feature extraction. This process aims to find the major axis and the minor axis of the egg. First, we need to locate the leftmost pixel, the rightmost pixel, the topmost pixel, and the lowest pixel of the egg object in the image. The location of the leftmost pixel can be found by scanning the image from the leftmost column (x=0) to the right until the first white pixel found. This will be  $x_i$ . The position of the rightmost pixel ( $x_i$ ), the topmost pixel ( $y_i$ ), and the lowest pixel ( $y_i$ ) can be found by similar fashion. The length of the x-axis ( $\Delta x$ ) is the difference between  $x_i$  and  $x_i$ . The length of the y-axis ( $\Delta y$ ) is the difference between  $y_i$  and  $y_i$ . The major axis is the longest between  $\Delta x$  and  $\Delta y$ .
- 7. Volume measurement. After the length of the major axis and the minor axis of the egg are known, the calculation of volume using the disc method. Volume measurement can be obtained by dividing the cross-section of the object above the major axis into n rectangles with width  $\Delta x$  of 1 pixel and length ½  $\Delta yi$  with i=1,2,3,...,n as shown in Figure 2a. Then the rectangles are rotated around the x-axis to produce a cylinder with a height of  $\Delta x$  and a cylinder radius of ½  $\Delta yi$  as shown in Figure 2b. The volume of egg (V) can be calculated using Eq. 1, with a k scale factor that can be calculated from the ratio of the object length in cm to the object length in pixels (from the image captured by the camera). In this experiment, the scale factor value k obtained from the average scale factor of five randomly selected samples.

$$V = \frac{\pi}{4} k^3 \sum_{i=1}^{n} (\Delta y_i)^2$$
 (1)

8. Mass measurement. Mass measurement is done using two methods, namely, using density and linear regression models. Density is a measurement of mass per unit volume of matter. The mass of eggs (m) was determined using volume (V) and density ( $\rho$ ) by Eq. 2,

$$m = V * \rho \tag{2}$$

Linear regression is a statistical model that serves to predict the value of non-dependent variables (y) based on independent variables (x) (Franklin and Haribaran, 1994). Eq. 3 represents the common equation of linear regression.

$$y = a + bx \tag{3}$$

From 20 randomly selected egg samples, the density is found to be 1.07 gr/ml, and the regression model is

$$y = 7.3148 + 0.448 x \tag{4}$$

### 3. Result and discussion

The validation process of the proposed method is carried out using 50 egg samples from 9 different angles (0°, 30°, 45°, 60°, 90°, 120°, 135°, 150°, and 180°). The result of the proposed method will be compared by manual measurement using water displacement for volume and using digital scales for mass.

## 3.1. Average Test

The average measurement from 9 different angles, the average of measurement from the experiment, and the time needed by the proposed method will be compared with manual measurements, as shown in Table 1.

Angle	Volume(ml)	Mass (gr)- density	Mass (gr)- regression	Time (ms)
<u>0°</u>	57.79	61.85	61.91	311.59
30°	57.44	61.48	61.58	315.03
45°	57.11	61.13	61.27	312.52
60°	56.75	60.74	60.93	312.09
90°	56.49	60.46	60.69	316.14
120°	56.50	60.48	60.70	318.5
135°	56.54	60.52	60.74	312.22
150°	56.79	60.79	60.97	313.68
180°	56.99	61.00	61.16	319.52
Average measurement of CVS	56.93	60.94	61.11	314.59
Manual measurement	57.87	61.62	61.62	47962.8

Table 1. The average measurement result

As can be seen in Table 1, the results obtained from the proposed method are very close to the results obtained from manual measurement, with differences less than 1.62% in volume and less than 1.1% in mass on average. The average time to measure the volume and mass of the egg using CVS takes 314.59 ms. This is much faster than the time needed manual measurement of 47962.8 ms. This proves that using CVS to measure egg volume and mass can be done more quickly without damaging the egg.


# 3.2. Accuration Test

To test the accuracy of the result of the volume and mass of egg measurement using CVS, the relative absolute error, ANNOVA test, and correlation test were used.

3.2.1. Relative absolute error test. The absolute error used in this experiment is the magnitude of the difference between the manual measurement value and the measurement value by CVS. The percent error is the relative error expressed in term of per 100, by the following equation:

Relative absolute error = 
$$\frac{|manual\ measurement - measurement\ by\ CVS|}{manual\ measurement} * 100\%$$
 (5)

The relative absolute error test results for this experiment are shown in Figure 3. An experimental result is said to be accurate if it yields a relatively small absolute error value. Based on the experimental results obtained the absolute relative error value is <5%. This proves that the proposed method is accurate.






Figure 3. The relative absolute error result

Figure 4. The correlation coefficient result

3.2.2. Correlation test. Correlation is a method of statistical analysis used to measure relationships between variables using a value called the correlation coefficient (R). Two data are said to have a relationship if they have  $R^2$  values that are close to 1. The result of the correlation test in this experiment shown as in Figure 4. All the result of this experiment is close to 1. Thus, this proves that data from proposed method calculations have a relationship with manual data measurement.

3.2.3. Anova test. Anova is a statistical method used to compare the mean of several populations (usually more than 2 populations)[10]. The hypothesis used in ANOVA in this study is:

H0: 
$$\mu_1 = \mu_2 = ... = \mu_{10}$$

H1: at least two of the means are not equal

Where  $\mu_{\alpha}$  to  $\mu_{\alpha}$  are average measurements from 9 different angles and  $\mu_{\alpha}$  is manual measurement as shown in Table 1. To test the hypothesis, use the calculation of the f value using Eq. 6, where  $MK_{\alpha}$  is mean square between populations and  $MK_{\alpha}$  is mean square values within population:

$$f = \frac{M_K}{MK_d} \tag{6}$$

H0 is rejected significantly  $\alpha$  if the value f>  $f\alpha$ , the value of  $f\alpha$  can be seen in the distribution table F. The results of Anova test in this experiment are shown in Table 2.

Table 2. The Anova test result

	Volume	Mass-density	Mass-regresion
f	0.357	0.294	0.272
Significant	0.955	0.976	0.982

The significant value of the Anova test for volume is 0.955, for the mass data density method is 0.976 and for linear regression method is 0.982, so it can be concluded that H0 failed to be rejected. It proves that the mean square values of measured and calculated results are equal or not different. Thus the proposed method is accurate.

## 3.3. Precision Test

The coefficient of variation is useful to see the distribution of data from the calculated average if the percentage of data distribution is small (<1%) it can be stated that the data is precise. The coefficient of variation (CV) is the comparison between standard deviation (s) and the average value  $\bar{x}$  expressed in percentage. The coefficient of variation is expressed by the formula,

$$CV = \frac{s}{\bar{x}} * 100\% \tag{7}$$

The overall value of the CV of the proposed method can be seen in Figure 5. Based on the above equation, the CV value for all data measurement is <1%, so it can be stated that the volume and mass data resulted from this method are precise.




Figure 5. The coefficient of variation result

### 4. Conclusion

This study proposes a 2D CVS for predicting the volume and mass of an egg using the disc method from the image of an egg. The proposed method has been tested using 50 egg samples from 9 different angles (0°, 30°, 45°, 60°, 90°, 120°, 135°, 150°, 180°). The difference in the orientation of the angle of the egg used turned out to yield similar results. Based on the results of the experiments, CVS in the proposed method successfully measuring the volume and mass of eggs quickly, accurately, precisely, and without damaging the egg. The next study will be to develop CVS to calculate the volume and mass of several eggs simultaneously.

## References

- [1] Rush S A, Maddox T, Woodrey M S, Fisk A T and Cooper R J 2009 A precise water displacement method for estimating egg volume *J. Field Ornith*. **8** pp 193-7
- [2] Siswantoro J, Hilman M and Widiasri M 2017 Computer vision system for egg volume prediction using backpropagation neural network *IOP Conf. Ser.: Mater. Sci. Eng.* 273 012002
- [3] Marsden J and Weinstein A 1985 Calculus II *Springer* pp 98-104
- [4] Wang T Y and Nguang S K 2007 Low-cost sensor for volume and surface area computation of axis-symmetric agricultural products *J. Food Eng.* **79** pp 870-7
- [5] Soltani M, Omid M and Alimardani R 2014 Egg volume prediction using machine vision technique based on pappus theorem and artificial neural network *J. Food Sci. Technol.* pp 1-7
- [6] Siswantoro J, Prabuwono A S and Abdulah A 2012 Kerangka kerja penentuan volume telur menggunakan computer vision dan aturan simpson *SNASTIA 2012* pp 1-5
- [7] Bridge E S, Boughton R K, Aldredge R A, Harrison T J E, Bowman R and Schoech S J 2007 Measuring egg size using digital photography: testing Hoyt"s method using florida scrub-jay eggs *Field Ornitho* **78** pp 109–16
- [8] Koc A B 2007 Determination of watermelon volume using ellipsoid approximation dan image processing *Postharvest Biol. Technol.* **45** pp 366-71
- [9] Asadi V, Raoufal M H and Nassiri S M 2012 Fresh egg mass estimation using machine vision technique *Int. Agrophys.* **26** pp 229-34
- [10] Walpole R E, Myres R H, Myres S L, Ye K 2011 Probability & Statistics for Engineers & Scientists 9th Ed. pp 507-508

# **PAPER • OPEN ACCESS**

# **Preface**

To cite this article: 2019 IOP Conf. Ser.: Mater. Sci. Eng. 703 011001

View the <u>article online</u> for updates and enhancements.



# **Preface**

Welcome Remarks,
Chair of the Steering Committee

It is a great pleasure to welcome all of you to Bali and to the International Conference on Informatics, Technology, and Engineering 2019 (InCITE 2019) held by the Faculty of Engineering, University of Surabaya (UBAYA) in collaboration with The University of Adelaide, Australia and Sirindhorn International Institute of Technology (Thammasat University), Thailand. The first InCITE has been successfully held in Bali, Indonesia in 2017. We are very delighted to host the second InCITE here in Bali, Indonesia again.

There are more than 75 presentations in this conference. We welcome leading experts not only from Indonesia, but also from different parts of the world. The experts will share the knowledge and experiences in the fields of informatics, technology, science, and engineering. The main theme of this conference is **Enhancing Engineering Innovation Towards A Greener Future** in response to several world challenges including sustainable development, global convergence of information and communications technologies, climate change and global warming as well as the depletion of unrenewable natural resources. We hope this conference will provide you a good opportunity to get to know each other better and consolidate bonds of friendship and mutual trust.

We would like to express our sincere gratitude to the Keynote and Plenary speakers, International Scientific Committee, Steering Committee, and Organising Committee for their huge efforts to make this conference successful.

Thank you all for your support and attendance at InCITE 2019. Please enjoy the conference and Bali!

Asst. Prof. Djuwari, Ph.D.



# **Preface**

Welcome Remarks,
Chair of The Organizing Committee


Welcome to Bali, Indonesia to all delegates and presenters. It is my pleasure and privilege to welcome all of you to the 2<sup>nd</sup> (second) International Conference on Informatics, Technology, and Engineering 2019 (InCITE 2019) held by the Faculty of Engineering, University of Surabaya (UBAYA) in collaboration with The University of Adelaide, Australia and Sirindhorn International Institute of Technology (Thammasat University), Thailand.

Incite 2019 has received more than 75 papers to be presented in this conference. All papers represent four following parallel clusters: Green Design and Innovation, Green Manufacturing and Green Processes, Power System and Green Energy Management, and The Role of IT in Innovation Enhancement. Each cluster supports the main theme of the conference, which is **Enhancing Engineering Innovation Towards A Greener Future.** The engineering innovation is the key to increase our awareness in maintaining the sustainable growth and development in the world.

The Organising Committee of InCITE 2019 would like to express our sincere gratitude for the tremendous supports and contributions from many parties. The supports from The Faculty of Engineering of UBAYA, keynote and plenary speakers, our International Scientific Committee, the Steering and Organising Committees are really acknowledged.

The last but not the least, thank you for your supports, enjoy the conference and we hope through this meeting all of you can extend your networks and collaborations.


Asst. Prof. Putu Doddy Sutrisna, Ph.D.



# **Conference Organizers**

### **SCIENTIFIC COMMITTEE**

- Prof. Willy Susilo, Ph.D. (University of Wollongong, AUSTRALIA)
- Prof. Dr. Anton Satria Prabuwono (King Abdulaziz University, SAUDI ARABIA)
- Assoc. Prof. Oki Muraza, Ph.D. (King Fahd University of Petroleum & Minerals, KINGDOM OF SAUDI ARABIA)
- Prof. Ravindra S. Goonetilleke, Ph.D. (Hong Kong University of Science & Technology, PRC)
- Assoc. Prof. Tan Kay Chuan, Ph.D. (National University of Singapore, SINGAPORE)
- Asst. Prof. Aldy Gunawan, Ph.D. (Singapore Management University, SINGAPORE)
- Asst. Prof. Hendry Raharjo, Ph.D. (Chalmers University of Technology, SWEDEN)
- Assoc. Prof. Dr. A. F. M. Saifuddin Saif (American International University, BANGLADESH)
- Asst. Prof. Itthisek Nilkhamhang, Ph.D. (Sirindhorn International Institute of Technology, THAILAND)
- Assoc. Prof. Akawut Siriruk, Ph.D. (Suranaree University of Technology, THAILAND)
- Assoc. Prof. Avirut Chinkulkijniwat, Ph.D. (Suranaree University of Technology, THAILAND)
- Assoc. Prof. Peerapong Uthansakul, Ph.D. (Suranaree University of Technology, THAILAND)
- Assoc. Prof. Dr. Andi Cakravastia Arisaputra Raja (Institut Teknologi Bandung, INDONESIA)
- Assoc. Prof. Dr. Anas Maruf (Institut Teknologi Bandung, INDONESIA)
- Assoc. Prof. Yassierli, Ph.D. (Institut Teknologi Bandung, INDONESIA)
- Prof. Dr. Ali Altway (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Dr-Ing. I Made Londen Batan (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Assoc. Prof. Setiyo Gunawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Renanto Handogo, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Mauridhi Hery Purnomo, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- · Prof. Nur Iriawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. I Nyoman Pujawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Asst. Prof. Budi Hartono, Ph.D. (Universitas Gadjah Mada, INDONESIA)
- Prof. Sarjiya, Ph.D. (Universitas Gadjah Mada, INDONESIA)
- Asst. Prof. Nemuel Daniel Pah, Ph.D. (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Markus Hartono, Ph.D (Universitas Surabaya, INDONESIA)
- Prof. Joniarto Parung, Ph.D. (Universitas Surabaya, INDONESIA)
- Prof. Lieke Riadi, Ph.D. (Universitas Surabaya, INDONESIA)





## **STEERING COMMITTEE**

Chair:

Asst. Prof. Djuwari, Ph.D.

## **Honorary Members:**

Prof. David Lewis, Ph.D.

Prof. Joniarto Parung, Ph.D.

Prof. Lieke Riadi, Ph.D.

Asst. Prof. Dr. Steve Kardinal Jusuf

Asst. Prof. Dr. Itthisek Nilkhamhang

#### Members:

Assoc. Prof. Amelia Santoso, Ph.D.

Mr. Agung Prayitno

Assoc. Prof. Emma Savitri, Ph.D.

Assoc. Prof. Markus Hartono, Ph.D., CHFP.

Assoc. Prof. Budi Hartanto, Ph.D.

Mr. Sunardi Tjandra

Assoc. Prof. Eric Wibisono, Ph.D.

Asst. Prof. Nemuel Daniel Pah, Ph.D.

Assoc. Prof. Elieser Tarigan, Ph.D.

Assoc. Prof. Jaya Suteja, Ph.D.

Prof. Joniarto Parung, Ph.D.

Assoc. Prof. Hudiyo Firmanto, Ph.D.

Assoc. Prof. Restu Kartiko Widi, Ph.D.

### **ORGANIZING COMMITTEE**

Chair :Asst. Prof. Putu Doddy Sutrisna, Ph.D.

Vice Chair :Dr. Delta Ardy Prima
Secretary :Ms. Aprilia Karina
Treasurers :Ms. Dhiani Tresna Absari

Secretariat : Maria Agatha E.Gunawan, Ph.D.

Asst. Prof. Lanny Sapei, Ph.D. Mr. Rahman Dwi Wahyudi

Ms. Yenny Sari

Ms. Yuana Elly Agustin Ms. Susana Limanto Ms. Monica Widiasri





Program :Mr. Yunus Fransiscus

Ms. Melissa Angga Mr. I Made Ronyastra Mr. Henry Hermawan Mr. Felix Handani Ms. Indri Hapsari

Mr. Mochammad Arbi Hidayat

Website :Mr. Daniel Soesanto

Mr. Marcellinus Ferdinand Suciadi

Design :Ms. Tyrza Adelia

Sponsorship :Assoc. Prof. Susila Candra, Ph.D. Logistic: Mr. Arief Rachman Hakim

Mr. Muhamad Yulham Effendy

### **REVIEWER**

- · Prof. David Lewis, Ph.D. (University of Adelaide, AUSTRALIA)
- · Prof. Willy Susilo, Ph.D. (University of Wollongong, AUSTRALIA)
- Dr. Jingwei Hou (University of Queensland, AUSTRALIA)
- Asst. Prof. Hendry Raharjo, Ph.D. (Chalmers University of Technology, SWEDEN)
- Prof. Dr. Anton Satria Prabuwono (King Abdulaziz University, SAUDI ARABIA)
- Assoc. Prof. Oki Muraza, Ph.D. (King Fahd University of Petroleum & Minerals, KINGDOM OF SAUDI ARABIA)
- Prof. Dr. Winarto Kurniawan (Tokyo Institute of Technology, JAPAN)
- Dr. Wahyudiono (Nagoya University, JAPAN)
- Prof. Ravindra S. Goonetilleke, Ph.D. (Hong Kong University of Science & Technology, PRC)
- Asst. Prof. Dr. Steve Kardinal Jusuf (Singapore Institute of Technology, SINGAPORE)
- Assoc. Prof. Tan Kay Chuan, Ph.D. (National University of Singapore, SINGAPORE)
- Asst. Prof. Aldy Gunawan, Ph.D. (Singapore Management University, SINGAPORE)
- Assoc. Prof. Dr. A. F. M. Saifuddin Saif (American International University, BANGLADESH)
- Asst. Prof. Itthisek Nilkhamhang, Ph.D. (Sirindhorn International Institute of Technology, THAILAND)
- Assoc. Prof. Akawut Siriruk, Ph.D. (Suranaree University of Technology, THAILAND)
- Assoc. Prof. Avirut Chinkulkijniwat, Ph.D. (Suranaree University of Technology, THAILAND)
- Assoc. Prof. Peerapong Uthansakul, Ph.D. (Suranaree University of Technology, THAILAND)
- Asst. Prof. Dr. Phuong Lan Tran Nguyen (Can Tho University, VIETNAM)
- Assoc. Prof. Dr. Anas Maruf (Institut Teknologi Bandung, INDONESIA)
- Dr. Khoiruddin (Institut Teknologi Bandung, INDONESIA)
- Assoc. Prof. Dr. Veinardi Suendo (Institut Teknologi Bandung, INDONESIA)





### **REVIEWER**

- Assoc. Prof. Dr. Andi Cakravastia Arisaputra Raja (Institut Teknologi Bandung, INDONESIA)
- Assoc. Prof. Yassierli, Ph.D. (Institut Teknologi Bandung, INDONESIA)
- Prof. Dr. Judy Retti B. Witono (Universitas Parahyangan, INDONESIA)
- Asst. Prof. Budi Hartono, Ph.D. (Universitas Gadjah Mada, INDONESIA)
- Prof. Sarjiya, Ph.D. (Universitas Gadjah Mada, INDONESIA)
- Asst. Prof. Dr. Hendri Himawan Triharminto (Akademi Angkatan Udara Yogyakarta, INDONESIA)
- Assoc. Prof. Dr. Djoko Budiyanto Setyohadi (Universitas Atmajaya Yogyakarta, INDONESIA)
- Prof. Dr. Ali Altway (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Renanto Handogo, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Mauridhi Hery Purnomo, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Nur Iriawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Asst. Prof. Astria Nur Irfansyah, Ph.D.( Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. Dr-Ing. I Made Londen Batan (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Assoc. Prof. Setiyo Gunawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Prof. I Nyoman Pujawan, Ph.D. (Institut Teknologi Sepuluh Nopember, INDONESIA)
- Asst. Prof. Rr. Poppy Puspitasari, S, Ph.D (Universitas Negeri Malang, INDONESIA)
- Asst. Prof. Ratna Surva Alwi, S.T., M.Si., Ph.D (Universitas Fajar Makassar, INDONESIA)
- Prof. Joniarto Parung, Ph.D. (Universitas Surabaya, INDONESIA)
- Prof. Lieke Riadi, Ph.D. (Universitas Surabaya, INDONESIA)
- · Asst. Prof. Nemuel Daniel Pah, Ph.D. (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Markus Hartono, Ph.D (Universitas Surabaya, INDONESIA)
- Asst. Prof. Dr. Hazrul Iswadi (Universitas Surabaya, INDONESIA)
- Asst. Prof. Gunawan, Ph.D (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Dr. Evy Herowati (Universitas Surabaya, INDONESIA)
- · Assoc. Prof. Dr. Amelia Santoso (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Eric Wibisono, Ph.D. (Universitas Surabaya, INDONESIA)
- Asst. Prof. Dr. Joko Siswantoro (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Dr. Budi Hartanto (Universitas Surabaya, INDONESIA)
- Asst. Prof. Dr. Delta Ardy Prima (Universitas Surabaya, INDONESIA)
- Asst. Prof. Jimmy (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Lisana (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Dr. Emma Savitri (Universitas Surabaya, INDONESIA)
- · Assoc. Prof. Restu Kartiko Widi, Ph.D. (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Akbarningrum Fatmawati (Universitas Surabaya, INDONESIA)



# **Conference Organizers**

### **REVIEWER**

- Assoc. Prof. Akbarningrum Fatmawati (Universitas Surabaya, INDONESIA)
- Asst. Prof. Putu Doddy Sutrisna, Ph.D. (Universitas Surabaya, INDONESIA)
- Asst. Prof. Djuwari, Ph.D. (Universitas Surabaya, INDONESIA)
- Asst. Prof. Elieser Tarigan, Ph.D. (Universitas Surabaya, INDONESIA)
- Assoc. Prof. The Jaya Suteja, Ph.D (Universitas Surabaya, INDONESIA)
- Assoc. Prof. Dr. Susila Candra (Universitas Surabaya, INDONESIA)
- Asst. Prof. Sunardi Tjandra (Universitas Surabaya, INDONESIA)
   Asst. Prof. Yuwono Budi Pratiknyo (Universitas Surabaya, INDONESIA)


CONFERENCE ORGANIZING COMMITTEE: FACULTY OF ENGINEERING, UNIVERSITAS SURABAYA DEAN BUILDING TB 2, RAYA KALIRUNGKUT SURABAYA, 60293, INDONESIA

PHONE: +62-31-2981150, FAX: +62-31-2981151

E-MAIL: incite@unit.ubaya.ac.id

WEBSITE: https://incite.ubaya.ac.id; http://teknik.ubaya.ac.id





Green chemical engineering: challenges in chemical industrial processes for a better life

L Riadi


+ View abstract


PDF

012002


OPEN ACCESS 012003 Xylanase production from combined Reutealis trisperma with potato dextrose broth by Tricodherma reesei: the effect of pretreatment Y E Agustin, L Riadi and T P Utami + View abstract 🔁 PDF OPEN ACCESS 012004 Regulatory performance of two different tuning methods for milk cooling control system R Agustriyanto + View abstract 🔁 PDF OPEN ACCESS 012005 The solubility correlation of azobenzene derivatives in supercritical carbon dioxide: a short review R S Alwi and A S Iryani + View abstract 🔁 PDF OPEN ACCESS 012006 Container storage tariff policy analysis using combining game theory and system dynamics approach A G Budianto and B Wirjodirdjo + View abstract 🔁 PDF


OPEN ACCESS		012011
_	ness analysis using sound signal in turning of mild steel	
_	A Zamee, M H Bhuiyan and S M Sakib	
◆ View abstract	PDF	
OPEN ACCESS		012012
A review of a mac	hine design of chocolate extrusion based co-rotating twin screw extruder	
P Pitayachaval and	P Watcharamaisakul	
+ View abstract	PDF	
OPEN ACCESS		012013
Tofu wastewater t	reatment through a combined process of coagulation-flocculation and ultrafiltration	
P Prawati, A Oktaria	any, S S Putri, I Aditya and S Kartohardjono	
+ View abstract	PDF	
OPEN ACCESS		012014
Carbon emission	modelling in container terminal operations planning using a system dynamics approach	
D N Prayogo		
♣ View abstract	₹ PDF	
OPEN ACCESS  Effect of NR-ø-ce	lulose coupling agent into NR-cellulose composite dispersibility and its physical properties	012007
	riadi, A S Handayani, M Chalid, S Savetlana and M Christwardana	
+ View abstract	PDF	
T view abstract	E PUP	
OPEN ACCESS		012008
	characterization of chitosan-alginate freeze dried matrices loaded with oleoresin extract of red ginger	
E A Krisanti, A Safi		
+ View abstract	PDF	
OPEN ACCESS		012009
	ctroculture on shoot proliferation of garlic ( <i>Allium sativum I.</i> )	
Von Louie R Mang	ıiam, Ashley Marie N. Margate, Rose Danielle G Hilahan, Harold Gian L Lucin, Kristopher Ray S Pamintuan and Adonis I —	P Adornado
♣ View abstract	PDF	
OPEN ACCESS		012010
Preparation and on tuberculosis drug	characterization of polyvinyl alcohol-chitosan-tripolyphosphate hydrogel for extended release of anti- is	
	auch A I Beloweeller and 5 A Wilconti	
K Mulia, S A Chada	rwati, A J Rahyussalim and E A Krisanti	






OPEN ACCESS				
	student satisfaction and loyalty using service quality model for higher education (HedQual) at industrial rtment University of Pelita Harapan			
N Hartono, Laureno	e and B F Tjahjadhi			
◆ View abstract	₹ PDF			
OPEN ACCESS		012028		
Expertise-based of relations	lecision makers' importance weights for solving group decision making problems under fuzzy preference			
E Herowati				
+ View abstract	₹ PDF			
OPEN ACCESS		012029		
_	ananocomposite membranes for molecular separation and bioapplications			
→ View abstract	E PDF			
OPEN ACCESS		012030		
Tensile Properties	of Kenaf Fiber by Alkalinization Treatment: Effect of different concentration	012000		
Ismojo, K A Zahidah	n, E Yuanita, E Kustiyah and M Chalid			
+ View abstract	PDF			
OPEN ACCESS	neign coolegically conceinus millennials value unavaled elething?	012031		
	esian ecologically conscious millennials value upcycled clothing?			
C A Parung  View abstract	PDF			
open access Passive design im	plementation as sustainable development approach on vertical housing case study: Sentra Timur Residence	012032		
T Riotama and H He				
+ View abstract	₹ PDF			
OPEN ACCESS		012033		
Development and	usability evaluation of virtual guide using augmented reality for Candi Gunung Gangsir in East Java			
l M Ronyastra, I Hap	osari and F P Pani			
◆ View abstract	PDF			
OPEN ACCESS		012034		
The Role of Ergono N Sampouw and M	omics in Suporting Supply Chain Performance in Manufacturing Companies: a Literature review			
♣ View abstract	PDF     PDF			







### Abstract

One important process in egg production is the sorting process to determine the grade of the egg. The volume and mass of the egg are the factors needed in this sorting process. But the conventional way to measure egg volume and mass can damage egg and takes a long time. This paper proposes a Computer Vision System (CVS) to measure egg volume and mass quickly, accurately, precisely without damaging the egg. The disc method is a method used to calculate the volume of an object with a circular cross-section such as an egg. CVS was designed to calculate the volume using the disc method and calculate the egg mass using density and regression models, based on images captured in real-time or images that have been captured previously. The validation process is carried out using 50 egg samples by comparing results from the proposed method with manual measurements. To compare the time needed by CVS and manual measurement, an average test was used. To test the output accuracy of the volume and mass of egg, relative absolute error, ANOVA test, and correlation test were used. Whereas to test the output precision, the coefficient of variation was used. Based on the results of the testing conducted, CVS in the proposed method successfully measuring the volume and mass of egg quickly, accurately, precisely, without damaging the egg.

↑ Back to top

References

### References

[1] Rush S A, Maddox T, Woodrey M S, Fisk A T and Cooper R J 2009 A precise water displacement method for estimating egg volume J. Field Ornith. 8 193-7

Crossref Google Scholar

[2] Siswantoro J, Hilman M and Widiasri M 2017 Computer vision system for egg volume prediction using backpropagation neural network IOP Conf. Ser.: Mater. Sci. Eng. 273 012002 Google Scholar

[3] Marsden J and Weinstein A 1985 Calculus II (Springer) 98-104Crossref Google Scholar

[4] Wang TY and Nguang S K 2007 Low-cost sensor for volume and surface area computation of axissymmetric agricultural products J. Food Eng. 79 870-7

Crossref Google Scholar

[5] Soltani M, Omid M and Alimardani R 2014 Egg volume prediction using machine vision technique based on pappus theorem and artificial neural network J. Food Sci. Technol. 1-7 Google Scholar

↑ Back to top

[6] Siswantoro J, Prabuwono A S and Abdulah A 2012 Kerangka kerja penentuan volume telur menggunakan computer vision dan aturan simpson SNASTIA 2012 1-5 Google Scholar References

[7] Bridge E S, Boughton R K, Aldredge R A, Harrison T J E, Bowman R and Schoech S J 2007 Measuring egg size using digital photography: testing Hoyt's method using florida scrub-jay eggs Field Ornitho 78 109-16

Crossref Google Scholar

[8] Koc A B 2007 Determination of watermelon volume using ellipsoid approximation dan image processing *Postharvest Biol. Technol.* 45 366-71

Crossref Google Scholar

[9] Asadi V, Raoufal M H and Nassiri S M 2012 Fresh egg mass estimation using machine vision technique *Int. Agrophys.* 26 229-34

Crossref Google Scholar

[10] Walpole R E, Myres R H, Myres S L and Ye K 2011 Probability & Statistics for Engineers & Scientists 9 507-508

↑ Back to top

Google Scholar

