

FRUCTOSE EFFECTS ON BLOOD GLUCOSE AND URIC ACID LEVELS

BAHARUDDIN^{1*}, SUHARTATI^{2,4}, SJAFRIL VIKA PERMANA¹,
FATHIMAH ANDI RUMPA³ AND PURI SAFITRI HANUM⁵

¹Lecturer of Medical Faculty, Surabaya University, Jl Raya Kalirungkut, 60293 Surabaya,
Jawa Timur, Indonesia.

²Professor of Biochemistry Department, Medical Faculty, Airlangga University, Jl Prof. Dr. Moestopo,
60132, Surabaya, Jawa Timur, Indonesia.

³Health Science Department, STIKES Kurnia Jaya Persada, Jl Dr. Ratulangi, 91913, Palopo,
Sulawesi Selatan, Indonesia.

⁴Professor of Biochemistry Department, Medical Faculty, Wijaya Kusuma University, Jl. Dukuh Kupang
XXV No.52, Dukuh Kupang, Kec. Dukuhpakis, Surabaya, Jawa Timur 60225 Indonesia.

⁵Clinical Skills Lab, Medical Faculty, University of Surabaya, Jl Raya Kalirungkut, 60293 Surabaya,
Jawa Timur, Indonesia.

(Received 30 October, 2019; accepted 17 December, 2019)

Keywords: Fructose, Negative Effect, Blood Glucose, Uric Acid, Regulatory

Abstract – This study aims to show the effects of fructose on human health with approach animal sample research. Interest is based on the due to problems of excess sugar consumption, especially the type of fructose that many peoples don't know realize it. This objective is supported by the data world sugar consumption is constantly increasing. Consumption of fructose over the normal limit will increase the risk of disease. The focus of this research parameter are the blood glucose levels and uric acid. This study design was Randomized Post Test Control Group Design uses the subject of male white rats *Rattus norvegicus* (n = 39). The research subjects were then divided into three groups. The control group K (n = 13) was administered 1 cc of distilled water, the low dose group P1 (n = 13) was given a solution of fructose 1 cc at a dose of 450 mg/150grBW/day and the high dose group of P2 (n = 13) was given a solution of fructose 1.5 cc at a dose of 1350 mg/ 150grBW/day. Treatment of the subjects during for 30 days. Test results on blood glucose levels an increase of 46% ($P < 0.05$) in the high-dose nor in uric acid levels also increased 48% in the high dose ($P < 0.05$). Observation on fructose-containing food products have not been found labels to the inclusion of fructose contained heavy detail. The conclusion from this research that consumption of fructose at high levels can harm health risk giving. To anticipate the necessary arrangements total amount of consumption of sugar, especially fructose and regulations in order to do innovation will labeling fructose in food and beverage products. Labeling would be beneficial for consumers because they can regulate the amount of sugar consumed fructose safe day.

INTRODUCTION

Fructose is a natural substance found in many fruits (fruits). Technological innovation foodstuffs allows the conversion of starch to fructose compound derived from corn, known as high fructose corn syrup (HFCS) (Marshall and Koi, 1957). The use of fructose in Indonesia in packaging products is increasing. The use of fructose has increased significantly due to growing food and beverage industry, followed by a shift in lifestyle of the

people, especially the urban areas to the consumption of food and beverage packaging is characterized by the increase of data monthly expenditure / capita as much as four times in the span of 2002 to 2011 (BPS, 2014). As it is known today has many food and beverage products that use fructose as a sweetener to replace glucose or sucrose on the grounds of efficiency, such as the use of HFCS to food and soft drinks (Beverage Institute Indonesia, 2014). Increased fructose consumption in the United States based on data from the USDA

currently is above about 100g/day (Tappy and Le, 2010). Previous research proves that a smaller dose of 100g/day can lead to decreased insulin sensitivity of cells to insulin sensitivity (Livesey, 2009). The hormone insulin helps maintain the entry of glucose into cells so the decline of this hormone will increase the risk of type 2 diabetes mellitus (DM type 2). Statement by Livesey reinforced by research LeCoultr et al., (2013) which concluded that the consumption of 3 or 4 g fructose/kg/day in humans can decrease hepatic insulin sensitivity index (HISI) of approximately 20% and 19% which is accompanied by an increase intrahepatocellular lipids (IHCL) were respectively 113% and 102%. Besides, the use labels more detail (detail Identity label) is important because with this community is more concerned about his health (Kempen et al., 2012) as to determine the number of calories you have consumed and is expected to be a correlation between the detail label and enhancements to community understanding to health but to see it required direct observation of the product.

Fructose and Toxicity

Chemical formula fructose is $C_6H_{12}O_6$ one group with glucose and can form a heterocyclic structure (Slavin, 2014). Fructose can be consumed by a variety of food, but the fructose is consumed in high doses in a short period of time (6-7 days) have shown adverse health effects (Le Coultr et al., 2013). Research in Brazil stated that the provision of a solution of 10% fructose and 20% were able to lead to a state of hyperinsulinemia and hyperglycemia (Livesey, 2009). One of the factors that play a role, resulting in a person at great risk to fructose is still a lack of supervision of food and beverage products on the market. This is in accordance with the NA-DFC statement that "the capacity and ability of POM limited laboratory provides an opportunity not controlled products risk to health" (NA-DFC, 2013). Many of the food products that added fructose or HFCS that does not include fructose or only lists a net weight of net carbohydrates alone and some have only included net product alone, more worrying many parents who do not control the consumption of foods and beverages containing sugar at son. For example, in the Jakarta area of data in 1993 showed that 96.7% of parents give to their children sugary snacks (Yuyus, 2002). Ignorance of how much total sugar was consumed mainly fructose per day increase the risk of someone suffering from non-communicable diseases or Non

Communicable Disease (NCD), especially type 2 diabetes mellitus (DM type 2). DM a major concern because it has a further manifestation of the poor is an increased risk of cardiovascular disease (CVD), damage to the kidneys, eyes and nerves (Holt, 2010).

DM status overview of the clinical condition a person can be easily seen from the plasma glucose levels primarily fasting glucose (fasting glucose) because the change is relatively smaller (Holt, 2010). Besides the addition of glucose levels in the form of variable inspection uric acid levels are also important. It is based on the metabolism of fructose is dangerous at high levels because it uses ATP energy in each of the initial phosphorylation resulting intracellular phosphate depletion so as adenosine diphosphate (ADP) generated in the cell will be broken down into adenosine monophosphate (AMP). Furthermore AMP compounds are metabolized to uric acid (Moriwaki, 2014; Khitan and Dong, 2013). This is dangerous because increased uric acid above the normal range would increase the risk of hypertension (Hwang et al., 1987) and CVD (White, 2012) is due to uric acid can result in decreased levels of nitric oxide, or NO plasma directly in endothelial cells and vessels blood in the muscle cells (Kang et al., 2005). NO compound was instrumental in vasodilatation (Witte and Adrian, 2002). The mechanism of the increased risk of incident DM caused by the decrease of NO is the effect of increased rigidity of blood vessels (vasoconstriction). Stiffness in the vascular endothelium system resulting in receptor sensitivity was decreased (Khosla et al., 2005) and an increase of uric acid levels will increase the risk of kidney stones (Chol et al., 2005). In Indonesia country risk of death from the disease is still high can be seen from the graph the percentage of mortality. Diabetes mellitus ranks 3rd leading cause of death in Indonesia, hypertension positioned to-5 (Figure 1b) and the heart of the first position (MoH, 2012).

Consumption

Indonesia country at great risk going against the excessive consumption of fructose compounds found in food and beverage packaging is due to the increase in the consumption behavior of Indonesian society towards food products and beverage packaging. This increase can be seen from the costs incurred by public Indonesia's monthly per capita consumption of food and drink that has increased four-fold in just over nine years (2002-2011) (CBS,

2014). Average expenditure per capita per month based on reports NA-DFC 2011 for processed food and beverages also increased from 50.62% in 2009 to 51.43% in 2010 (NA-DFC, 2011). In addition the data increased consumption of foods and beverages supported also by data reports industry sales, which increased by almost 2-fold, in just a span of 6 (Figure 1a) year (2007- 2012) with sales of 402 trillion to 700 trillion (GAPMMI, 2014). High risk is also experienced by the Indonesian state is shifting lifestyles with increased consumption of food products and beverages. This risk can be seen clearly from the BPS (Figure 1a), which showed an increase in spending a month on food products and beverages expenditure so much as 4-fold (CBS, 2014).

Increased Cases of Disease

Increased disease due to a shift in the pattern of life have built relationships with the large number of deaths by non-communicable diseases in Indonesia, such as diabetes, hypertension and heart (Ministry of Health, 2012) and he also said explicitly in the annual report 2013 NA-DFC that non-communicable diseases are becoming a problem in Indonesia such as heart disease, stroke and obesity has attacked a young age (NA-DFC, 2013). More specifically in the CDC report NCHS (Centers for Disease Control and Prevention National Center for

Health Statistics) of 2013 states that the increase in the consumption of added sugars has been associated with weight gain over weight (Ervin and Cynthia, 2013) is more specific in a study concludes that soft drinks containing HFCS can increase body weight significantly (Tordoff and Alleva, 1990).

MATERIALS AND METHODS

The subjects in this study using experimental animals in the form of white male rats (*Rattus norvegicus*), which previously had met the inclusion criteria such as: weight subjects ranging from 150-200 grams, the subjects did not have diabetes (blood glucose screening beginning using test strips Brand GE 100 Lot 113610C) and there is no physical defects. Fructose used are standardized fructose ($C_6H_{12}O_6$) were obtained from Sigma-Aldrich Ltd. No. 104007. The subjects were divided into 3 groups: control group K, P1, P2 ($n = 13$). Fructose is given in the form of a solution. P1 group given fructose solution as much as 1 cc / day at a dose of 450 mg/150grBW/day for the low dose group, while for the high dose given fructose solution, 1.5 cc at a dose of 1350 mg/150grBW/day. The control group was given distilled water as much as 1 cc / day. Treatment of the subjects carried out for 30 days. All actions of treatment in experimental animals has been approved by the ethical committee of the Faculty of Veterinary Medicine Airlangga University with number 407-KE. For observation, made directly to products containing fructose to know in detail the labels listed.

Statistic analysis

The statistical analysis used in this study including normality test, homogeneity test, One Way Anova and LSD Post Hoc test with a level of significance ($P = 0.05$).

RESULTS AND DISCUSSION

The results of the study showed that the mean glucose levels of blood glucose levels in the control group was (141 ± 24) mg / dl. Provision of fructose in the lower levels (P1) did not show a significant difference to an average value that is (177 ± 29) mg / dl. The significant differences are in the delivery of high doses of fructose in which the mean glucose levels significantly different from the mean value is (206 ± 37) mg / dl compared to the group K as well as the P1 group ($P < 0.05$). The results of the study showed that uric acid levels of uric acid in the




Fig. 1. a) Graph increased consumption of food products and beverages (bottled). Source of data: The Central Bureau of Statistics (BPS), Indonesia. b) The percentage of non-communicable disease deaths in hospital Indonesia in 2009-2010. Source: Ministry of Health of the Republic of Indonesia (Ministry of Health), 2012.




Fig. 2. Diagram effect of fructose on blood glucose levels (blue) and uric acid levels (green) Mean \pm SD. *) Significant $P < 0.05$ vs control, **) significant $P < 0.05$ vs P1.

control group was (2.1 ± 0.7) mg / dl. In the administration of low doses of fructose does not occur a significant increase in group P1 with a mean value of uric acid levels are (2.8 ± 0.9) mg / dl.

Significant differences occurred in the group P2 where the mean uric acid levels are (3.1 ± 1.1) mg / dl compared with control group ($P < 0.05$) (Figure 2).

The research result is in line with penlitian by Livesey, (2009) which states that fructose can induce a state of hyperglycemic (blood glucose above normal). Increased uric acid levels (hyperuricemia) in this study are consistent with studies by (Hallfrisch, 1990). Uric acid rises have negative effects on the endothelium of blood vessels such as the rigidity. Stiffness of the system resulted in the vascular endothelium such as insulin receptor

sensitivity was decreased (Khosla *et al.*, 2005) and an increase of uric acid levels will increase the risk of kidney stones (Chol *et al.*, 2005).

Fructose Food Products

The use of labels in detail on the product can increase consumer awareness on health (Kempen *et al.*, 2012; Samson G, 2012). The results of observations performed directly on food products and beverages containing fructose undiscovered labeling their total levels of fructose contained in the packaging products (Figures 3a and 3b). In figure 3a product has a weakness for heavy detail every ingredient is not listed when the material contained therein fructose. In the Figure 3b products already listed sugar fructose but for this type of material has not been specified.



Fig. 3. a) The product solids weight of fructose without detail. b) liquid food products without detail heavy fructose fructose.

The negative impact of the absence of labeling detail total levels of fructose in pengan material above resulted in consumers do not know how much you've consumed in a day thus increasing the risk of NCD diseases such as diabetes and hypertension.

CONCLUSIONS

Fructose is shown to have a negative effect on health in large doses are characterized by increased levels of uric acid and blood glucose. Test results on blood glucose levels an increase of 46% ($P < 0.05$ vs. control) at high doses while in uric acid levels also increased 48% in the high dose ($P < 0.05$ vs. control). Observation on fructose-containing food products did not reveal any detail inclusion weight of fructose contained. For Indonesia, the regulation of the use of fructose in food and beverage packaging has set firmly and clearly it is that then increases the risk of the Indonesian people to suffer from NCDs such as diabetes, gout, hypertension and heart. To anticipate this will require innovation to the labels of food products and beverages one is labeling the total fructose as part of education on health.

REFERENCES

- Badan Pusat Statistik BPS. 2014. *Data sosial kependudukan. Sub direktori data konsumsi dan pengeluaran masyarakat kota dan desa di Indonesia*. Indonesia Beverage Institute Indonesia The Coca Cola Company. 2014. *Memahami sirup jagung tinggi, fruktosa*. Available from: <http://www.beverageinstituteindonesia.org/article/understanding-high-fructose-corn-syrup/>. Online Access 30 January 2015.
- National Agency of Drugs and Foods Controls NA-DFC, 2011. Sub c) Transformasi sosial, *Laporan Tahunan*. Hal. 39-40.
- National Agency of Drugs and Foods Controls NA-DFC. 2013. Sub B1) Sisi permintaan. *Laporan Tahunan*. Hal. 57-62.
- Center for Drug Evaluation and Research CDER. 2005. *Guidance for industry estimating the maximum safe starting dose in initial clinical trials for therapeutics in adult healthy volunteers. Pharmacology and Toxicology*, U.S. Department of Health and Human Services, Food and Drug Administration.
- Ervin, R.B. and Cynthia, L.O. 2013. Centers for Disease Control and Prevention National Center for Health Statistics. *Consumption of added sugars among U.S. Adults, 2005–2010*.
- Flinn Scientific Inc. 2008. *Laboratory Solution Preparation. Basic Concepts of Preparing Solutions*.
- Gabungan Pengusaha Makanan dan Minuman Indonesia GAPMMI. 2014. *Nilai Penjualan Makanan Dan Minuman*. Dalam laporan industri PT, Bank Mandiri. Volume 09.
- Hallfrisch, J. 1990. *Metabolic effects of dietary fructose*. FASEB J. 4 : 2652–2660, 1990.
- Hardinsyah, 2011. *Analisis konsumsi lemak, gula dan garam penduduk Indonesia*. *Gizi Indon*. 34(2) : 92-100.
- Hollenbeck, C.B. 2008. The Department of Nutrition and Food Science at San Jose State University.
- Holt, Richard, I.G., Clive, S.C., Allan, F. and Barry, J.G. 2010. *Textbook of Diabetes 4th Edition*. A John Wiley & Sons Ltd, Singapore.
- Havel, P.J. 2005. *Dietary fructose: Implications For Dysregulation of Energy Homeostasis and Lipid Carbohydrate metabolism*. *Nutr Rev*. 63 (5) : 133-57. PMID: 15971409.
- Hwang, I.S., Ho H, Hoffman, B.W. and Reaven, G.M. 1987. *Fructose-Induced Insulin Resistance And Hypertension In Rats*. *Hypertension*. 10 : 512–6.
- Kang, D.H., Park, S.K., Lee, I.K. and Johnson, R.J. 2005. *Uric acid induced C-reactive protein (CRP) expression: Implication on cell proliferation and nitric oxide production in human vascular cells*. *J Am Soc Nephrol* 16: 3553–3562.
- Kementrian Kesehatan Republik Indonesia KEMENKES. 2012. *Data dan informasi penyakit tidak menular*. ISSN 2088-270X
- Kempen, E., Muller H., Symington E. and Van Eeden T. 2012. *A study of the relationships between health awareness, life style behavior and food label usage in Gauteng*. *S Afr J Clin Nutr* 25 (1): 15-21.
- Khosla, U.M., Zharikov S., Finch JL., Nakagawa, T., Roncal, C., Mu, W., Krotova K., Block, E.R., Prabhakar, S. and Johnson RJ. 2005. *Hyperuricemia induces endothelial dysfunction*. *Kidney Int* 67: 1739–1742.
- Laboratorium Kesehatan Daerah, 2015. *Pusat Informasi Penelitian*, Laboratorium Kesehatan Daerah Provinsi Jawa Timur, Surabaya.
- Lecoultrre, V., Eglil, L., Carrel, G., Theytaz, F., Kreis, R., Schneiter, P., Boss, A., Zwygart, K., K-A. Le, Bortolotti, M., Boesch, C. and Tappy, L. 2013. *Effects of Fructose and Glucose Overfeeding on Hepatic Insulin Sensitivity and Intrahepatic Lipids In Healthy Humans*. *Journal Obesity*, Volume 21, No 4 April 2013.
- Livesey, G. 2009. Fructose Ingestion: Dose-Dependent Responses In Health Research. *J. Nutr.* 139 : 1246S–1252S.
- Marshall, R.O. and Kooi, E.R. 1957. Enzymatic Conversion of D-glucose to D-fructose. *Science*. 125 : 648-649.
- Moriwaki, Y. 2014. *Effects on uric acid metabolism of the drugs except the Antihyperuricemics*. *J Bioequiv Availab* 6: 010-017. doi: 10.4172/jBW.1000173.
- Riset Kesehatan Dasar (RISKESDAS). 2007. *Dalam Profil Kesehatan Indonesia 2012*. Kementerian Kesehatan Indonesia, Jakarta: Hal 112-113.
- Samson, G. 2012. *Awareness of food labelling and use of the information in purchasing pre packaged food products among consumers in ilala municipality-dar es salaam*.

- Dissertation. Public Health of the Muimbili University of Health and Applied Sciences.
- Slavin, J.L. 2014. *Structure, nomenclature, and properties of carbohydrates*. <http://www.us.elsevierhealth.com/Nursing/Nutrition/book/9781437709599/Biochemical-Physiological-and-Molecular-Aspects-of-Human-Nutrition>. Diakses 10 Juni 2015.
- Tappy, L. and Kim-Anne, Le. 2010. *Metabolic Effects of Fructose and the Worldwide Increase in Obesity*. *Physiol Julnal Rev*. 90: pp. 23–46, 2010.
- Tappy, L. 2012. *Q&A: Toxic effects of sugar: should we be afraid of fructose?*. Biomed Central. Metabolism, Diet and Nutrition. Jurnal Review, pp. 1-7.
- Tordoff, M.G. and Alleva, A.M. 1990. Effect of drinking soda sweetened with aspartame or high-fructose corn syrup on food intake and body weight. *Am J Clin Nutr*. 51: 963-969.
- United States Department of Agriculture USDA. 2014. *Sugar and Sweeteners Yearbook Tables*. Other Recommended Data Products, <http://www.ers.usda.gov/briefing/sugar/data.htm>. Diakses 09 Oktober 2014.
- Khosla, U.M. and Zharikov, S. and Finch, J.L. 2005. *Hyperuricemia induces endothelial dysfunction*, *Kidney International*. 67(5) : 1739–1742.
- Witte, M.B. and Adrian, B. 2002. *Role of nitric oxide in wound repair*. *The American Journal of Surgery*. 183 : 406-412.
- White, John, S. 2012. Challenging the fructose hypothesis: new perspectives on fructose consumption and metabolism 1–3. Asn 2012. Annual Meeting Symposium. *American Society for Nutrition. Adv. Nutr.* 4 : 246–256, 2013; doi:10.3945/an.112.003137.
- World Health Organization WHO. 2003. *Screening for type 2 diabetes*. Departement of Noncommunicable Disease Management, Geneva: pp 1-2.
- Yuyus, R., Magdarina, D.A. and Sintawati, 2002. *Karies gigi pada anak balita di 5 wilayah DKI tahun 1993*. Jakarta: Cermin Dunia Kedokteran No. 134: 1–5.

A JM

VOL. 10, NO. 3, 2011

ISSN 0972-0962

Asian Journal of Microbiology, Biotechnology & Environmental Sciences

MICROBIOLOGY

BIOTECHNOLOGY

ENVIRONMENTAL SCIENCES

Editors

P.K. Wong

R.K. Trivedy

Sadhana Sharma



Global Science Publications, India

[Shopping Bag \(Items \)](#)

[Home](#)

[International Journals](#)

[For Authors](#)

[Books](#)

[About Us](#)

[Contact](#)



EM International is one of the worlds leading publishers on quality journals of Environmental Science, Ecology, Environmental Engineering and Biotechnology.

It publishes three International journals:

Pollution Research, ISSN# 0257-8050-Quarterly.

It is now in **38th** year of publication and is one of the widely circulated and referred journal in the field. It has SCOPUS H index **21**.

Ecology, Environment and Conservation, ISSN# 0971-765X-quarterly.

It features in MASTER JOURNAL LIST OF ISI (Thomson Reuters, U.S.A). Widely circulated in India and all over the world. It has SCOPUS H index **11**. It is now in the **25th** year of publication.

Asian Journal of Microbiology, Biotechnology & Environmental Sciences, ISSN# 0972-3005-quarterly.

Now in to **21st** year of publication. It was in SCOPUS from 2001-2018

All journals publish peer reviewed research papers, reviews and topical articles. The journals have an extensive editorial board comprising of leading scientists and we always welcome senior scientists in these fields to send us their resume at (contact@envirobiotechjournals.com) for consideration in the Editorial Boards.

All papers are Peer- reviewed.

So far above 8000 scientists from all over the world have published their research with us.

The journals publish research papers/reviews and topical articles in following areas:

- Ecology of grasslands, forests, freshwaters and marine areas
- Biodiversity and Biodiversity conservation.
- Taxonomy as related to ecology from various ecosystems
- Water air and soil pollution
- Water and Wastewater Treatment
- Air Pollution Control
- Solid waste management
- Resource conservation and recycling
- Toxicology and Eco-toxicology
- Human ecology
- Agricultural ecology
- Water resources conservation
- Hazardous waste management
- Microbiology
- Industrial Microbiology and Biotechnology
- Agricultural microbiology and Biotechnology
- Environmental Microbiology and Biotechnology
- Environmental laws
- Climate change

Editors **Profile!**

Dr. R. K. Trivedy

Dr. R.K.Trivedy former Professor and Head, Department of Environmental Sciences, University of Pune, Pune (Maharashtra),India is presently Director in a National level Environmental services company.

[Read Full Profile](#)

Dr. P. K. Wong

P.K. Wong has more than 35 years working experience on Environmental Biotechnology/Microbiology. He received his B.Sc. and M.Phil. degrees from The Chinese University of Hong Kong (CUHK) in 1977 and 1979 respectively

[Read Full Profile](#)

[Shopping Bag \(Items \)](#)[Home](#) [International Journals](#) [For Authors](#) [Books](#) [About Us](#) [Contact](#) [Q](#)**Asian Journal of Microbiology, Biotechnology & Environmental Sciences Journal Papers**[Issue: Vol 22, Issue 1, 2020](#)[Archived Issues](#)**ISOLATION AND MOLECULAR IDENTIFICATION OF BACTERIOCIN-PRODUCING LACTIC ACID BACTERIA FROM FISHERIES WASTE**

P.H. RIYADI, ROMADHON AND T.W. AGUSTINI

[Get Abstract](#)[Get Paper](#)**ANTIBACTERIAL ACTIVITY AND GC-MS ANALYSIS OF TRICHAFTUM BIFORME EXTRACT**

YAKHLEF DJAMILA, DIB SOULEF AND FORTAS ZOHRA

[Get Abstract](#)[Get Paper](#)**STRATEGIC ENVIRONMENTAL ASSESSMENT (SEA) IN A CONFLICT SITUATION: A CASE STUDY ON NORTH KENDENG MOUNTAIN AREA, CENTRAL JAVA, INDONESIA**

SUDHARTO P. HADI, IMAM BUCHORI, HARTUTI PURNAWENI, BULAN PRABAWANI AND SURYO ADIWIBOWO

[Get Abstract](#)[Get Paper](#)**ESTIMATED BREEDING VALUE OF PRE-WEANING GROWTH TRAITS IN THE SIMMENTAL CATTLE OF INDONESIA**

WIDYA PINTAKA BAYU PUTRA, SYAHRUDDIN SAID AND IRWANDI

[Get Abstract](#)[Get Paper](#)**QUALITATIVE STUDY OF CADRES IN MOVEMENT 1000 FIRST DAY OF LIFE (1000 HPK) EARLY PREVENTION OF EVENTS STUNTING IN CHILDREN IN PUSKESMAS MEDAN DELI NORTH SUMATERA INDONESIA**

ROTUA SITORUS, MUDJIRAN, M.S, KONS, ADANG BACHTIAR AND RIMA SEMIARTY

[Get Abstract](#)[Get Paper](#)**NUCLEOTIDE DIVERSITY AMONG TRICHODERMA spp. COLLECTED FROM DIFFERENT LOCATIONS AND DETECTION OF WITHIN-SPECIES DIVERSITY**

MOHAMED F. AWAD AND MOHAMED ISMAIL

[Get Abstract](#)[Get Paper](#)**LACTIC ACID BACTERIA AND YEASTS FROM INDONESIAN KEFIR GRAINS AND THEIR GROWTH INTERACTION**

DANDY YUSUF, LILIS NURAIDA, RATIH DEWANTI-HARIYADI AND DASE HUNAEFI

[Get Abstract](#)[Get Paper](#)**BIOSYNTHESIS, CHARACTERIZATION AND APPLICATION OF SILVER NANOPARTICLES BY GEOBACILLUS THERMOPENITRIFICANS AZ1 AS ANTIMICROBIAL, ANTIBIOFILM AND DYE CATALYST**

ASMAA M. YOUSSEF, NADIA A. SOLIMAN, SORAYA A. SABRY AND HANAN A. GHOLZAN

[Get Abstract](#)[Get Paper](#)**A PHYLOGENETIC STUDY OF OIL DEGRADING BACTERIA ISOLATED FROM SELECTED STATIONS IN BASRAH CITY**

FADHIL N. AL-KANANY AND RASHA M. OTHMAN

[Get Abstract](#)[Get Paper](#)**FACTORS AFFECTING AGROBACTERIUM- MEDIATED GENETIC TRANSFORMATION IN**[Search Articles](#)**Journal Issues**

- [Vol 24, Issue 2, 2022](#)
- [Vol 24, Issue 1, 2022](#)
- [Vol 23, Issue 4, 2021](#)
- [Vol 23, Issue 3, 2021](#)
- [Vol 23, Issue 2, 2021](#)
- [Vol 23, Issue 1, 2021](#)
- [Vol 22, Issue 4, 2020](#)
- [Vol 22, Issue 3, 2020](#)
- [Vol 22, Issue 2, 2020](#)
- [Vol 22, Issue 1, 2020](#)
- [Vol 21, Issue 4, 2019](#)
- [Vol 21, Nov. Suppl. Issue, 2019](#)
- [Vol 24, Issue 1: 2022](#)
- [Vol 21, Issue 3, 2019](#)
- [Vol 21, Issue 2, 2019](#)
- [Vol 21, Issue 1, 2019](#)
- [Vol 20, Dec. Suppl. No.2, 2018](#)
- [Vol 20, Issue 4, 2018](#)
- [Vol 20, Dec. Suppl. Issue, 2018](#)
- [Vol 20, Oct Suppl. Issue, 2018](#)
- [Vol 20, Issue 3, 2018](#)
- [Vol 20, Issue 2, 2018](#)
- [Vol 20, Issue 1, 2018](#)
- [Vol 20, Feb. Suppl. Issue, 2018](#)
- [Vol 19, Issue 4, 2017](#)
- [Vol 19, Nov. Suppl. Issue 2017](#)
- [Vol 19, Issue 3, 2017](#)
- [Vol 19, Issue 2, 2017](#)
- [Vol 19, Issue 1, 2017](#)
- [Vol 18, Issue 4, 2016](#)
- [Vol 18, Issue 3, 2016](#)
- [Vol 18, Issue 2, 2016](#)
- [Vol 18, Issue 1, 2016](#)
- [Vol 17, Issue 4, 2015](#)
- [Vol 17, Issue 3, 2015](#)
- [Vol 17, Special Issue 2015](#)
- [Vol 17, Issue 2, 2015](#)
- [Vol 17, Issue 1, 2015](#)
- [Vol 16, Issue 4, 2014](#)
- [Vol 16, Issue 3, 2014](#)
- [Vol 16, Issue 2, 2014](#)
- [Vol 16, Issue 1, 2014](#)
- [Vol 15, Issue 4, 2013](#)
- [Vol 15, Issue 3, 2013](#)
- [Vol 15, Issue 2, 2013](#)
- [Vol 15, Issue 1, 2013](#)
- [Vol 14, Issue 4, 2012](#)
- [Vol 14, Issue 3, 2012](#)
- [Vol 14, Issue 2, 2012](#)
- [Vol 14, Issue 1, 2012](#)
- [Vol 13, Issue 4, 2011](#)
- [Vol 13, Issue 3, 2011](#)
- [Vol 13, Issue 2, 2011](#)
- [Vol 13, Issue 1, 2011](#)
- [Vol 12, Issue 4, 2010](#)
- [Vol 12, Issue 3, 2010](#)

[GROUNDNUT \(ARACHIS HYPOGAEA L.\)](#)

RAJINIKANTH MARKA AND RAMA SWAMY NANNA

[Get Abstract](#)[Get Paper](#)[PHYTOCHEMICAL ANALYSIS AND ANTIMICROBIAL PROPERTY OF LEAVES OF POGOSTEMON BENGHALENSIS \(BURM. F.\) KUNTZE](#)

SWATI LODHA AND SANJAY DESHMUKH

[Get Abstract](#)[Get Paper](#)[EFFECT OF BIOAGENTS ON GROWTH, FLOWERING AND YIELD OF CHINA ASTER \(CALLISTEPHUS CHINENSIS \(L.\) NEES.\) CV. ARKA KAMINI](#)

G. KRISHNA, S.K. NATARAJ, M. HANUMANTHAPPA, D. LAKSHMANA, K.B. NAIK, R. RAJESHWARI AND M. P. RAGHAVENDRA

[Get Abstract](#)[Get Paper](#)[EFFECT OF BILE SALT AND PH ON SURVIVAL AND BACTERIOCIN PRODUCTION BY LACTOBACILLUS ACIDOPHILUS](#)

ARUN S. MOSES, SAURABH N. SINGH, A.D.M. DAVID AND J. MASIH

[Get Abstract](#)[Get Paper](#)[INVESTIGATING ALPHA AMYLASE ENZYME PRODUCTION BY HUMAN MICROBIOTA](#)

YASH SHARMA, GEETIKA SHARMA, JYOTI GUPTA, SHIKHA SINGH, SAHIL KHAN, UTSAV RAJ, ANSHITA NAGAR AND KUMUD BALA

[Get Abstract](#)[Get Paper](#)[ANALYSIS OF DIMETHOATE DEGRADATION BY KOCURIA TURFANENSIS USING GC-MS](#)

J. BAROT AND K. CHAUDHARI

[Get Abstract](#)[Get Paper](#)[BIOSORPTION OF ANIONIC REACTIVE DYE FROM AQUEOUS SOLUTION USING RED SEAWEED: KAPPAPHYCUS ALVAREZII](#)

V. KARTHIK, M. ARUNKUMAR AND S. DHANAKUMAR

[Get Abstract](#)[Get Paper](#)[THE DICTYOSTELIUM DISCOIDEUM DIPKS14: A MEMBRANE ANCHORED HIGHLY REDUCING ITERATIVE POLYKETIDE SYNTHASE SIMILAR TO ONES FOUND IN PATHOGENIC FUNGI AND MYCOBACTERIA](#)

LAVANYA MUTHUKUMAR AND KIRAGANDUR MANJUNATH

[Get Abstract](#)[Get Paper](#)[SCREENING AND PARTIAL PURIFICATION OF PROTEASE PRODUCED BY BACTERIA ISOLATED FROM TERMITE SOIL](#)

GAYATHRI, R., SHOBANA, A. SUJATHA, A. AND ANITHA SUBASH

[Get Abstract](#)[Get Paper](#)[EVOLUTION-GUIDED OPTIMIZATION FOR SELECTING SITEDIRECTED MUTAGENESIS SITES OF AGROBACTERIUM TUMEFACIENS URONATE DEHYDROGENASE](#)

MURUGAN R., PRATHIVIRAJ R., DIPTI MOTHAY AND CHELLAPANDI P.

[Get Abstract](#)[Get Paper](#)[ZIKA VIRUS: AN EMERGING THREAT](#)

PRAJAKTA MAMBAYIL, SURBHI TAJANE AND PRITEE CHUNARKAR

[Get Abstract](#)[Get Paper](#)[THE ROLE OF DIFFERENT TYPES OF BIOPSY TECHNOLOGY IN REPAIR OF LAND PROPERTIES AND ROOT GROWTH IN THE PALM OIL PLANTS AREA](#)

SUGITO LOSO, SUDRADJAT, HARIYADI, SUDIRMAN YAHYA AND ATANG SUTANDI

[Get Abstract](#)[Get Paper](#)[ASTAXANTHIN PRODUCTION BY TROPICAL MICROALGAE STRAINS ISOLATED FROM ENVIRONMENT IN MALAYSIA](#)[Vol.12, Issue 2, 2010](#)[Vol.12, Issue 1, 2010](#)[Vol 11, Issue 4, 2009](#)[Vol 11, Issue 3, 2009](#)[Vol 11, Issue 2, 2009](#)[Vol 11, Issue 1, 2009](#)[Vol 10, Issue 4, 2008](#)[Vol 10, Issue 3, 2008](#)[Vol 10, Issue 2, 2008](#)[Vol 10, Issue 1, 2008](#)[Vol 9, Issue 4, 2007](#)[Vol 9, Issue 3, 2007](#)[Vol 9, Issue 2, 2007](#)[Vol 9, Issue 1, 2007](#)[Vol 8, Issue 4, 2006](#)[Vol 8, Issue 3, 2006](#)[Vol 08, Issue 2, 2006](#)[Vol 08, Issue 1, 2006](#)[Vol 7 Issue 4, 2005](#)[Vol 07, Issue 3, 2005](#)[Vol 07, Issue 2, 2005](#)[Vol 6 Issue 4, 2004](#)[Vol 6 Issue 3, 2004](#)[Vol 6 Issue 2, 2004](#)[Vol 6 Issue 1, 2004](#)[Vol 5 Issue 3, 2003](#)[Vol 5 Issue 2, 2003](#)[Vol 04, Issue 4, 2002](#)[Vol 04, Issue 1, 2002](#)[Vol 3 Issue 1-2, 2001](#)[Vol 1 Issue 1-2, 2000](#)[Vol 1 Issue 3-4, 1999](#)[Vol 1 Issue 1-2, 1999](#)**Looking for Past Issues?**[Click here to get them!!](#)

AMEERAH THAREK, HARYATI JAMALUDDIN, MADIHAH MD SALLEH, NURUL ASHYIKIN YAHYA,
MARSHILA KAHA, HIROFUMI HARA, KOJI IWAMOTO AND SHAZA EVA MOHAMAD

[Get Abstract](#)[Get Paper](#)

**PREVALENCE OF HIGH-LEVEL GENTAMICIN RESISTANCE AND DISTRIBUTION OF ITS GENES
IN ENTEROCOCCUS SPECIES ISOLATED FROM PATIENTS OF URINARY TRACT INFECTION IN
A TERTIARY CARE HOSPITAL IN BANGLADESH**

TASNIM AHSAN, MUHAMMAD MANWAR MORSHED HEMEL AND S.M. SHAMSUZZAMAN

[Get Abstract](#)[Get Paper](#)

**ECTOINE PRODUCTION BY HALOMONAS ELONGATA BK-AG25: TWO-STEP OPTIMIZATION
USING THE RESPONSE SURFACE METHODOLOGY**

I PUTU PARWATA, DEANA WAHYUNINGRUM, SONY SUHANDONO AND RUKMAN HERTADI

[Get Abstract](#)[Get Paper](#)

ENERGY HARVESTING WITH ESTUARINE SEDIMENT MICROBIAL FUEL CELL

FUJI ASTUTI FEBRIA, W.P. JONESTI AND INDRA JUNAIDI ZAKARIA

[Get Abstract](#)[Get Paper](#)

**EVALUATION OF BIOACTIVE POTENTIAL OF 1-BENZYL INDOLE-3-CARBOXY ALDEHYDINE
THIOSEMI CARBAZONE SCHIFF BASE LIGAND USING PATHOGENS**

PIRAKATHISWARAN G., DHASARATHAN, P., SELVAN. A. AND M. THENMOZHI

[Get Abstract](#)[Get Paper](#)

FRUCTOSE EFFECTS ON BLOOD GLUCOSE AND URIC ACID LEVELS

BAHARUDDIN, SUHARTATI, SJAFRIL VIKA PERMANA, FATHIMAH ANDI RUMPA AND PURI
SAFITRI HANUM

[Get Abstract](#)[Get Paper](#)

**EFFECT OF MULTIPLE FACTORS ON AZO DYE DECOLORIZATION USING A MODERATE
HALOPHILIC BACTERIUM EXIGUOBACTERIUM AURANTIACUM (ESL52)**

R. PALANIVELAN, A. SAKTHI THESAI, S. RAMYA AND P.M. AYYASAMY

[Get Abstract](#)[Get Paper](#)

**DIVERSITY OF BACTERIA ASSOCIATED WITH ROOT NODULES OF HEDYSARUM PALLIDUM
DESF. GROWING IN DIFFERENT REGIONS OF ALGERIA**

LEYLA BOUKAOUS, RAOUDHIA FERJANI, HANANE MELLAL, WAJDI MIMOUNI2, RADJA TIR,
MERIEM GACI, MARWA CHERNI, ANDREA SQUARTINI, HADDA IMENE OUZARI AND YACINE
BENHZIA

[Get Abstract](#)[Get Paper](#)

**ASSOCIATION BETWEEN SERUM CARTILAGE OLIGOMERIC MATRIX PROTEIN LEVEL AND
KNEE OSTEOARTHRITIS SEVERITY IN ELDERLY AT PUBLIC HEALTH CARE CLINICS UIN
SYARIF HIDAYATULLAH JAKARTA IN 2017**

ACHMAD ZAKI, FIKI EKAYANTI, MERY NITALIA AND ASIAH MUTHIAH

[Get Abstract](#)[Get Paper](#)

[Home](#) | [International Journals](#) | [Books](#) | [About Us](#) | [Contact Us](#) | [Submit Paper](#) | [Search Journal Article](#) |

Become a fan on Facebook

Follow us on Twitter



© EM International 2012-2019 | Developed by [Eneblur Consulting](#)



SEARCH

MENU

SEARCH

Journals

em international

All fields

 SHARE OR EMBED

1 indexed journals

 REFINE SEARCH RESULTS

Sort by

Added to DOAJ (newest first)

Results per page

10

<< First

< Prev

Page 1 of 1

Next >

[Revista Internacional em Língua Portuguesa](#)

International Journal in Portuguese Language

Published by *Associação das Universidades de Língua Portuguesa* in **Portugal** Accepts manuscripts in **Portuguese**Education: Education (General)
General Works

Last updated on 24 Jun 2021

[Website](#) 

No charges

[CC BY-SA](#)

<< First

< Prev

Page 1 of 1

Next >

SEARCH

DOCUMENTATION

This website uses cookies to ensure you get the best experience. [Learn more about DOAJ's privacy policy.](#)

HIDE THIS MESSAGE