

## Development of online Spatial Multi-Criteria Decision Analyst application: Case study on determining area suitability for school location in Surabaya, Indonesia

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2016 IOP Conf. Ser.: Earth Environ. Sci. 37 012051

(<http://iopscience.iop.org/1755-1315/37/1/012051>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

### Download details:

IP Address: 114.79.28.206

This content was downloaded on 17/08/2016 at 13:33

Please note that [terms and conditions apply](#).

You may also be interested in:

[Mathematical modeling and multi-criteria optimization of rotary electrical discharge machining process](#)

U Shrinivas Balraj

[Integrating remote sensing with GIS-based multi-criteria evaluation approach for Karst rocky desertification assessment in Southwest of China](#)

Z Zhang, W Xu, W Zhou et al.

[Spatial Analytic Hierarchy Process Model for Flood Forecasting: An Integrated Approach](#)

Abd Nasir Matori, Dano Umar Lawal, Khamaruzaman Wan Yusof et al.

[Multi-Criteria Knapsack Problem for Disease Selection in an Observation Ward](#)

N Lurkittikul and O Kittithreerapronchai

[Equivalence of multi-criteria methods](#)

Sebastiaan Breedveld, Pascal R M Storchi and Ben J M Heijmen

[Summaries of articles in this issue](#)

# Development of online Spatial Multi-Criteria Decision Analyst application: Case study on determining area suitability for school location in Surabaya, Indonesia

Daniel HaryPrasetyo<sup>1,2</sup>, JamilahMuhamad<sup>1</sup>, RosmadiFauzi<sup>1</sup>

<sup>1</sup>Department of Geography  
University of Malaya,  
50603 Kuala Lumpur, MALAYSIA

<sup>2</sup>Information Technology Department  
University of Surabaya  
Raya Kalirungkut Surabaya, Indonesia

**Abstract.** A decision sometimes needs to consider many aspects and to be judged by many people. Presenting a case of finding a suitable location for a new school this research proposes seven factors which its emphasis will be differently sorted by various people perspective. Each factor comes in a form of a multi-polygon layer that valued from 0 to 9, representing the suitability value of the certain aspect in the whole city area. The Public and some expert will judge by using the pair-wise comparison of those aspects. This research will provide web GIS application that will use by the public and the expert in this justification process and analyzing the result.

## 1. Introduction

Surabaya is an expanded old city and grows up reaching its form like today. Starting in the colonial era, Surabaya citizens lived in the district area. Surabaya populated area has expanded to the south, east, and west area. This expanded population is not accompanied by new public school development, especially the high school level. Figure 1 shows the distribution of school in secondary and high-level school respectively, overlaying the distribution of population areas. By a simple interpretation, it can be seen that the city has a lack of public high schools. It also shows that there exists a scarcity of educational institutions at the higher levels, making it common for students to travel much longer distances as they move to higher levels of study [6].

Surabaya city government need to build some new schools in an optimal location to increase the service and accessibility of education of the town. They have proposed some analysis factor that corresponded with school location. Those factors are Administration factor, Accessibility factor, Population factor, Public transportation factor, Land use factor, Student flow factor, and Public Preferences factor. Figure 2 shows these factors with a graduate colour presentation from green that indicates the most suitable location to red that indicates the least one.






Figure 1. Secondary school map (left) and High school map (right) overlaying population layer.

**Administration factor** is a factor that represents the number of school in the sub-districts and its neighbourhood. The government want the schools spread over the sub-district equally. Thus, the sub-district that has no school and it surrounding sub-district also have no school will get high priority. Sub-district that already has school and it's surrounding has school will get low priority. This priority coloured from red to green to represent low to high priority.

**Accessibility factor** is a factor that calculated from school location and street network using Service Area analysis. An area that already has good accessibility to school is an area with low value because it does not need more school around. In contrast, an area with low accessibility will have high priority.

**Population factor** is a factor that calculated based on population number. High priority location is location with a high-density population.


**Transportation factor** is a factor that calculated by the number of public transportation in the area. An area with much public transportation routes founded will have high priority in placing new school.

**Land use factor** is a factor that based on the usability of the area. This factor wants to make the school area are close to vegetation and public facility area, and not in and in a distance from military, graveyard, and industrial zone. Thus, military, graveyard, and industrial zone, and also areas surround it was marked as low priority.

**Student flow factor** is a factor that calculated from the density of student passing through the area in their journey from their home to their school. An area that was passed though by the crowded student will have low priority for the new school location. A new school in a quiet area is expected to spread the crowd. Therefore, the quiet area marked as high priority.

**Public preferences factor** is a factor that excavates citizen preferences in choosing school location. A new school location will be better if it lies in the location that loved by the public. A survey for collecting public preferences has been conducted with a Web GIS application at <http://participatorygis.net>. This survey got public preferences by retrieving this information: a. Are they prefer the school located near their home, what is accepted distance, and how strong this preferences. b. Are they prefer the school located near their workplace, what is accepted distance, and how strong this preferences. c. Are they prefer the school located in some place along from their home to their workplace, and how strong this preferences.

This work wants to combine those seven factors with optimal weight setting. The optimal weight will be obtained from Multi-Criteria Decision Analyst method.



**Figure 2.**The seven factors. (a) Administration factor, (b) Accessibility factor, (c) Population factor, (d) Transportation factor, (e) Land Use factor, (f) Student flow factor, (g) Public Preferences factor.

## 2. GIS-MCDA

Since the 1990s, the combination of MCDA and GIS has been promoted for use in solving spatial problems in urban planning, forest conservation and site determination [1]. In land-use suitability assessment, for example, alternative options and preferences for land use can be determined using MCDA, through the identification of desirable objectives, related attributes, and criteria, such as social, economic, environmental and ecological factors. Some successful work of combining GIS and MCDA can be seen in the work of Jessy Paquette and John Lowry about assessing flood hazard [7], BachtiarFezizadeh and Thomas Blaschke about landslide analyzing [8], Gbanie and colleagues about modelling landfill location [9], and Hamadouche and colleagues about finding best preservation area [10].

Quantitative analysis is necessary for MCDA, including scoring, ranking and weighting. A single conclusion is produced after the quantitative analysis. Phua and Minowa work explain that the main steps in MCDA for land-use suitability assessments include defining the objectives and the corresponding judgment criteria, analyzing the criteria, assessing the standards, quantitatively analyzing the criteria for the assessment units and aggregating the judgments. GIS-MCDA is a process that transforms and combines geographical data and value judgments (the decision-maker's preferences) to obtain information for the decision making. Different GIS-MCDA techniques exist depending on the operations needed to obtain the final valuation of the solution alternatives [2]. Vega and colleagues mention that in some cases, these transformations may be simple arithmetic operations as in the weighted linear summation methods, but in others, as for example for the ideal/reference point or the outranking methods, more complex operations is needed.

Great work of Chakhar and Martel make classification of GIS and MCDA integration. There are three types of GIS and MCDA integration. Those are Indirect, Build In, and Full integration [3]. In an indirect GIS-MCDA integration mode, integration of GIS software and stand-alone MCDA software is made possible by the use of an intermediate system. The Intermediate system permits to reformulate and restructure the data obtained from the overlay analysis which is performed through the GIS into a form that is convenient to the MCDA software. The other parameters required for the analysis are introduced directly via the MCDA software interface. The results of the analysis (made in the MCDA part) may be visualized by using the presentation capabilities of the MCDA package, or feedback to the GIS part, via the intermediate system, for display and for further manipulation. A built-in GIS-MCDA integration mode In this mode, a particular MCDA model is directly added to the GIS software. The MCDA model develops its own database independently but still integrated. The use of the interface of the GIS part alone increases the interactivity of the system. Here, there is no need for an intermediate system because the MCDA model is reformulated in such a way that the exchange of data and analysis results between the two parts is performed directly. Full GIS-MCDA integration mode, the third mode, yields itself to a fully GIS-MCDA integrated system that has a unique interface and a unique database. Here, the MCDA model is stimulated directly from the GIS with standard spatial operation tools. The GIS database supports both the geographical and descriptive data and support the parameters required for the multi-criteria evaluation techniques. The single theme of graphical interface makes the system fully integrated.


There is some method experimented to get a better decision. However, AHP is the popular one. AHP is becoming one of the most common methods of coupling decision-making processes and geospatial analysis [4]. AHP is the simplest decision-making method to be prototyped. It means the formula is easy to implement. However, it provides accurate results in geospatial analysis. AHP has become popular due to its straightforward implementation and positive results. These characteristics served as the basis for this research to develop a simple but functional geospatial AHP-based decision-making framework which serves as a mechanism that ranks inputs and produces output maps input ranking–output maps mechanism facilitating decision making at different levels. AHP method, cited from work by Karnatak and colleagues [5] about finding best site for biodiversity conservation, in any decision making process the decision maker has to identify the goal or ultimate objective of decision problem.

In AHP the decision maker initiates to identify the objective and decision problem. The process continues to the choice phase. The main objective of this phase is to select one particular alternative from a set of known options. Therefore, the first step is to list all the alternatives. It continues to define the criteria that will be used to judge the alternatives and develop a decision hierarchy. The hierarchy represents the structure of the decision problem and forms the basis of the comparisons. The next step in the AHP process is pair-wise comparison alternatives, i.e., for each criterion; the decision maker compares all the alternatives pair-wise. The decision maker can make numerical or verbal judgments. In the verbal mode, statements are selected varying from ‘equally prefer’ to ‘greatly prefer’. In the numerical method, the decision maker selects a score on a scale of one to nine.

### 3. Methodology

There is some option for implementing Web GIS application. Some of them are by spatial services server like Mapserver or Geoserver. Both can directly connect with map files and send data to the client request and show the map in client’s web browser. But they need a particular handle in the server. We must own the server by ourselves or we have to pay more hosting service that includes Mapserver or Geoserver, a service that not exist in the common hosting provider. Another way that can be hosted in common hosting service is to store the map in a common database like MySQL or Postgres and using Javascript based tool for showing the map in client’s browser. This work is using this second way. Factors Layers in previous section comes in a form of a shapefile with detail resolution. In average it has size about 600 Kbytes per factor. It is big enough for taking time in the process of showing the map in the browser. In the MCDA process, the map will be simplified to 20% of the real size to supply fast respond to the user. Thus, what will show in the MCDA web application is not the actual map, but still have a good representation of the real condition. By referencing classification of Chakhar and Martel, this work becomes Indirect GIS-MCDA since the MCDA process does not connect with the original spatial data, but it come with a facility to show the simplifying map for better user understanding.

There are three big steps in this work: Data Preparation, Judgement process, and Result Calculation. Figure 3 shows these steps.



**Figure 3.**Processes in the GIS-MCDA.

#### 3.1 Data preparation

This step use three tools: ArcGIS 9.3, Visual Basic 6.0 and MySQL. ArcGIS is used to simplifying the polygon factors. It uses ‘simplify polygon’ function from Generalization tool package. The simplified polygon then read by a custom application made from Visual Basic 6.0 equipped with ShapefileReader library. It read polygon by polygon in each shapefile and put the vertex data to MySQL database. The Database structure is shown in Figure 4.




Figure 4. Database Structure.

The database has four tables. Those are table Factor, table Polygons, table Master\_user, and table Pairwise. Table Factor stores list of factor and layer. Table Polygons store a collection of the polygon that constructs factor layer. Table Master User saves user data that will give judgment in MCDA process. Table pairwise is saving the pairwise judging from the user. There are two types of user, Public and Expert. The public user data will generate automatically when they start using the MCDA application. In contrast, user data for the expert user need to be prepared. The User Id and User Name field have to be filled first; then User ID will be informed to the expert before they are using the application. They have to use this ID in the login page. At this step, data preparation process is done.

3.2 Judgement process

The judgement process uses web-based application. The application builds using PHP language, above MySQL database, and OpenLayers library for presenting the map. The application has three pages. The first page is a login page. In this page, the user has to choose whether they are will login as Public or as Expert. If the user selects an expert door, they must type their gifted ID. The second page is an introduction page. It explains all factors that will be judged. The user also can see a presentation of each Factor on the map, as an overlay layer in the Google map. Figure 5 shows this second page.




Figure 5. Introduction page.

The third page is the pairwise judgement page. The user has to decide each factor whether it have influence in choosing the location as absolute strong, very strong , strong, slightly strong , or the same strong with another factor. There are 21 pairs of seven factors. It means user have to make judgement 21 times with different factor pair. After the user makes decision for all pair combination, the user can take a look the result for their judgement. The user input will be calculated in AHP method. This step is the first calculation in this work. The second calculation will be used in the combining process of all respondent's judgement. The calculation method will explain in the next section. This calculation will generate the weight for each factor. These weights will be used to define the transparency of factor layers while it is drawn in the browser. Each layer, using the polygons value, will display with graduate colour from red to yellow to green colour. All factor layers will overlay with different transparency value. This step will make a city area that coloured by seven different layers. Green area indicates that area have dominant green coloured polygons from all layers while red area has dominant green coloured polygons. Figure 6 shows this third page.




Figure 6. Pairwise judgement page.

### 3.3 AHP calculation

AHP Calculation step will do after all respondents done the pairwise judgement. Not all result will be brought to the final calculation. Only the credible result that passed the consistency ratio will be used in the next stage. All valid respondent result then will be combined with geometric mean formula. This process uses visual basic 6.0 application for read from MySQL database and calculates the result and display the calculation and result in Microsoft Excel. Below is the algorithm for this process, explained along with Figure 7 that show the example of a respondent calculation and Figure 8 that shows the equation of consistency ratio.

- Looping for all respondent judgement
  - o For every judgment, make a comparison matrix (see Figure 7 range A1:H8)
  - o Sum each column. (see Figure 7 range A10:H10)



- Make second matrix by Normalizing relative weight by divide each cell in the first matrix with the sum of column (see Figure 7 range A12:H19)
  - Calculate Average of every value in a row in the second matrix (see Figure 7 range J13:J19). This will become weight result if Consistency Ratio (CR) is accepted.
  - Multiply above average with the corresponded Sum (see Figure 7 range H13:H19), Sum the result to get  $\lambda_{max}$  (see Figure 7 cell H20)
  - Calculate Consistency Index CI using  $\lambda_{max}$ , then calculate Consistency Ratio (CR) using CI and Random Consistency Index (RI), which for  $n=7$ ,  $RI=1.32$ . If  $CR < 0.2$  the result is accepted and use for calculate all weighted mean.
- Combine all accepted respondent result by using Geometric Mean formula.

Geometric Mean formula will produce the final weight of each layer. Next, the last step, is bringing the final weight of each factor in the ArcGIS 9.3. The real factor layers, not the simplified ones, will use this weight in the ArcGIS Weighted Sum function.

	A	B	C	D	E	F	G	H	I	J	K
1		adm	acc	popul	trans	landuse	flow	pref			
2	adm	1	0.2	0.33	5	3	5	7			
3	acc	5	1	1	3	5	5	7			
4	popul	3	1	1	7	7	7	9			
5	trans	0.2	0.33	0.143	1	1	3	5			
6	landuse	0.33	0.2	0.143	1	1	0.33	3			
7	flow	0.2	0.2	0.143	0.33	3	1	3			
8	pref	0.143	0.143	0.111	0.2	0.33	0.33	1			
9											
10	SUM	9.873	3.073	2.87	17.53	20.33	21.66	35			
11											
12		adm	acc	popul	trans	landuse	flow	pref		W	W*SUM
13	adm	0.101286	0.065083	0.114983	0.285225	0.147565	0.23084	0.2		0.163569	1.614916
14	acc	0.506432	0.325415	0.348432	0.171135	0.245942	0.23084	0.2		0.289742	0.890378
15	popul	0.303859	0.325415	0.348432	0.399315	0.344319	0.323176	0.257143		0.328808	0.94368
16	trans	0.020257	0.107387	0.049826	0.057045	0.049188	0.138504	0.142857		0.080724	1.415084
17	landuse	0.033424	0.065083	0.049826	0.057045	0.049188	0.015235	0.085714		0.050788	1.032521
18	flow	0.020257	0.065083	0.049826	0.018825	0.147565	0.046168	0.085714		0.06192	1.341182
19	pref	0.014484	0.046534	0.038676	0.011409	0.016232	0.015235	0.028571		0.024449	0.855712
20										$\lambda$ Max=	8.093473
21										CI=	0.182246
22										RI(7)=1.32	CR= 0.138065

Figure 7. Example of the single calculation.

$$CR = \frac{CI}{RI} \quad CI = \frac{\lambda_{max} - n}{n - 1}$$

Random Consistency Index (RI)

n	1	2	3	4	5	6	7	8	9	10
RI	0	0	0.58	0.9	1.12	1.24	1.32	1.41	1.45	1.49

Figure 8. Formula for calculate Consistency Ratio (CR).

#### 4. Result and discussion

The web-based application build in this work is still active and still collect Public opinion at <http://ristek.net> until now. The Experts comes from the government, scientist, and professional. This research subject is having immediate concern within two departments in Surabaya city, the Educational Department and Planning and Development Department. According to that, the first type of expert respondents consist of the head of those two departments, and it's subordinate that concern with this subject. Some Scientist from Surabaya Tenth November Institute of Technology from Urban Development Department also invited to join as MCDA respondent. Some professional who support Surabaya city government and have a concern in Urban Planning work are also encouraged. They fill in by themselves in the online application independently. The expert respondent result shows that they prefer school location mainly have to be placed in the area with having high population. The next factor with high priority after population factor is the administrative factor, accessibility factor, and transportation factor. Figure 9 shows the final weight of expert judgement result and the final reliability area map.




Figure 9. Final result calculated from 'Expert' respondent.

From the final weight discovered by AHP calculation, it can be seen that Expert are choosing population factor as the main factor. The weight have significant gap from the second position. In the next position there is the second group of factors with slight different value; those are transportation factor, accessibility factor, and administration factor. The rest are factors that not considered as primary factors, those are land use factor, student flow factor, and public preferences factor.

## 5. Conclusion

This outcome then informs back to the Expert respondent to get their opinion about the research. All respondent can accept the result and appreciate the application. The web-based Application as a product of this research has been proven can be used to find a suitable location for a new school by using multi-criteria decision analyst. Some other research that has to be decided by multiple factors and by many respondents which have to work remotely can duplicate the model proposed in this research for their tool.

## References

- [1] Mui-How P and Mitsuhiro M. 2005. A GIS-based multi-criteria decision making approach to forest conservation planning at a landscape scale: a case study in the Kinabalu Area, Sabah, Malaysia. *Landscape and Urban Planning*, **71**, 207–222.
- [2] Rafael SV, Dolores R, Pablo D, and Manuel R. 2011. A multi-criteria GIS based procedure to solve a network competitive location problem. *Applied Geography*, **31**, 282–291.
- [3] Chakhar S and Martel JM. 2003. Enhancing Geographical Information Systems Capabilities with Multi-Criteria Evaluation Functions. *Journal of Geographic Information and Decision Analysis*, **7(2)**, 47 – 71.
- [4] Stitch B, Holland JH., Nobrega RA, and O’Hara C . 2011. Using multi-criteria decision making to highlight stakeholders’ values in the corridor planning process. *Journal of Transport and Land Use*, **4(3)**, 105–118.
- [5] Karnatak HC, Saran S, Bhatia K, and Roy PS. 2007. Multicriteria Spatial Decision Analysis in Web GIS Environment. *Geoinformatica*, **11**, 407–429.
- [6] Prasetyo D., Muhamad J, and Fauzi R. 2011. Supporting needy student in transportation: a population based school bus routing in spatial environment. *International Conference on Social Science and Humanity. IACSIT Press, Singapore*.
- [7] Paquet J and Lowry J. 2013 Flood hazard modelling and risk assessment in the Nadi River Basin, Fiji, using GIS and MCDA. *The South Pacific Journal of Natural and Applied Sciences*, **30(1)**, 33 – 43.
- [8] Feizizadeh B and Blaschke T. 2013 GIS-multicriteria decision analysis for landslide susceptibility mapping: comparing three methods for the Urmia lake basin, Iran. *Natural Hazards*, **65(3)**, 2105-2128
- [9] Gbanie, S. P., Tengbe, P. B., Momoh, J. S., Medo, J., & Kabba, V. T. S. 2013. Modelling landfill location using geographic information systems (GIS) and multi-criteria decision analysis (MCDA): case study Bo, Southern Sierra Leone. *Applied Geography*, **36**, 3-12.
- [10] Hamadouche, M. A., Mederbal, K., Kouri, L., Regagba, Z., Fekir, Y., & Anteur, D. 2014. GIS-based multicriteria analysis: an approach to select priority areas for preservation in the Ahaggar National Park, Algeria. *Arabian Journal of Geosciences*, **7(2)**, 419-434.

PAPER • OPEN ACCESS

## 8th IGRSM International Conference and Exhibition on Geospatial & Remote Sensing (IGRSM 2016)

To cite this article: 2016 *IOP Conf. Ser.: Earth Environ. Sci.* **37** 011001

View the [article online](#) for updates and enhancements.


You may also like

- [Preface](#)
- [7th IGRSM International Remote Sensing & GIS Conference and Exhibition](#)  
Abdul Rashid Mohamed Shariff
- [Implementing Lean Manufacturing in Malaysian Small and Medium Startup Pharmaceutical Company](#)  
Wan Mohd Khairi bin Wan Ibrahim,  
Mohamed Abdul Rahman and Mohd  
Rushdi bin Abu Bakar



Free the Science Week 2023 April 2–9

Accelerating discovery through  
**open access!**

 [www.ecsdl.org](http://www.ecsdl.org) [Discover more!](#)

The banner features a dark blue background with a futuristic, glowing blue circular interface. A hand is shown pointing at the interface, which includes a central padlock icon. The text is in white and light blue, with the ECS logo and website URL in white.

## PREFACE

This proceedings consists of the peer-reviewed papers from the 8<sup>th</sup> *IGRSM International Conference and Exhibition on Geospatial & Remote Sensing & GIS* (IGRSM 2016), which was organised by the Institution of Geospatial and Remote Sensing Malaysia (IGRSM) on 13–14 April 2016 at the Berjaya Times Square Hotel, Kuala Lumpur, Malaysia. The conference, with the theme *Geospatial on the Go*, aimed to facilitate the dissemination of knowledge, and the sharing of expertise and experience in geospatial sciences, in all aspects of its applications. It also aimed to build linkages between industry and local and international professionals in this field.

The co-organisers of the conference were Universiti Putra Malaysia (UPM), Science & Technology Research Institute for Defence (STRIDE), National Space Agency (ANGKASA), Universiti Teknologi Malaysia (UTM), Universiti Utara Malaysia (UUM), Universiti Teknologi Petronas (UTP), Malaysian Rubber Board (LGM), Forestry Department Peninsular Malaysia (JPSM), National Hydraulic Research Institute of Malaysia (NAHRIM), Malaysian Centre for Geospatial Data Infrastructure (MaCGDI), Malaysian Civil Defence Department (JPAM), Department of Agriculture (DOA), Ornet Sdn. Bhd. and Smart Digital International Sdn. Bhd. The conference's silver sponsor was Antaragrafik Systems Sdn. Bhd.

Some of the highlights of the conference included:

- A pre-conference talk on *Impact of Geographical Factors on Cross-Country Movement During Crisis Situations* by Assoc. Prof. Dr. Marian Rybansky, Department of Military Geography and Meteorology, University of Defence, Czech Republic
- Officiation by YB Datuk Seri Panglima Madius Tangau, Minister of Science, Technology & Innovation
- Keynote presentations by:
  - Hjh. Norizam Che Noh, Director, MaCGDI, Malaysia: *Addressing Current Challenges and Formulating Future Strategies for the National Geospatial Community*
  - Prof. Dr. Yukihiko Takahashi, Director, Space Mission Center, Hokkaido University, Japan: *Next-Generation Remote Sensing With Micro-Satellite*
  - Assoc. Prof. Dr. Reza Ehsani, Citrus Research & Education Center (CREC), University of Florida, US: *The Rise of Small UAVs: Applications, Opportunities and Challenges*
- Oral and poster presentations from 88 speakers, from both Malaysia (55) and abroad (33), covering areas of technology trends, infrastructure and urban planning, land use / land cover mapping, disaster management, and environmental monitoring
- 2016 Annual General Meeting (AGM) of IGRSM, which included the award of certificates of election to the first 74 members who are eligible to use the title Geospatialist (Gs), comprising of 3 Distinguished Fellows, 4 Fellows and 67 Professional Members



- Special sessions on:
  - Hexagon Ignite by Hexagon Geospatial and Antaragrafik Systems Sdn. Bhd.
  - Industry Outreach, with presentations by Ground Data Solutions R&D Sdn. Bhd., Oracle Corporation, Alam Sekitar Malaysia Sdn. Bhd. (ASMA), National Space Agency (ANGKASA), Hexagon Geospatial and Antaragrafik Systems Sdn. Bhd., Digital Globe, and Geospatial Media & Communications.

Two awards were presented during the conference's closing ceremony:

- **Best Paper Award:** Gs. Dr. Hamdan Omar, Forest Research Institute Malaysia (FRIM): Malaysia: *Quantifying Rate of Deforestation and CO<sub>2</sub> Emission in Peninsular Malaysia Using Palsar Imageries*
- **Best Student Paper Award:** Maher Aburas, University Putra Malaysia (UPM), Malaysia: *Landscape Analysis of Urban Growth Patterns in Seremban, Malaysia Using Spatio-Temporal Data*

The success of the IGRSM 2016 was due to commitments of authors, keynote speakers, session chairpersons, the organising and technical programme committees, student volunteers from Universiti Putra Malaysia (UPM), and many others of various roles. We would like to thank all exhibitors and contributors, namely Antaragrafik Systems Sdn. Bhd., Ground Data Solutions R&D Sdn. Bhd.; Bumitouch PLMC Sdn. Bhd.; E.J. Motiwalla; Geospatial Media and Communications Sdn. Bhd.; MaCGDI; Geoscience & Digital Earth Centre (INSTeG), UTM; Remote Sensing of Environment and Disaster Laboratory (RSED), University of Tokyo; Space Mission Center, Hokkaido University; and Global Navigation Satellite System (GNSS) Simulation Laboratory, STRIDE.

Assoc. Prof. Gs. Dr. Abdul Rashid Mohamed Shariff

Chairman

8<sup>th</sup> IGRSM International Conference on Geospatial & Remote Sensing (IGRSM 2016)

President

Institution of Geospatial and Remote Sensing Malaysia (IGRSM), 2014-2016

PAPER • OPEN ACCESS


## Organising Committee

To cite this article: 2016 *IOP Conf. Ser.: Earth Environ. Sci.* **37** 011002

View the [article online](#) for updates and enhancements.

### You may also like

- [2017 International Conference on Building Materials and Materials Engineering \(ICBMM 2017\)](#)
- [8th IGRSM International Conference and Exhibition on Geospatial & Remote Sensing \(IGRSM 2016\)](#)
- [Preface](#)

A promotional banner for 'Free the Science Week 2023' featuring a hand interacting with a futuristic digital interface. The interface includes a central padlock icon, suggesting open access. The background is dark with glowing blue lines and patterns.

Free the Science Week 2023 April 2–9

Accelerating discovery through  
**open access!**

 [www.ecsdl.org](http://www.ecsdl.org) [Discover more!](#)

### **Organising Committee**

Chairman	Assoc. Prof. Gs. Dr. Abdul Rashid Mohamed Shariff
Technical Programme	Gs. Dr. Dinesh Sathyamoorthy
Finance	Normalina Jamaluddin Gs. Kumar Veliayudam
Local Arrangement	Gs. Dr. Ahmad Fikri Abdullah Gs. Dr. Farrah Melissa Muharam Siti Sarah Emran
Sponsorship and Exhibition	Tn. Hj. Gs. Khairuddin Abd Rahman Gs. Mohd Hafiz Mohd Hazir
Publicity and Website	Gs. Samsuddin Ahmad Gs. Dr. Ruzinoor Che Mat Gs. Mohd Zakri Tarmidi Siti Nooradzah Adam

### **Steering Committee Members**

Gs. Wan Abdul Hamid Shukri, Forestry Department Peninsular Malaysia (JPSM)  
Gs. Khairul Anam Musa, National Hydraulic Research Institute of Malaysia (NAHRIM)  
Zuhaidah Nordin, Malaysian Centre for Geospatial Data Infrastructure (MaCGDI)  
Maj. (PA) Syed Azam Shah, Malaysian Civil Defence Department (JPAM)  
Noor Azawani Wahap, National Space Agency (ANGKASA)  
Tn. Hj. Ismail Hj. Hashim, Department of Agriculture (DOA)  
Raja Aqma Raja Taihairan, Department of Agriculture (DOA)  
Ezuan Suhaidy Suhaimi, Department of Agriculture (DOA)

### **International Program Committee**

Dr Ramin Nourqolipour, Department of Survey, Iran  
Assoc Prof Dr Yassine Charabi, Sultan Qaboos University, Oman  
Assoc Prof Dr Naohiko Kohtake, Keio University, Japan  
Assoc Prof Dr Wataru Takeuchi, University of Tokyo, Japan  
Dr Ebrahim Jahanshiri, University of Nottingham  
Dr Khosro Khorramnia, Ariss Smart Agriculture Solutions  
Dr. Bheshem Ramlal, University of The West Indies, Trinidad and Tobago  
Dr. Raid Al-Tahir, University of New Brunswick, Canada





# Table of contents

Volume 37

2016

◀ Previous issue    Next issue ▶

**8th IGRSM International Conference and Exhibition on Geospatial & Remote Sensing (IGRSM 2016) 13–14 April 2016, Kuala Lumpur, Malaysia**

Accepted papers received: 02 June 2016

Published online: 01 July 2016

Open all abstracts

## Preface

**OPEN ACCESS** 011001

8th IGRSM International Conference and Exhibition on Geospatial & Remote Sensing (IGRSM 2016)

+ Open abstract     View article     PDF

**OPEN ACCESS** 011002

Organising Committee

+ Open abstract     View article     PDF

**OPEN ACCESS** 011003

Technical Programme Committee

+ Open abstract     View article     PDF

**OPEN ACCESS** 011004

Peer review statement

+ Open abstract     View article     PDF

## Papers

### Technology Trends

**OPEN ACCESS** 012001

Genetic algorithm for investigating flight MH370 in Indian Ocean using remotely sensed data

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012002

Online 3D terrain visualisation using Unity 3D game engine: A comparison of different contour intervals terrain data draped with UAV images

Mohd Hafiz Mahayudin and Ruzinoor Che Mat

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012003

A comparative accuracy of Google Earth height with MyGeoid, EGM96 and MSL

Noradila Rusli, Muhammad Faiz Pa'suya and Noorfatekah Talib

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012004

Assessment of geometric errors of Advanced Himawari-8 Imager (AHI) over one year operation

Wataru Takeuchi

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012005

Sediment-hosted/orogenic gold mineral systems exploration using PALSAR remote sensing data in Peninsular Malaysia

Amin Beiranvand Pour and Mazlan Hashim

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012006

A novel built-up spectral index developed by using multiobjective particle-swarm-optimization technique

Maher Ibrahim Sameen and Biswajeet Pradhan

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012007

The temporal scale research of MODIS albedo product authenticity verification

Yongxing Cao, Zhihang Xue, Hui Cheng, Yajv Xiong, Yunping Chen and Ling Tong

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012008

Identification of topographic elements composition based on landform boundaries from radar interferometry segmentation (preliminary study on digital landform mapping)

Wirastuti Widyatmanti, Ikhsan Wicaksono and Prima Dinta Rahma Syam

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

[+ Open abstract](#) [View article](#) [PDF](#)



- 
- OPEN ACCESS** 012009  
Clustering of landforms using self-organizing maps (SOM) in the west of Fars province  
Marzieh Mokarram and Dinesh Sathyamoorthy  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012010  
Unveiling topographical changes using LiDAR mapping capability: case study of Belaga in Sarawak, East-Malaysia  
T R Ganendra, N M Khan, W J Razak, Y Kouame and E T Mobarakeh  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012011  
Development of SPIES (Space Intelligent Eyeing System) for smart vehicle tracing and tracking  
Suzanah Abdullah, Muhammad Ariffin Osoman, Chua Guan Liyong, Mohd Zulfadhli Mohd Noor and Ikhwan Mohamed  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012012  
Variable methods to estimate the ionospheric horizontal gradient  
Karthigesu Nagarajoo  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012013  
Evaluating the Effect of Global Positioning System (GPS) Satellite Clock Error via GPS Simulation  
Dinesh Sathyamoorthy, Shalini Shafii, Zainal Fitry M Amin, Asmariah Jusoh and Siti Zainun Ali  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012014  
Exploratory study on Marine SDI implementation in Malaysia  
Zakri Tarmidi, Abdul Rashid Mohd Shariff, Ahmad Rodzi Mahmud, Zelina Zaiton Ibrahim and Abdul Halim Hamzah  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012015  
In search of the Malaysian Extended Continental Shelf  
N A Z Yahaya, T A Musa, K M Omar, A H M Din, N M Abdullah, A H Othman and M I A Wahab  
[+](#) Open abstract [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



---

**OPEN ACCESS** 012016

Assessment of Gravity Field and Steady State Ocean Circulation Explorer (GOCE) geoid model using GPS levelling over Sabah and Sarawak

A H Othman, K M Omar, A H M Din, Z A M Som, N A Z Yahaya and M F Pa'suya

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012017

Pre- analysis assessment of Sea Surface Temperature (SST) products in the region of Malaysian coastal water

M A H Aziz, K M. Omar, A H M Din and M N M Reba

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012018

Wave power potential in Malaysian territorial waters

Nor Asmida Mohd Nasir and Khairul Nizam Abdul Maulud

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012019

Questionnaire-based person trip visualization and its integration to quantitative measurements in Myanmar

S Kimijama and M Nagai

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012020

Temporal geospatial analysis of secondary school students' examination performance

ND Nik Abd Kadir and NA Adnan

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012021

Human leptospirosis distribution pattern analysis in Hulu Langat, Selangor

Zuhafiza Zulkifli, Abdul Rashid Mohamed Shariff and Zakri M. Tarmidi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012022


Reclamation of mosquito breeding sites using Landsat-8 remote sensing data: A case study of Birnin Kebbi, Nigeria

Danboyi Joseph Amusuk, Mazlan Hashim and Amin Beiranvand Pour

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012023

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. [Spatial service delivery system for smart licensing & enforcement management](#) 

N A Wahap, N M Ismail, N M Nor, N Ahmad, M F Omar, A A A Termizi, D Zainal, N M Noordin and S Mansor

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012024

Daylighting estimation and analysis in residential apartment building: GIS based approach

Mahesh B Sonawane and Sumedh Y Mhaske

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012025

Accuracy assessment of NOGGIN Plus and MALÅ RAMAC X3M single channel ground penetrating RADAR (GPR) for underground utility mapping

Mas Sazali Hashim, Saiful Nizam Saip, Nurfauziah Hani, Biswajeet Pradhan and Saleh Abdullahi

[+ Open abstract](#) [View article](#) [PDF](#)

## Forestry

**OPEN ACCESS**

012026

A tool for assessing ecological status of forest ecosystem

Abd Rahman Kassim, Muhammad Afizzul Misman, Mohd Azahari Faidi and Hamdan Omar

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012027

Comparison results of forest cover mapping of Peninsular Malaysia using geospatial technology

Wan Abdul Hamid and Shukri B. Wan Abd Rahman

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012028

Quantifying rate of deforestation and CO<sub>2</sub> emission in Peninsular Malaysia using Palsar imageries

O Hamdan, K Abd Rahman and M Samsudin

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012029

Deforestation alters rainfall: a myth or reality

M F Hanif, M R Mustafa, A M Hashim and K W Yusof

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

012030

## Aboveground biomass and carbon stocks modelling using non-linear regression model

Nurul Ain Mohd Zaki, Zulkiflee Abd Latif, Mohd Nazip Suratman and Mohd Zainee Zainal

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012031

## Vegetation structure determination using LIDAR data and the forest growth parameters

M Rybansky, M Brenova, J Cermak, J van Genderen and Å Sivertun

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012032

## GWR-PM - Spatial variation relationship analysis with Geographically Weighted Regression (GWR) - An application at Peninsular Malaysia

J Jamhuri, B M S Azhar, C L Puan and K Norizah

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012033

## Evergreen broadleaf forest transition zone changes in Japan from 1961 to 2008 detected by aerial ortho-photos

Etsuko Nakazono, Nobuyuki Tanaka, Masatsugu Yasuda, Hiromu Daimaru and Wataru Takeuchi

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012034

## A review of uses of satellite imagery in monitoring mangrove forests

P Rhyma Purnamasayangasukasih, K Norizah, Adnan A M Ismail and I Shamsudin

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012035

## Characterization and spatial distribution of mangrove forest types based on ALOS-PALSAR mosaic 25m-resolution in Southeast Asia

S Darmawan, W Takeuchi, E Nakazono, E Parwati, V T Dien, K S Oo, K Wikantika and D K Sari

[+ Open abstract](#)
[View article](#)
[PDF](#)

OPEN ACCESS

012036

## Characterization of mangrove species using ALOS-2 PALSAR in Hai Phong city, Vietnam

Tien Dat Pham and Kunihiko Yoshino

[+ Open abstract](#)
[View article](#)
[PDF](#)

## Agriculture

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

## An investigation of age and yield of fresh fruit bunches of oil palm based on ALOS

012037

## PALSAR 2

S Darmawan, W Takeuchi, A Haryati, R Najib A M and M Na'aim

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012038

Yield estimation comparison of oil palm based on plant density coefficient variation index using spot-6 imagery in part of Riau

H. A. Setyowati, S. H. Murti B S and W. Widyatmanti

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012039

A study on the oil palm fresh fruit bunch (FFB) ripeness detection by using Hue, Saturation and Intensity (HSI) approach

Muhammad Kashfi Shabdin, Abdul Rashid Mohamed Shariff, Mohd Nazrul Azlan Johari, Nor Kamilah Saat and Zulkifly Abbas

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012040

Detecting nutrients deficiencies of oil palm trees using remotely sensed data

Faradina Marzukhi, Aina Liyana Elahami and Sharifah Norashikin Bohari

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012041

Development of young oil palm tree recognition using Haar- based rectangular windows

S Daliman, S A R Abu-Bakar and S H Md Nor Azam

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012042

Quantification of terrestrial laser scanner (TLS) elevation accuracy in oil palm plantation for IFSAR improvement

N A Muhadi, A F Abdullah and M S M Kassim

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012043

Geospatial application for the identification and monitoring of rubber smallholders in the Malaysian state of Negeri Sembilan

Mohd Hafiz Mohd Hazir and Tuan Mohamad Tuan Muda

[+ Open abstract](#) [View article](#) [PDF](#)

---

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

012044 

## Agriculture land suitability analysis evaluation based multi criteria and GIS approach

Goma Bedawi Ahmed, Abdul Rashid M. Shariff, Siva Kumar Balasundram and Ahmad Fikri bin Abdullah

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012045

### Agricultural water demand, water quality and crop suitability in Souk-Alkhamis Al-Khums, Libya

Mohamed Ali Abunnour, Noorazuan Bin Md. Hashim and Mokhtar Bin Jaafar

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012046

### Linear spectral unmixing to monitor crop growth in typical organic and inorganic amended arid soil

A El Battay and H. Mahmoudi

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012047

### Spatial variability of soil nutrient in paddy plantation: Sites FELCRA Seberang Perak

H Kamarudin, N A Adnan, M R Mispan and A. Athirah.A

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012048

### Monitoring spatial and temporal variations of the rice backscatter coefficient ( $\sigma^0$ ) at different phenological stages in Sungai Burong and Sawah Sempadan, Kuala Selangor.

Siti Aishah Mohd Rasit, Abdul Rashid Mohammed Shariff, Janatul Aziera Abdul Razak,

Aisyah Afiqah Abdul Ghani, Ahmad Fikri Abdullah and Aimrun Wayayok

[+ Open abstract](#) [View article](#) [PDF](#)

---

## Infrastructure & Urban Planning

---

OPEN ACCESS

012049

### Smart facility application: exploiting space technology for smart city solution

A A A Termizi, N Ahmad, M F Omar, N A Wahap, D Zainal and N M Ismail

[+ Open abstract](#) [View article](#) [PDF](#)

---

OPEN ACCESS

012050

### A planning support system to optimize approval of private housing development projects

M Q Hussnain, K Wakil, A Waheed and A Tahir

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).





---

**OPEN ACCESS** 012051

Development of online Spatial Multi-Criteria Decision Analyst application: Case study on determining area suitability for school location in Surabaya, Indonesia

Daniel HaryPrasetyo, Jamilah Muhamad and Rosmadi Fauzi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012052

Rethinking urban space in cities - A study of parks in Hyderabad, India

B. Shrinagesh and Kalpana Markandey

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012053

GIS modelling for new landfill sites: critical review of employed criteria and methods of selection criteria

Sohaib K. M. Abujayyab, Mohd Sanusi S. Ahamad, Ahmad Shukri Yahya, Mohammed J.K. Bashir and Hamidi Abdul Aziz

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012054

One map policy (OMP) implementation strategy to accelerate mapping of regional spatial planing (RTRW) in Indonesia

Fuad Hasyim, Habib Subagio and Mulyanto Darmawan

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012055

Landscape analysis of urban growth patterns in Seremban, Malaysia, using spatio-temporal data

Maher M Aburas, Sabrina H Abdullah, Mohammad F Ramli and Zulfa H As'shari

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012056

Modeling urban expansion in Yangon, Myanmar using Landsat time-series and stereo GeoEye Images

Tanakorn Sritarapipat and Wataru Takeuchi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012057

Socio-economic impact of Trans-Siberian railway after the collapse of Soviet Union by integrated spatial data analysis

Seina Uchida, Wataru Takeuchi, Kiichiro Hatoyama and Yuri Mazurov

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

[+ Open abstract](#) [View article](#) [PDF](#)



---

**OPEN ACCESS** 012058

Tank Update System: A novel asset mapping approach for verifying and updating lakes using Google Maps

Bhaskar Reddy Pulsani

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012059

Implementation of spatial smart waste management system in malaysia

M F Omar, A A A Termizi, D Zainal, N A Wahap, N M Ismail and N Ahmad

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012060

Regulating outdoor advertisement boards; employing spatial decision support system to control urban visual pollution

K Wakil, MQ Hussnain, A Tahir and M A Naeem

[+ Open abstract](#) [View article](#) [PDF](#)

---

### Land Use / Land Cover Mapping

---

**OPEN ACCESS** 012061

A comparison of pixel-based and object-based approaches for land use land cover classification in semi-arid areas, Sudan

H E Adam, E Csaplovics and M E Elhaja

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012062

Land cover classification of Landsat 8 satellite data based on Fuzzy Logic approach

Afirah Taufik and Sharifah Sakinah Syed Ahmad

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012063

Temporal assessment on land use land cover of Somalia after the effect of the civil war using remote sensing

Abdinur Abdulle, Adhwa Amir Tan, Biswajeet Pradhan and Saleh Abdullahi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012064

Spatial assessment of land surface temperature and land use/land cover in Langkawi Island

Suzana Binti Abu Bakar, Biswajeet Pradhan, Usman Salihu Lay and Saleh Abdullahi

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



**OPEN ACCESS** 012065

Land use change and soil loss risk assessment by using geographical information system (GIS): A case study of lower part of Perak River

Fasihah Mohd Yusof, Nor Rohaizah Jamil, Nyvee Inthano a/p Cha Laew, Norfadilah Aini and Latifah Abd Manaf

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012066

Analysis of land cover change and rainfall on the global land surface water coverage database for 1987-2015

X Li and W Takeuchi

[+ Open abstract](#) [View article](#) [PDF](#)

### Disaster Management

**OPEN ACCESS** 012067

Application of PALSAR-2 remote sensing data for structural geology and topographic mapping in Kelantan river basin, Malaysia

Amin Beiranvand Pour and Mazlan Hashim

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012068

Mapping of post-event earthquake induced landslides in Sg. Mesilou using LiDAR

Habibah Hanan Mat Yusoff, Khamarrul Azahari Razak, Florence Yuen, Afifi Harun, Jasmi Talib, Zakaria Mohamad, Zamri Ramli and Razain Abd Razab

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012069

Estimation of Peak Ground Acceleration (PGA) for Peninsular Malaysia using geospatial approach

Amir Nouri Manafizad, Biswajeet Pradhan and Saleh Abdullahi

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012070

Spatial relationship between earthquakes, hot-springs and faults in Odisha, India

Biswajeet Pradhan and Ratiranjan Jena

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012071

Spatial modulation of the hydrological risk at Praia, Cape Verde

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012072

Assessment of drought impacts on vegetation health: a case study in Kedah

M Othman, Z H Ash'aari, F M Muharam, W N A Sulaiman, H Hamisan, N D Mohamad and N H Othman

[+ Open abstract](#) [View article](#) [PDF](#)

---

### Environmental Monitoring

---

**OPEN ACCESS** 012073

Developing hydrological model for water quality in Iraq marshes zone using Landsat-TM

Maged Marghany, Hashim Ali Hasab, Shattri Mansor and Abdul Rashid Bin Mohamed Shariff

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012074

Real-time Web GIS to monitor marine water quality using wave glider

Siti Maneesa Amiruddin

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012075

A feed-forward Hopfield neural network algorithm (FHNNNA) with a colour satellite image for water quality mapping

Ahmed Asal Kzar, M. Z. Mat Jafri, Lim Hwee San, Ali A. Al-Zuky, Kussay N. Mutter and Anwar Hassan Al-Saleh

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012076

The application of remote sensing techniques for air pollution analysis and climate change on Indian subcontinent

S. N. Palve, P.D. Nemade Dr. and S.D. Ghude Dr.

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012077

Analysis of air quality and nighttime light for Indian urban regions

Prakhar Misra and Wataru Takeuchi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS** 012078

Evaluation of groundwater pollution risk (GPR) from agricultural activities using

DRASTIC models and GIS

Continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



Sabrina Mohd Ariffin, Mohamed Azwan Mohamed Zawawi and Hasfalina Che Man

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012079

Diachronic analysis of the occupation of the steppe area of the department of Sidi Bel Abbas (Western Algeria)

B Hellal, A Ayache, N Ayad and T Hellal

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012080

Application of GIS technologies to monitor secondary radioactive contamination in the Delegen mountain massif

O. Alipbeki, G. Kabzhanova, G. Kurmanova and Ch. Alipbekova

[+ Open abstract](#) [View article](#) [PDF](#)

## JOURNAL LINKS

---

[Journal home](#)

---

[Journal scope](#)

---

[Information for organizers](#)

---

[Information for authors](#)

---

[Contact us](#)

---

[Reprint services from Curran Associates](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).





**ECS**

Free the Science  
Week 2023

April 2–9

Accelerating  
discovery through  
**open access!**

[www.ecsdl.org](http://www.ecsdl.org)

Discover more!

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

