

Article

Process Optimization for Green Synthesis of Silver Nanoparticles Using Indonesian Medicinal Plant Extracts

Kartini Kartini ¹, Amarisa Alviani ¹, Dia Anjarwati ¹, Adinda Finna Fanany ²,
Johan Sukweenadhi ³ and Christina Avanti ^{2,*}

¹ Department of Pharmaceutical Biology, Faculty of Pharmacy, University of Surabaya, Jl. Raya Kalirungkut, Surabaya 60293, Indonesia; kartini@staff.ubaya.ac.id (K.K.); amarisaalv@gmail.com (A.A.); anjarwatidia@gmail.com (D.A.)

² Department of Pharmaceutics, Faculty of Pharmacy, University of Surabaya, Jl. Raya Kalirungkut, Surabaya 60293, Indonesia; adindaf04@gmail.com

³ Faculty of Biotechnology, University of Surabaya, Jl. Raya Kalirungkut, Surabaya 60293, Indonesia; sukwee@staff.ubaya.ac.id

* Correspondence: c_avanti@staff.ubaya.ac.id

Received: 19 July 2020; Accepted: 12 August 2020; Published: 17 August 2020



Abstract: Silver nanoparticles (AgNPs) are an interesting metal nanoparticle that can be incorporated into pharmaceutical products, including for diabetic foot ulcers as an antimicrobial agent. Green synthesis of AgNPs using plant extracts has been drawing much attention as it is simple, eco-friendly, stable, and cost-effective. This present study was performed to evaluate the potential of three Indonesian medicinal plant extracts, namely *Phyllanthus niruri* (PN), *Orthosiphon stamineus* (OS), and *Curcuma longa* (CL), as reducing and capping agents in the green synthesis of AgNPs, and to optimize their concentrations. Based on the yields and characteristics of the formed nanoparticles, which were analyzed using a UV-Vis spectrophotometer, particle size analyzer, scanning electron microscope, and X-ray diffractometer, *Phyllanthus niruri* extract at a concentration of 0.5% was concluded as the best extract in the green synthesis of AgNPs. It is thereby a prospective reducing and capping agent for further scale-up studies.

Keywords: silver nanoparticles; green synthesis; *Phyllanthus niruri*; *Orthosiphon stamineus*; *Curcuma longa*

1. Introduction

Diabetic foot ulcers (DFUs) are one of the common complications of diabetes mellitus. The wound healing process in this disorder is much more delicate than normal wounds and can be inhibited by the presence of oxygen-free radicals, microbial infection, and high blood glucose. The microbial burden is believed to underlie the delayed healing process in DFU [1], and *Staphylococci*, *Pseudomonas*, *Citrobacter*, and *Enterococci* are major bacteria colonizing diabetic wounds [2]. Therefore, ulcer treatment requires comprehensive management, including the use of appropriate antibiotics. Silver and polyherbal dressing, and natural polymers dressing, have exhibited promising results in diabetic wound healing [3,4].

Silver ions have been recognized for decades as active antimicrobial and tissue regenerating agents. Silver or other antimicrobial agents containing dressings can be considered in the routine management of DFU. Wound dressing containing silver ions has the potential to be used in the management of DFU [5]. Reducing the size of silver ions to nanoparticles has been shown to release silver ions more rapidly than bulk silver. Silver nanoparticles (AgNPs) are interesting metal nanoparticles,

whose unique physical and chemical properties are responsible for their antimicrobial applications in pharmaceutical and clinical areas, cosmetics, and dentistry. Wound dressings with AgNPs also have the potential to be used as an alternative for topical antibiotics, which have been proven to be effective and safe [6,7]. AgNPs naturally interact with bacterial membranes and interfere with their integrity, further binding to sulfur, oxygen, and nitrogen of essential biological molecules, while inhibiting bacterial growth [8]. Despite the various techniques available for their synthesis, i.e., physical, chemical, and green techniques, only the first two approaches have been widely implemented. Moreover, chemical synthesis uses reducing agents and stabilizers that are known to carry a risk of toxicity to the environment. Green synthesis, or the bio-based method, involves a wide range of organisms, from simple prokaryotic bacterial cells to eukaryotic fungi and plants. Some limitations in its application are attributed to the use of microbes that require a sterile environment and must be handled by staff with specific skills, all of which create time- and cost-ineffective processes [9]. Plant-based green synthesis has become increasingly popular owing to its safe, environmentally-friendly, simple, and cost-effective process that is easy to upscale [10,11]. Plant metabolites, such as proteins, enzymes, tannins, phenols, sugars, and flavonoids, act as reducing and capping or stabilizing agents to form nanometals [12]. Plants rich in these compounds are presumed to be promising bio-reducing agents in metal nanoparticles.

Our previous studies on seven native Indonesian plant species showed that the three plants commonly used in herbal medicines, namely *Phyllanthus niruri* (PN), *Orthosiphon stamineus* (OS), and *Curcuma longa* (CL), had the highest total phenolic and flavonoid contents and exhibited antioxidant activities [13,14]. These plants also demonstrated antibacterial activities against various pathogenic gram-positive and gram-negative bacteria [15–20].

As an initial step in the development of topical AgNPs products for diabetic wound healing, this present work was conducted to (i) optimize the concentrations of PN, OS, and CL extracts in the green synthesis of AgNPs and (ii) select the best candidate of plant extract for a bio-reducer in further research based on the characteristics of the AgNPs formed.

2. Materials and Methods

2.1. Chemical and Plant Materials

Crude drugs consisting of the aerial parts of *Phyllanthus niruri*, *Orthosiphon stamineus* leaves, and *Curcuma longa* rhizomes, provided by a cultivation and research center for medicinal plants in Tawangmangu City, Indonesia, were collected in June 2019. Plant materials were authenticated by the Center for Traditional Medicine Information and Development, Faculty of Pharmacy, University of Surabaya, Indonesia (certificate numbers: 1405/D.T/VIII/2019, 1400/D.T/V/2019, and 1401/D.T/V/2019 for PN, OS, and CL, respectively). Silver nitrate (AgNO_3), ethanol, sodium hydroxide (NaOH), and potassium bromide (KBr, spectroscopy grade) were procured from Merck (Darmstadt, Germany). Unless stated otherwise, the chemicals used were analytical grade. Demineralized water was used in all processes involving water.

2.2. Preparation of Plant Extracts

For PN, OS, and CL, the dry plant material was ground and sifted with 20 mesh sieves. A total of 10 g of the resulting crude drug powder was then extracted by the ultrasound-assisted extraction method, using 50 mL of 80% ethanol for 10 min. The residue, which had been separated from the extract, was re-extracted using the same procedure. Afterward, the extracts were collected, put into a 100 mL volumetric flask, and the volume was adjusted to 100 mL using 80% ethanol. This liquid is hereinafter referred to as the parent extract (the concentration is equivalent to 10%).

2.3. Green Synthesis of AgNPs Using the Plant Extracts

The synthesis of AgNPs used three kinds of extracts, namely the ethanol extracts of PN, OS, and CL; each was prepared at 0.125, 0.25, 0.5, 0.75, and 1% concentrations. The temperature and duration of the syntheses were slightly adjusted from the procedures described in previous studies [21,22]. First of all, 100 mL of the extract was added with 1 mL of 100 mM AgNO₃ (1 mL of the extract was removed prior to the addition so that the concentration of AgNO₃ in the mixture was 1 mM). This mixture was then heated at 60 °C with constant stirring (150 rpm, 30 min). During the heating and stirring process, the UV-Vis spectrum of the mixture was recorded every 10 min (t₀, t₁₀, t₂₀, t₃₀). The products of this procedure were then stored for 24 h, and the UV-Vis spectrum was re-observed. A maximum of 1 mL of 0.2 M NaOH was then dripped into the mixture, and the presence of sediment and brownish-red solution indicated that AgNPs had formed. After the addition of NaOH, the UV-Vis spectrum of the mixture was reread, then centrifuged (2500× g rpm, 15 min) to remove the suspended material. Afterward, the spectrum of the supernatant was measured again at 200–600 nm to confirm the formation of AgNPs. The product was collected by centrifugation (10,000× g rpm, 15 min). The AgNPs were then washed with demineralized water three times, then dried in a desiccator until a constant weight was achieved.

2.4. Characterization of AgNPs

The synthesized AgNPs were characterized based on absorption spectra, particle size, size distribution, shape, morphology, and crystalline phases. The UV-Vis absorption spectra were read using a Shimadzu UV-1900 UV-Vis spectrophotometer, Shimadzu (Tokyo, Japan). Particle size and size distributions were determined by a Nanotrac Wave II particle size analyzer (Microtrac, Germany), while the shape and morphology were evaluated using a Hitachi Flexsem 100 scanning electron microscope (SEM) (Tokyo, Japan). A Jasco FT/IR-4200 spectrophotometer (Japan) with a deuterated triglycine sulfate (DTGS) detector was also used to identify the functional groups contained in the extracts and the synthesized AgNPs. Finally, the crystalline phases were analyzed using an X'pert Philips X-ray diffractometer (PANalytical B.V., Almelo, The Netherlands).

3. Results

3.1. Optimization of the Extract Concentration

During the green synthesis, the formation of AgNPs can be monitored visually from the color change (i.e., from yellowish-green to reddish-brown) and absorbance (measured using a UV-Vis spectrophotometer). Absorbance values were recorded every 10 min during the 30-min synthesis process. Afterward, the solution was kept for up to 24 h and then added gradually with 0.2 M NaOH, while observing any color changes. Subsequently, the absorbance was reread to see if there was any increment, which indicates an optimum synthesis reaction. Changes in absorbance values during the AgNPs synthesis using the PN extract are depicted in Figure 1 (the ones using the OS and CL extracts are not presented). This figure shows that AgNPs were formed after 24 h in the green synthesis.

In this optimization process, five concentrations of PN, OS, and CL extracts (i.e., 0.125, 0.25, 0.5, 0.75, and 1%) were analyzed. AgNPs were only produced in extracts with concentrations of 0.5 and 0.75%. At 0.5%, the PN and OS extracts produced higher yields than at 0.75%, while the contrary was true for the CL extract (Table 1).




Figure 1. UV-Vis spectra of silver nanoparticles (AgNPs) prepared with *Phyllanthus niruri* (0.5%). (A) initial extract; (B) green synthesis products (AgNPs).

Table 1. Yields of the green synthesis of AgNPs using *Phyllanthus niruri* (PN), *Orthosiphon stamineus* (OS), and *Curcuma longa* (CL) extracts.

Extracts	Concentrations (%w/v)	Color of Solution *	Silver Luster **	Yields	
				%w/w	mg
PN	0.125	Blackish brown	-	-	-
	0.25	Blackish brown	-	-	-
	0.50	Blackish brown	+++	15.76	78.8
	0.75	Blackish brown	+++	6.88	51.6
	1.00	Dark green	-	-	-
PN	0.125	Reddish-brown	-	-	-
	0.25	Reddish-brown	-	-	-
	0.50	Reddish-brown	+++	1.27	6.35
	0.75	Reddish-brown	+++	0.64	4.78
	1.00	Reddish-brown	-	-	-
CL	0.125	Brownish-yellow	-	-	-
	0.25	Brownish-yellow	-	-	-
	0.50	Reddish-brown	+++	0.53	2.64
	0.75	Reddish-brown	+++	2.46	12.3
	1.00	Blackish brown	-	-	-

* Color of the solution in the AgNP synthesis process (24 h + NaOH). *Phyllanthus niruri* (PN); *Orthosiphon stamineus* (OS); *Curcuma longa* (CL). ** +++: high intensity of silver luster; -: no silver luster.

3.2. Particle Size and Particle Size Distribution of AgNPs

As shown in Table 2 and Figure 2, the particle sizes of the produced AgNPs ranged between 277 and 918 nm. The OS extract at a concentration of 0.75% (denoted as OS_{0.75}) yielded AgNPs with the smallest particle size, whereas CL_{0.75} produced the largest sizes. Besides this particle size, the dispersity (or poly-dispersity index) of AgNPs was also measured to justify the occurrence of agglomeration or aggregation of the sample during the process.

Table 2. Particle size and poly-dispersity index for each sample of AgNPs.

Plant Extracts	Particle Size (nm)	Poly-Dispersity Index (PDI)
PN _{0.5}	715.0	0.0085
PN _{0.75}	522.0	1.2370
OS _{0.5}	729.0	0.1716
OS _{0.75}	277.9	0.2378
CL _{0.5}	318.0	0.0431
CL _{0.75}	918.0	0.6040




Figure 2. Particle size analysis of AgNPs using a particle size analyzer (PSA).

3.3. Morphological AgNP Evaluation by Scanning Electron Microscopy (SEM)

The SEM images (Figure 3) present that the AgNPs synthesized using PN extracts were spherical with particle sizes in the ranges of 100–300 nm and 100–200 nm for PN_{0.5} and PN_{0.75}, respectively. Additionally, OS_{0.5} and OS_{0.75} produced spherical AgNPs with particle sizes of 300–400 and 200–300 nm, respectively. These products are consistent with the PSA results, i.e., PN and OS with higher concentrations produced smaller silver nanoparticles. However, CL extract created AgNPs with a dominant irregular shapes and larger sizes, which can be caused by solvent evaporation during sample preparation or differences in chemical constituents of the extracts.




Figure 3. The scanning electron microscopic (SEM; 20,000 \times) profiles of AgNPs synthesized with PN, OS, and CL extracts.

3.4. Characterization of AgNPs by X-ray Diffraction (X-RD)

The X-RD analysis was carried out to confirm the presence of silver compounds in the synthesized nanoparticles (Figure 4). The reflections of the AgNPs (recorded at 2θ) that formed with PN, OS, and CL extracts are shown in Table 3.

Table 3. Diffraction peaks of the AgNPs formed with PN, OS, and CL extracts, measured at the detector angle of 2θ (degrees).

PN _{0.5}	PN _{0.75}	OS _{0.5}	OS _{0.75}	CL _{0.5}	CL _{0.75}	AgNPs [23]
37.6454	37.6274	37.6248	37.6420	37.6406	37.6494	38.45
44.0146	44.0020	43.9073	43.8388	44.0151	43.8857	46.35
64.5091	64.4893	64.3259	64.3173	64.4910	64.5224	64.75
77.5067	77.7218	77.5186	77.5217	77.7313	77.7441	78.05




Figure 4. X-ray diffraction profiles of AgNPs synthesized using PN, OS, and CL extracts.

3.5. FTIR

The FTIR spectra (Figure 5) were read at the wavenumbers of 4000–400 cm^{-1} with a 4 cm^{-1} resolution and processed in the Spectra Manager Version 2 program. FTIR spectra of AgNPs synthesized using PN, OS, and CL extracts showed distinct and wide peaks at the wavenumbers of 3446.17, 3445.21, and 3445.21 cm^{-1} , respectively. These peaks indicate the presence of the O-H bond of hydroxyl groups, which may be derived from phenolic compounds in the extracts.




Figure 5. FTIR spectra of AgNPs synthesized using PN, OS, and CL extracts.

4. Discussions

The green synthesis of nanoparticles is deemed a success or a failure according to various factors, including types and genetic properties of organisms, substrate concentration, pH, light, temperature, buffer strength, biomass, mixing speed, and exposure time. These factors control the sizes and morphologies of the NPs [6,21,22,24,25]. Therefore, the concentrations of PN, OS, and CL extracts were optimized in this recent study. Five concentrations of PN, OS, and CL extracts (i.e., 0.125, 0.25, 0.5, 0.75, and 1%) were analyzed. Among the three extracts, PN produced the highest yield, which is very important for the scale-up process. For this reason, PN was the best reducing and capping agent in the synthesis of AgNPs. However, further evaluation is required to compare the characteristics of AgNPs generated from each extract at every tested concentration. Our previous study showed that among the three plant extracts, PN was the strongest antioxidant, followed by OS and then CL. This was indicated by their IC₅₀ value on the DPPH scavenging method, i.e., 102, 133, and 363 µg/mL, respectively [14]. In the biosynthesis of metal nanoparticles using plant extract, metal ions are reduced and then the reduced metal atoms undergo nucleation [23]. The high reducing capacity of PN is presumably the cause the high yields of formed AgNPs in this study.

Biological activities, including antimicrobial effects, of AgNPs depend on various parameters, such as morphology and shape, size, pH, ionic strength, capping agent, and the surface charge of the particles [23,26]. Analysis using the particle size analyzer showed that particle size of the synthesized AgNPs ranged between 277 and 918 nm. Moreover, the dispersity of AgNPs was deduced from its poly-dispersity index (PDI). The International Organization for Standardization (ISO) established that PDI < 0.05 is more common in monodisperse samples, while PDI > 0.7 is common in a broad distribution of particle size (e.g., polydisperse) [27]. Table 2 shows that the synthesized AgNPs using PN_{0.5} and CL_{0.5} had a monodisperse system, while the others were polydisperse. The polydisperse system can be attributed to differences in the growth rate of individual particles during the nucleation step.

SEM depicted that the particle size of AgNPs synthesized using PN, OS, and CL extracts ranged between 100 and 400 nm. Overall, there were quite a few differences in particle sizes based on SEM results compared to the DLS results. DLS will tend to show a larger size than SEM analysis, because the principals involved for the analysis of both techniques are different. DLS showed results showing bigger particle sizes, and its hydrodynamic diameter therefore had a larger size than SEM, which was due to a scattering of electrons in sample irradiation [28]. Additionally, since DLS used a solution to analyze AgNPs, it gave AgNPs a chance to agglomerate and show bigger sizes than the actual size.

The presence of silver compounds in the synthesized nanoparticles was confirmed by the X-RD profiles. Comparisons between these diffractogram patterns and the diffractogram of the AgNPs from the previous study [23] clearly illustrate that silver nanoparticles are present in the yield of the green synthesis. A high crystallinity in the synthesized AgNPs can also be detected in Figure 4, as is evident from the presence of a sharp peak.

The FTIR spectra of the synthesized AgNPs indicated the presence of the O-H bond, which was presumably derived from phenolic compounds in the plant extracts. *Phyllanthus niruri* contains various phenolics compounds, such as flavonoids (rutin, quercetin, quercitrin, astragalin, catechin), tannins, and saponins [29]. Diverse phenolic compounds, such as rosmarinic acid, 3'-hydroxy-5,6,7,4'-tetramethoxyflavone, sinensetin, and eupatorin, have also been identified in *Orthosiphon stamineus* [30], while curcuminoids are the predominant phenolic compound in *Curcuma longa*. Even though the exact mechanism and components responsible for extract-mediated green synthesis of nanoparticles remain not elucidated, primary metabolites (i.e., proteins, amino acids, organic acid, and vitamins) and secondary metabolites (i.e., flavonoids, alkaloids, polyphenols, and terpenoids) have been proposed as having significant contributions in metal salt reduction and, thereby, acting as capping and stabilizing agents for synthesized nanoparticles [10].

5. Conclusions

An environmental-friendly and low-cost synthesis method of AgNPs using three Indonesian plant extracts commonly used as traditional medicines has been conducted. Types and concentrations of plant extracts affect the characteristics of the synthesized AgNPs. The findings of this study suggest that *Phyllanthus niruri* extract at a concentration of 0.5% is a prospective reducing and capping agent for the green synthesis of AgNPs. This extract can be considered for further scale-up process studies to provide AgNPs in a sufficient amount. Furthermore, formulation and bioactivity tests of these AgNPs-based dosage forms need to be performed as well.

Author Contributions: C.A. conceptualized the research, A.A., D.A., and A.F.F. performed the experiments, while K.K. and J.S. analyzed the data. K.K. wrote the manuscript; C.A. and J.S. contributed to the revision of the final manuscript. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by the Ministry of Research and Technology/National Research and Innovation Agency of the Republic of Indonesia (grant number: 030/SP-Lit/LPPM-01/RistekBRIN/Multi/FF/III/2020).


Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

References

- Gardner, S.E.; Hillis, S.L.; Heilmann, K.; Segre, J.A.; Grice, E.A. The neuropathic diabetic foot ulcer microbiome is associated with clinical factors. *Diabetes* **2013**, *62*, 923–930. [\[CrossRef\]](#) [\[PubMed\]](#)
- Murali, T.S.; Kavitha, S.; Spoorthi, J.; Bhat, D.V.; Prasad, A.S.B.; Upton, Z.; Ramachandra, L.; Acharya, R.V.; Satyamoorthy, K. Characteristics of microbial drug resistance and its correlates in chronic diabetic foot ulcer infections. *J. Med. Microbiol.* **2014**, *63*, 1377–1385. [\[CrossRef\]](#) [\[PubMed\]](#)
- Viswanathan, V.; Kesavan, R.; Kavitha, K.; Kumpatla, S. A pilot study on the effects of a polyherbal formulation cream on diabetic foot ulcers. *Indian J. Med. Res.* **2011**, *134*, 168. [\[PubMed\]](#)
- Moura, L.I.; Dias, A.M.; Carvalho, E.; de Sousa, H.C. Recent advances on the development of wound dressings for diabetic foot ulcer treatment—A review. *Acta Biomater.* **2013**, *9*, 7093–7114. [\[CrossRef\]](#) [\[PubMed\]](#)
- Bakker, K.; Apelqvist, J.; Schaper, N.C.; IWGDF. Practical guidelines on the management and prevention of the diabetic foot 2011. *Diabetes Metab. Res. Rev.* **2012**, *28*, 225–231.
- Iravani, S.; Korbekandi, H.; Mirmohammadi, S.V.; Zolfaghari, B. Synthesis of silver nanoparticles: Chemical, physical and biological methods. *Res. Pharm. Sci.* **2014**, *9*, 385.
- Balzarro, M.; Rubilotta, E.; Trabacchin, N.; Soldano, A.; Cerrato, C.; Migliorini, F.; Mancini, V.; Pastore, A.L.; Carbone, A.; Cormio, L. Early and late efficacy on wound healing of silver nanoparticle gel in males after circumcision. *J. Clin. Med.* **2020**, *9*, 1822. [\[CrossRef\]](#)
- Hajipour, M.J.; Fromm, K.M.; Ashkarran, A.A.; de Aberasturi, D.J.; de Larramendi, I.R.; Rojo, T.; Serpooshan, V.; Parak, W.J.; Mahmoudi, M. Antibacterial properties of nanoparticles. *Trends Biotechnol.* **2012**, *30*, 499–511. [\[CrossRef\]](#)
- Velusamy, P.; Kumar, G.V.; Jeyanthi, V.; Das, J.; Pachaiappan, R. Bio-inspired green nanoparticles: Synthesis, mechanism, and antibacterial application. *Toxicol. Res.* **2016**, *32*, 95–102. [\[CrossRef\]](#)
- Singh, P.; Kim, Y.-J.; Zhang, D.; Yang, D.-C. Biological synthesis of nanoparticles from plants and microorganisms. *Trends Biotechnol.* **2016**, *34*, 588–599. [\[CrossRef\]](#)
- Reda, M.; Ashames, A.; Edis, Z.; Bloukh, S.; Bhandare, R.; Abu Sara, H. Green synthesis of potent antimicrobial silver nanoparticles using different plant extracts and their mixtures. *Processes* **2019**, *7*, 510. [\[CrossRef\]](#)
- Duan, H.; Wang, D.; Li, Y. Green chemistry for nanoparticle synthesis. *Chem. Soc. Rev.* **2015**, *44*, 5778–5792. [\[CrossRef\]](#) [\[PubMed\]](#)
- Sukweenadhi, J.; Setiawan, F.; Yunita, O.; Kartini, K.; Avanti, C. Antioxidant activity screening of seven Indonesian herbal extract. *Biodiversitas* **2020**, *21*, 2062–2067. [\[CrossRef\]](#)
- Kartini, K.; Setiawan, F.; Sukweenadhi, J.; Yunita, O.; Avanti, C. Selection of potential Indonesian plant species for antioxidant. In *IOP Conference Series: Earth and Environmental Science*; IOP Publishing: Bristol, UK, 2020.

15. Ranilla, L.G.; Apostolidis, E.; Shetty, K. Antimicrobial activity of an Amazon medicinal plant (*Chancapiedra*) (*Phyllanthus niruri* L.) against *Helicobacter pylori* and lactic acid bacteria. *Phytother. Res.* **2012**, *26*, 791–799. [PubMed]
16. Ibrahim, D.; Hong, L.S.; Kuppan, N. Antimicrobial activity of crude methanolic extract from *Phyllanthus niruri*. *Nat. Prod. Commun.* **2013**, *8*, 493–496. [CrossRef]
17. Alshawsh, M.A.; Abdulla, M.A.; Ismail, S.; Amin, Z.A.; Qader, S.W.; Hadi, H.A.; Harmal, N.S. Free radical scavenging, antimicrobial and immunomodulatory activities of *Orthosiphon stamineus*. *Molecules* **2012**, *17*, 5385–5395. [CrossRef]
18. Malahubban, M.; Alimon, A.; Sazili, A.; Fakurazi, S.; Zakry, F. Phytochemical analysis of *Andrographis paniculata* and *Orthosiphon stamineus* leaf extracts for their antibacterial and antioxidant potential. *Trop. Biomed.* **2013**, *30*, 467–480.
19. Gupta, A.; Mahajan, S.; Sharma, R. Evaluation of antimicrobial activity of *Curcuma longa* rhizome extract against *Staphylococcus aureus*. *Biotechnol. Rep.* **2015**, *6*, 51–55. [CrossRef]
20. Niamsa, N.; Sittiwet, C. Antimicrobial activity of *Curcuma longa* aqueous extract. *J. Pharmacol. Toxicol.* **2009**, *4*, 173–177.
21. Lestari, T.P.; Tahlib, F.A.; Sukweenadhi, J.; Kartini, K.; Avanti, C. Physical characteristic and antibacterial activity of silver nanoparticles from green synthesis using ethanol extracts of *Phaleria macrocarpa* (Scheff.) Boerl Leaves. *Tradit. Med. J.* **2019**, *24*, 16–21. [CrossRef]
22. Dewi, K.T.A.; Kartini, K.; Sukweenadhi, J.; Avanti, C. Karakter fisik dan aktivitas antibakteri nanopartikel perak hasil green synthesis menggunakan ekstrak air daun sendok (*Plantago major* L.). *Pharm. Sci. Res.* **2019**, *6*, 69–81. [CrossRef]
23. Keat, C.L.; Aziz, A.; Eid, A.M.; Elmarzugi, N.A. Biosynthesis of nanoparticles and silver nanoparticles. *Bioresour. Bioprocess.* **2015**, *2*, 47. [CrossRef]
24. Geetha, A.R.; George, E.; Srinivasan, A.; Shaik, J. Optimization of green synthesis of silver nanoparticles from leaf extracts of *Pimenta dioica* (Allspice). *Sci. World J.* **2013**, *2013*. [CrossRef] [PubMed]
25. Fatimah, I. Green synthesis of silver nanoparticles using extract of *Parkia speciosa* Hassk pods assisted by microwave irradiation. *J. Adv. Res.* **2016**, *7*, 961–969. [CrossRef]
26. Ahmed, S.; Ahmad, M.; Swami, B.L.; Ikram, S. A review on plants extract mediated synthesis of silver nanoparticles for antimicrobial applications: A green expertise. *J. Adv. Res.* **2016**, *7*, 17–28. [CrossRef]
27. Mudalige, T.; Qu, H.; Van Haute, D.; Ansar, S.M.; Paredes, A.; Ingle, T. Characterization of nanomaterials: Tools and challenges. In *Nanomaterials for Food Applications*; Elsevier: Amsterdam, The Netherlands, 2019; pp. 313–353.
28. Eaton, P.; Quaresma, P.; Soares, C.; Neves, C.; De Almeida, M.; Pereira, E.; West, P. A direct comparison of experimental methods to measure dimensions of synthetic nanoparticles. *Ultramicroscopy* **2017**, *182*, 179–190. [CrossRef]
29. Bagalkotkar, G.; Sagineedu, S.; Saad, M.; Stanslas, J. Phytochemicals from *Phyllanthus niruri* Linn. and their pharmacological properties: A review. *J. Pharm. Pharmacol.* **2006**, *58*, 1559–1570.
30. Saidan, N.H.; Hamil, M.S.R.; Memon, A.H.; Abdelbari, M.M.; Hamdan, M.R.; Mohd, K.S.; Majid, A.M.S.A.; Ismail, Z. Selected metabolites profiling of *Orthosiphon stamineus* Benth leaves extracts combined with chemometrics analysis and correlation with biological activities. *BMC Complement. Altern. Med.* **2015**, *15*, 350. [CrossRef] [PubMed]





Hydrogenation of Trans,Trans-Muconic Acid to Bio-Adipic Acid: Mechanism Identification and Kinetic Modelling

Volume 8 · Issue 8 | August 2020




[mdpi.com/journal/processes](https://www.mdpi.com/journal/processes)
ISSN 2227-9757

Ads by Google

[Stop seeing this ad](#) [Why this ad?](#)

Processes

COUNTRY

[Switzerland](#) Universities and research institutions in Switzerland

SUBJECT AREA AND CATEGORY

[Chemical Engineering](#)
[Bioengineering](#)
[Chemical Engineering \(miscellaneous\)](#)
[Process Chemistry and Technology](#)

PUBLISHER

[MDPI AG](#)

H-INDEX

28

PUBLICATION TYPE

[Journals](#)

ISSN

[22279717](#)

COVERAGE

[2013-2020](#)

INFORMATION

[Homepage](#)
[How to publish in this journal](#)
[giancarlo.cravotto@unito.it](#)

Ads by Google

[Stop seeing this ad](#) [Why this ad?](#)

SCOPE

-Experimental, theoretical and computational research on process development and engineering -Chemical and biochemical reaction processes -Mass transfer, separation and purification processes -Mixing, fluid processing and heat transfer systems -Integrated process design and scaleup -Process modeling, simulation, optimization and control

 [Join the conversation about this journal](#)

Submission deadline is 10 Oct

CBB6 Conference

6th Conference of Cereal Biotechnology and Breeding, 3-5 November 2021.

[akcongress.com](#)[OPEN](#)



Submission deadline is 10 Oct
CBB6 Conference
 6th Conference of Cereal Biotechnology and Breeding, 3-5 November 2021.

akcongress.com

OPEN

FIND SIMILAR JOURNALS ?


options ⋮

1 Brazilian Journal of Chemical Engineering BRA	2 International Journal of Chemical Engineering USA	3 Chemical Engineering Communications GBR	4 Chinese Journal of Chemical Engineering CHN	5 Asia-Pacific Journal of Chemical Engineering USA
53% similarity	53% similarity	50% similarity	49% similarity	47% similarity


Submission deadline is 10 Oct
CBB6 Conference
 6th Conference of Cereal Biotechnology and Breeding, 3-5 November 2021.

akcongress.com

OPEN



Processes



← Show this widget in your own website

Just copy the code below and paste within your html code:

`<a href="https://www.scim`

SCImago Graphica

Explore, visually communicate and make sense of data with our new free tool.





Source details

Processes

[Open Access](#) ⓘ

Scopus coverage years: from 2013 to Present

E-ISSN: 2227-9717

Subject area: [Chemical Engineering: Chemical Engineering \(miscellaneous\)](#)

[Chemical Engineering: Process Chemistry and Technology](#) [Chemical Engineering: Bioengineering](#)

Source type: Journal

[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

CiteScore 2020

2.4

ⓘ

SJR 2020

0.414

ⓘ

SNIP 2020

0.957

ⓘ

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology

CiteScore 2020 counts the citations received in 2017-2020 to articles, reviews, conference papers, book chapters and data papers published in 2017-2020, and divides this by the number of publications published in 2017-2020. [Learn more >](#)

CiteScore 2020

$$2.4 = \frac{6,850 \text{ Citations 2017 - 2020}}{2,890 \text{ Documents 2017 - 2020}}$$

Calculated on 05 May, 2021

CiteScoreTracker 2021 ⓘ

$$3.0 = \frac{12,948 \text{ Citations to date}}{4,259 \text{ Documents to date}}$$

Last updated on 04 September, 2021 • Updated monthly

CiteScore rank 2020 ⓘ

Category	Rank	Percentile
Chemical Engineering		
Chemical Engineering (miscellaneous)	#16/27	42nd
Chemical Engineering		
Process Chemistry and Technology	#36/59	39th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

Language

- 日本語に切り替える
- 切换到简体中文
- 切换到繁體中文
- Русский язык

Customer Service

- Help
- Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.



Editorial Board

- Editorial Board
- Chemical Processes and Systems Section
- Biological Processes and Systems Section
- Materials Processes Section
- Catalysis Enhanced Processes Section
- Environmental and Green Processes Section
- Energy Systems Section
- Process Control and Supervision Section
- Automation Control Systems Section
- Food Processes Section
- Pharmaceutical Processes Section
- Manufacturing Processes and Systems Section
- Sustainable Processes Section
- Advanced Digital and Other Processes Section

Editors (10)

Prof. Dr. Giancarlo Cravotto [Website](#) [SciProfiles](#)

Editor-in-Chief

Department of Drug Science and Technology, University of Turin, Via P. Giuria 9, 10125 Turin, Italy

Interests: green chemistry; process intensification; green extraction; enabling technologies (ultrasound, microwaves, hydrodynamic cavitation, ball milling, flow chemistry); sustainable chemical processes

Special Issues and Collections in MDPI Journals



Prof. Dr. Antoni Sánchez [Website](#)

Section Editor-in-Chief

Department of Chemical, Biological and Environmental Engineering, Universitat Autònoma de Barcelona, 08193-Bellaterra, Spain

Interests: design and use of biological systems for the treatment of organic waste (composting and anaerobic digestion); nanotechnology for environmental remediation; solid-state fermentation to convert wastes into bio-products

Special Issues and Collections in MDPI Journals



Prof. Dr. Blaž Likozar [Website](#) [SciProfiles](#)

Section Editor-in-Chief

Department of Catalysis and Chemical Reaction Engineering, National Institute of Chemistry, Hajdrihova 19, SI-1001 Ljubljana, Slovenia

Interests: reaction engineering; reactor engineering; heterogeneous catalysis; process optimization; process intensification; valorization; multiscale modeling; density functional theory; kinetic Monte Carlo; computational fluid dynamics; thermodynamics; reaction kinetics; microkinetics; transport phenomena; heat transfer; mass transfer; fluid mechanics; unit operations; separations

Special Issues and Collections in MDPI Journals



Prof. Dr. Vicenç Puig [Website](#) [SciProfiles](#)

Section Editor-in-Chief

Institute of Robotics and Industrial Informatics, Technical University of Catalonia, Barcelona 08028, Spain

Interests: process modeling, simulation, optimization and control; diagnosis and fault tolerant control; sensor data validation and reconstruction; sensor placement

Special Issues and Collections in MDPI Journals



Prof. Dr. Francesca Spyralis [Website](#)

Section Editor-in-Chief

Department of Drug Science and Technology, University of Turin, 10126 Turin, Italy

Interests: Computational/biological modeling; drug design; antimicrobial research

Special Issues and Collections in MDPI Journals



Prof. Dr. Matti Lehtonen [Website](#) [SciProfiles](#)

Section Editor-in-Chief

Department of Electrical Engineering and Automation, Aalto University, 02150 Espoo, Finland

Interests: power and energy systems; demand response; power grids; renewable energy sources; power system economics; electrical load modelling; electric vehicle charging; energy storages; heating system electrification

Special Issues and Collections in MDPI Journals



Prof. Dr. Dariusz Dziłki [Website](#) [SciProfiles](#)


Section Editor-In-Chief

Department of Thermal Technology and Food Process Engineering, University of Life Sciences in Lublin, 31 Głęboka St., 20-612 Lublin, Poland

Interests: food processing; milling; grinding; drying; baking; extrusion; bioactive compounds of food

Special Issues and Collections in MDPI Journals



Prof. Dr. Anet Režek Režek Jambrak  [Website](#) [SciProfiles](#)

Section Editor-In-Chief

Faculty of Food Technology and Biotechnology, University of Zagreb, Pierottijeva 6, 10000 Zagreb, Croatia

Interests: food engineering; nonthermal and advanced thermal processing technologies; Industry 4.0; sustainability; food processing

Special Issues and Collections in MDPI Journals



Prof. Dr. Hoon Kim [Website](#) [SciProfiles](#)

Associate Section Editor-In-Chief

College of Pharmacy and Research Institute of Life and Pharmaceutical Sciences, Suncheon National University, Suncheon 57922, Korea

Interests: monoamine oxidase inhibitors; acetylcholinesterase inhibitors; pharmaceutical biochemistry; cell wall lytic enzyme; laccase enzyme; rumen microbial metagenome; microorganism with host

Special Issues and Collections in MDPI Journals



Prof. Dr. Orazio Nicolotti [Website](#) [SciProfiles](#)

Associate Section Editor-In-Chief

Dipartimento di Farmacia-Scienze del Farmaco, Università degli Studi di Bari "Aldo Moro", Bari, Italy


Interests: drug design; QSAR; predictive toxicology; combinatorial library design; evolutionary algorithms; docking and molecular dynamics

Special Issues and Collections in MDPI Journals



Editorial Board Members (561)

Processes, Volume 8, Issue 8 (August 2020) – 126 articles



Cover story (view full-size image): The hydrogenation of *trans,trans*-muconic acid (tTMA) was investigated on a 5%Pt/C with the purpose of developing a kinetic model able to predict conversions and product distributions. A dual-site Langmuir–Hinshelwood–Hougen–Watson model with hydrogen dissociation provided good fitting. The model parameters were regressed by robust numerical methods and different reaction mechanisms were tested: the best model involves two subsequent hydrogenation steps. The first step converts MA to a monounsaturated intermediate, which is further hydrogenated to adipic acid. The activation energy values and the rate constants were calculated for the reactions, providing the first references for tTMA hydrogenation. View this paper.

- Issues are regarded as officially published after their release is announced to the [table of contents alert mailing list](#).
- You may [sign up for e-mail alerts](#) to receive table of contents of newly released issues.
- PDF is the official format for papers published in both, html and pdf forms. To view the papers in pdf format, click on the "PDF Full-text" link, and use the free [Adobe Reader](#) to open them.

Order results

Publication Date

Result details

Normal

Show export options

Open Access Review

Optimization of Magnetic Properties of Magnetic Microwires by Post-Processing

by [Valentina Zhukova](#), [Paula Corte-Leon](#), [Lorena González-Legarreta](#), [Ahmed Talaat](#), [Juan María Blanco](#), [Mihail Ipatov](#), [Jesus Olivera](#) and [Arcady Zhukov](#)

Processes 2020, 8(8), 1006; <https://doi.org/10.3390/pr8081006> - 18 Aug 2020

Cited by 3 | Viewed by 1091

Abstract The influence of post-processing conditions on the magnetic properties of amorphous and nanocrystalline microwires has been thoroughly analyzed, paying attention to the influence of magnetoelastic, induced and magnetocrystalline anisotropies on the hysteresis loops of Fe-, Ni-, and Co-rich microwires. We showed that magnetic [...] [Read more](#).

(This article belongs to the Special Issue *Advances in Innovative Engineering Materials and Processes*)

[► Show Figures](#)

Open Access Editorial

Processes for Bioenergy and Resources Recovery from Biowaste

by [Elsayed Elbeshbishy](#) and [Bipro Ranjan Dhar](#)

Processes 2020, 8(8), 1005; <https://doi.org/10.3390/pr8081005> - 18 Aug 2020

Viewed by 612

Abstract The increasing quantity of biowaste generation and the requirements governing their ultimate disposal are of serious economic and environmental concern [...] [Full article](#)

(This article belongs to the Special Issue *Processes for Bioenergy and Resources Recovery from Biowaste*)

[► Show Figures](#)

Open Access Editor's Choice Review

Methods Used for the Compaction and Molding of Ceramic Matrix Composites Reinforced with Carbon Nanotubes

by [Valerii P. Meshalkin](#) and [Alexey V. Belyakov](#)

Processes 2020, 8(8), 1004; <https://doi.org/10.3390/pr8081004> - 18 Aug 2020

Cited by 3 | Viewed by 1184

Abstract Ceramic matrix composites reinforced with carbon nanotubes are becoming increasingly popular in industry due to their astonishing mechanical properties and taking into account the fact that advanced production technologies make carbon nanotubes increasingly affordable. In the present paper, the most convenient contemporary methods [...] [Read more](#).

(This article belongs to the Special Issue *Advances in Innovative Engineering Materials and Processes*)

[► Show Figures](#)

Open Access Article

Eucalyptus camaldulensis*, *Citrus aurantium*, and *Citrus sinensis* Essential Oils as Antifungal Activity against *Aspergillus flavus*, *Aspergillus niger*, *Aspergillus terreus*, and *Fusarium culmorum

by  Wael A.A. Abo Elgat,  Ahmed M. Kordy,  Martin Böhm,  Robert Černý,  Ahmed Abdel-Megeed and  Mohamed Z.M. Salem

Processes 2020, 8(8), 1003; <https://doi.org/10.3390/pr8081003> - 18 Aug 2020

Cited by 6 | Viewed by 2765

Abstract Several molds are able to colonize wood and many building products or solid wood causing losses for their valuable uses. Essential oils (EOs) from aromatic plants can be used as an ecofriendly biofungicide against the growth of several molds. EOs from *Eucalyptus camaldulensis* [...] [Read more](#).

(This article belongs to the Special Issue Green Separation and Extraction Processes)

[► Show Figures](#)

Open Access Article

Determination of a Bubble Drag Coefficient during the Formation of Single Gas Bubble in Upward Coflowing Liquid

by  Przemysław Luty and  Mateusz Pronczuk

Processes 2020, 8(8), 999; <https://doi.org/10.3390/pr8080999> - 17 Aug 2020

Cited by 1 | Viewed by 793


Abstract Bubble flow is present in many processes that are the subject of chemical engineering research. Many correlations for determination of the equivalent bubble diameter can be found in the scientific literature. However, there are only few describing the formation of gas bubbles in [...] [Read more](#).

(This article belongs to the Section Chemical Processes and Systems)

[► Show Figures](#)

Open Access Article

Process Optimization for Green Synthesis of Silver Nanoparticles Using Indonesian Medicinal Plant Extracts

by  Kartini Kartini,  Amarisa Aivanti,  Dia Anjarwati,  Adinda Finna Fanany,  Johan Sukweenadhi and  Christina Avanti

Processes 2020, 8(8), 996; <https://doi.org/10.3390/pr8080996> - 17 Aug 2020

Cited by 1 | Viewed by 1370

Abstract Silver nanoparticles (AgNPs) are an interesting metal nanoparticle that can be incorporated into pharmaceutical products, including for diabetic foot ulcers as an antimicrobial agent. Green synthesis of AgNPs using plant extracts has been drawing much attention as it is simple, eco-friendly, stable, and [...] [Read more](#).

(This article belongs to the Special Issue Green Separation and Extraction Processes)

[► Show Figures](#)

Open Access Article

Evaluation of the Turbulence Model Influence on the Numerical Simulation of Cavitating Flow with Emphasis on Temperature Effect

by  Yilin Deng,  Jian Feng,  Fulai Wan,  Xi Shen and  Bin Xu

Processes 2020, 8(8), 997; <https://doi.org/10.3390/pr8080997> - 17 Aug 2020

Viewed by 669

Abstract The aim of this paper is to investigate the influence of different turbulence models ($k-\epsilon$, RNG $k-\epsilon$, and SST $k-\omega$) on the numerical simulation of cavitating flow in thermosensitive fluid. The filter-based model [...] [Read more](#).

(This article belongs to the Section Chemical Processes and Systems)

[► Show Figures](#)