

Implementing Directed Pairwise Judgement Approach in Web-Based AHP Survey Application to Reduce Inconsistency Ratio

Daniel Hary Prasetyo

Universitas Surabaya, Surabaya 60293, Indonesia

daniel@staff.ubaya.ac.id

Abstract. In the research combining the MCDA method and public participatory approach, an application that collects public opinion is needed. The input from respondents often does not meet the expected standards; example, the consistency ratio of the AHP pairwise judgment. This paper is a part of the primary research with title A GIS-based Multi-Criteria Decision Analysis and Public Participatory Approach for Public Schools Site Selection, and it focused on the AHP pairwise judgment phase. This phase needs to be reconducted because the first pairwise judgment survey application got a poor consistency ratio. The second application implemented a new approach called directed pairwise judgment. This approach has successfully raised the consistency ratio significantly and also reduces the consuming time of the pairwise comparison phase.

Keywords: MCDA, Pairwise Judgement, AHP, Consistency Ratio

INTRODUCTION

MCDA and GIS have been used together as powerful tools to solve various spatial problems in many areas. The AHP technique is a popular method in the MCDA phase. This paper is a part of GIS-based MCDA research in finding optimal school site selection in Surabaya, Indonesia. Figure 1 shows the complete methodology schema for this research, and this paper focuses on the AHP application marked with a red circle.

The MCDA phase begins after all of its factors have been built. It uses a web-based application that collects opinions from invited government officials, school officials, researchers, and experts in urban planning. The MCDA phase got six factors in the form of the raster layers which are: administration factor, population factor, transportation factor, environment factor, student flow factor, and public preference factor [1]. The MCDA phase has been conducted by using a web-based GIS application in 2016, unfortunately, it brought an inadequate result. By using the AHP method with 137 respondents, it just got 5% of the respondent's pairwise judgment with consistency ratio (CR) below 0.1. According to Saaty [2], 90% of respondent pairwise judgment is inconsistent and cannot be accepted. This paper is focused on the process of fixing this unfortunate result.

The two major problems in the pairwise judgment phase are uncomplete pairwise judgment and inconsistent pairwise judgment. In the uncomplete pairwise judgment, researchers develop methods for completing the missing element with a value that leads to higher consistency. It can just follow the rule of consistency and complete the matrix coherently with the available judgments [3]. It also can get the missing element by using experience from a neural network system that already trained with all possible high consistency matrixes [4]. It also can adopt an algorithm that initially used to improve inconsistency, such as linearization method [5]. However, the well-known approach called the connecting path method (CPM) guarantees a minimal geometric consistency index in estimating missing judgment [6]. The uncomplete judgment problem is more straightforward to solve than complete judgment with high inconsistency. Several researchers have done different methods to improve the consistency of pairwise comparison.

In general, those methods are trying to modify as little as possible the problematic matrix element. Those methods include Goal Programming [7], Mathematical model [8], Heuristic method [9], Distance-based inconsistency reduction [10], Particle Swarm optimization [11], Multi-objective Evolutionary computing [12], Linearization [13], Integrated Linear Programming [14], Adapting Hadamard model [15], Abelian Linearly Ordered Group [16], Non-Linear Programming [17], Triad-by-triad inconsistency reduction [18], Geometric framework [19]. All the above method are used after the judges finished their pairwise comparison and is not able to do a review and fix the inconsistent pairwise.

Some other researchers choose to inform the judges about their inconsistent pairwise comparison and then fixing it. Ishizaka and Lusti develop an expert system module that intervening judges right after they finish comparing each pairwise and generating inconsistency. The module explains why inconsistency happens and suggests a consistent alternative [20]. A graphical method called the Gower plot applied to detect ordinal and cardinal inconsistencies. A multiobjective optimization program is proposed to assist the decision-maker in adjusting the preferences [21]. The feedback that informs the consistency ratio can also be given to the judge right after they finish all pairwise comparisons. The judge was suggested with an automatic correction that can be accepted or not. If not accepted, the judge can still also make another adjustment based on the proposed revision [22].

This research will implement inconsistency prevention rather than consistency improvement. The web-based application will provide a direction that leads to consistent pairwise judgment. The application also will give the consistency ratio value as feedback right after the judge completing the pairwise comparison. The second section will explain how the data structure used and how the process worked in the application.

The first web-based application to collect the respondent's judgments [23], which runs about 11 months starting July 2016 with 137 respondents. The respondent came from invited government officials, school officials, researchers, and experts in urban planning. The respondent's judgment was stored in a tabular database. Each data from respondents was stored in a row. Their pairwise selections were stored in different fields in that row. These fields are described in Table 1 below. Each field with initial 'P' (stands for pairwise) in the above table corresponds with a row in the pairwise judgments interface. In each row, 9 options had to be chosen by the respondent. Each option had a different value when stored.

TABLE 1. Fields for storing respondent pairwise judgement

Field name	Description
id	A key field. Storing the unique identity
P01	Store pairwise judgment for Population factor VS Administrative factor
P02	Store pairwise judgment for Population factor VS Transportation factor
P03	Store pairwise judgment for Population factor VS Landuse factor
P04	Store pairwise judgment for Population factor VS Student Flow factor
P05	Store pairwise judgement for Population factor VS Public Preference factor
P06	Store pairwise judgment for Administrative factor VS Transportation factor
P07	Store pairwise judgment for Administrative factor VS Landuse factor
P08	Store pairwise judgment for Administrative factor VS Student Flow factor
P09	Store pairwise judgment for Administrative factor VS Public Preference factor
P10	Store pairwise judgment for Transportation factor VS Landuse factor
P11	Store pairwise judgment for Transportation factor VS Student Flow factor
P12	Store pairwise judgement for Transportation factor VS Public Preference factor
P13	Store pairwise judgment for Landuse factor VS Student Flow factor
P14	Store pairwise judgment for Landuse factor VS Public Preference factor
P15	Store pairwise judgment for Student Flow factor VS Public Preference factor

After the saving process, the AHP calculation is conducted. Figure 1 is a line chart with the X-axis representing the consistency ratio and the Y-axis representing the percent number of the respondent's judgment result, which had corresponded range consistency ratio. There were just 5% of respondents with a consistency ratio from 0 to 0.1, and there were 35% of respondents with the consistency ratio from 0.1 to 0.2. Saaty said that if consistency ration was under 10% (0.1), the inconsistency could be accepted. However, he also noted that the researcher could increase the limit for higher number of pairwise. In this research, we used 20% or 0.2. However, although it rose to 0.2, still only 40% (5%+35%) judgments could be accepted. Therefore, this research decided to conduct another survey with a different method.




FIGURE 1. The consistency ratio statistic of the first AHP application

DIRECTED PAIRWISE JUDGEMENT

The first MCDA application got a lack number of accepted judgments. The second MCDA application added a guide to direct the respondent to get a more consistent result. The form will limit the options in the pairing process. It will only show the options (radio buttons) that did not lead to inconsistency. The options in certain pairwise depended on the other pairwise. For example, pairwise options of B to C relies on the comparison of A to B, and A to C. If A to B had comparison point 1_9 (B was extremely more important than A, see Table 2) and A to C had comparison point 9_1 (A was extremely more important than C), then B to C should have comparison point 9_1 (B was extremely more important than C). The ideal number for keeping the consistency should be 18_1, but it was out of range; therefore, it could not be used. Table 2 shows the comparison point dependent matrix of B to C if A to B and A to C was known.

Some cells in the matrix have two or three pairwise points. For example, the cell of A to B has a comparison point of 9_1, and A to C has a comparison point of 9_1. The perfect consistency comparison point for B to C is 1_1 because both B and C have the same comparison point with A. Here, the cell is not only filled with 1_1 but also with 1_3 and 3_1. The purpose of this addition was to make the user still have choices but not lead to a big inconsistency range. This table describes the relationship between three factors: factor A, factor B, and Factor C. The next step replaced A, B, and C with the real factors. Table 3 shows the real factors and their dependents

Several first appeared pairwise still had full options: P01 to P05. All options (comparison points) of these pairwise were enabled because they had no previous affected pairwise. In P06, there were pairwise that affected the availability of the pairwise comparison points, which Starting referred to table 3 above. In P06, F2 to F3 comparison point depended on P01 (F1 to F2) and P02 (F1 to F3). Pairwise P07, P08, and P09 applied a similar situation. Starting in Pairwise P10, there are two or more conditions of the previous pairwise group that affected options composition. P10 is pairwise of F3 and F4. This pairwise option composition depends on two pairwise groups: F1-F3 F1-F4 and F2-F3 F2-F4. These two group results were joined with the OR operation. For example, if the enable options from F1-F3 and F1-F4 were 9_1 and 7_1 and the enable options from F2-F3 and F2-F4 were 7_1 and 5_1, the combination of these result consisted of 9_1, 7_1, and 5_1. P11 and P12 had a similar characteristic. P13 and P14 had three dependents on pairwise groups, and P15 had four.

The respondents fill the survey by picking the appropriate option that matches their opinion. They could do it in sequence or at random. The composition of the options (enable and disable) in the pairwise was changed regularly during the survey. When the respondent has filled a pairwise, an action to calculate option composition in other pairwise was conducted. This action is described in the Pairwise action matrix in Table 4 below. This matrix shows what work should be performed after the respondent filling the pairwise comparison. For example, in pairwise P12, after respondent judging the pairwise in the P12 (F3-F6), the application checked it to ensure that there had been already a judgment for P10 (F3-F4) then took action to adjust P14 (F4-F6) and if it already had a judgment for P11 (F3-F5), the application would adjust P15 (F5-F6).

TABLE 2. The Comparison point dependent matrix

B-C?		A-B								
		9_1	7_1	5_1	3_1	1_1	1_3	1_5	1_7	1_9
A-C	9_1	1_1, 3_1, 1_3	1_1, 3_1	5_1, 3_1	7_1, 5_1	9_1, 7_1	9_1	9_1	9_1	9_1
	7_1	1_1, 1_3	1_1, 3_1, 1_3	1_1, 3_1	5_1, 3_1	7_1, 5_1	9_1, 7_1	9_1	9_1	9_1
	5_1	1_5, 1_3	1_1, 1_3	1_1, 3_1, 1_3	1_1, 3_1	5_1, 3_1	7_1, 5_1	9_1, 7_1	9_1	9_1
	3_1	1_7, 1_5	1_5, 1_3	1_1, 1_3	1_1, 3_1, 1_3	1_1, 3_1	5_1, 3_1	7_1, 5_1	9_1, 7_1	9_1
	1_1	1_9, 1_7	1_7, 1_5	1_5, 1_3	1_1, 1_3	1_1, 3_1, 1_3	1_1, 1_3	5_1, 3_1	7_1, 5_1	9_1, 7_1
	1_3	1_9	1_9, 1_7	1_7, 1_5	1_5, 1_3	1_1, 3_1	1_1, 3_1	1_1, 1_3	5_1, 3_1	7_1, 5_1
	1_5	1_9	1_9	1_9, 1_7	1_7, 1_5	1_5, 1_3	1_1, 3_1	1_1, 3_1	1_1, 1_3	5_1, 3_1
	1_7	1_9	1_9	1_9	1_9, 1_7	1_7, 1_5	1_5, 1_3	1_1, 3_1	1_1, 1_3	1_1, 1_3
	1_9	1_9	1_9	1_9	1_9	1_9, 1_7	1_7, 1_5	1_5, 1_3	1_1, 3_1	1_1, 1_3

TABLE 3. Pairwise dependent matrix

Pairwise	1 st Depend on	2 nd Depend on	3 rd Depend on	4 th Depend on 4
F1-F2 (P01)				
F1-F3 (P02)				
F1-F4 (P03)				
F1-F5 (P04)				
F1-F6 (P05)				
F2-F3 (P06)	A=F1, B=F2, C=F3 (P01, P02)			
F2-F4 (P07)	A=F1, B=F2, C=F4 (P01, P03)			
F2-F5 (P08)	A=F1, B=F2, C=F5 (P01, P04)			
F2-F6 (P09)	A=F1, B=F2, C=F6 (P01, P05)			
F3-F4 (P10)	A=F1, B=F3, C=F4 (P02,P03)	A=F2, B=F3, C=F4 (P06, P07)		
F3-F5 (P11)	A=F1, B=F3, C=F5 (P02,P04)	A=F2, B=F3, C=F5 (P06, P08)		
F3-F6 (P12)	A=F1, B=F3, C=F6 (P02,P05)	A=F2, B=F3, C=F6 (P06, P09)		
F4-F5 (P13)	A=F1, B=F4, C=F5 (P03,P04)	A=F2, B=F4, C=F5 (P07,P08)	A=F3, B=F4, C=F5 (P10, P11)	
F4-F6 (P14)	A=F1, B=F4, C=F6 (P03,P05)	A=F2, B=F4, C=F6 (P07,P09)	A=F3, B=F4, C=F6 (P10, P12)	
F5-F6 (P15)	A=F1, B=F5, C=F6 (P04,P05)	A=F2, B=F5, C=F6 (P08,P09)	A=F3, B=F5, C=F6 (P11,P12)	A=F4, B=F5, C=F6 (P13, P14)

TABLE 4. Pairwise Action matrix

Pairwise	Action1	action2	action3	action4
P01	if(P02) adjust(P06)	if(P03) adjust(P07)	if(P04) adjust(P08)	if(P05) adjust(P09)
P02	if(P01) adjust(P06)	if(P03) adjust(P10)	if(P04) adjust(P11)	if(P05) adjust(P12)
P03	if(P01) adjust(P07)	if(P02) adjust(P10)	if(P04) adjust(P13)	if(P05) adjust(P14)
P04	if(P01) adjust(P08)	if(P02) adjust(P11)	if(P03) adjust(P13)	if(P05) adjust(P15)
P05	if(P01) adjust(P09)	if(P02) adjust(P12)	if(P03) adjust(P14)	if(P04) adjust(P15)
P06	if(P07) adjust(P10)	if(P08) adjust(P11)	if(P09) adjust(P12)	
P07	if(P06) adjust(P10)	if(P08) adjust(P13)	if(P09) adjust(P14)	
P08	if(P06) adjust(P11)	if(P07) adjust(P13)	if(P09) adjust(P15)	
P09	if(P06) adjust(P12)	if(P07) adjust(P14)	if(P08) adjust(P15)	
P10	if(P11) adjust(P13)	if(P12) adjust(P14)		
P11	if(P10) adjust(P13)	if(P12) adjust(P15)		
P12	if(P10) adjust(P14)	if(P11) adjust(P15)		
P13	if(P14) adjust(P15)			
P14	if(P13) adjust(P15)			

The second MCDA Application was running for about nine months, starting in October 2017, and collected 147 respondent judgments. The invited respondents from the old MCDA application were re-asked for using the second application and added with other invited respondents. The result was calculated in a similar way as the first one. This result still sometimes generated some inconsistency in the ratio, but the number of inconsistency judgments was lower. It got 65 judgments with consistency ratio 0.1 29 judgments with consistency ratio 0.2, and just 6 judgments with consistency ratio 0.3. If the consistency ratio is 0.2, it got 94% accepted judgments. The number is more than twice the result of the first AHP application. Figure 2 shows the comparison of the respondent consistency ratio between the first and the second application.




FIGURE 2. Comparison of Respondent Consistency ratio between the first application (without direction) and the second application (with direction)

CALCULATING THE COMPLETION TIME

The first and the second AHP application were not forcing the judges to get the consistent pairwise comparison. The research which focuses on the AHP application continued to test the reliability of the directed pairwise judgment method. After it brought a significant number than the undirected pairwise judgment, the writer wants to know is it also shortens the comparison time if the judgment is required to be consistent. The second AHP application then updated with feature:

- A choice for the respondent to use the pairwise comparison page with direction or without direction. If the respondent chooses with direction, a method in the previous chapter will be adapted, else the comparison page will act as the first AHP application, and therefore all radio buttons are available.
- After the user completes all pairwise comparison, the application will calculate the consistency ratio
- Users will get a notice of whether the comparison is consistent or not. If not consistent, they will be asked to review the comparison until it was consistent.
- There is a timekeeper that starts when the user opens the pairwise comparison page and stops when the comparison is consistent ($CR < 0.2$). When it happens, the pairwise comparison value is stored in the database.

Another survey was conducted. Start from November 2018 until October 2019, and it got 97 respondents choose not using the direction and 121 respondents using the direction. The application records how much time is needed for the respondent to end the comparison with accepted consistency. Figure 3 shows the time-consumption comparison between pairwise comparison with direction and pairwise comparison without the direction. The fastest time recorded in the pairwise comparison with the direction is about 40 seconds, and the slowest one is 75 seconds. The fastest time recorded in the pairwise comparison without the direction is about 55 seconds, and the slowest one is 120 seconds. Respondent in the pairwise comparison with the direction most often was completing the judgment about 60 seconds and in the pairwise comparison without the direction were 80 seconds. The average time for the pairwise comparison with the direction was 56 seconds and without direction were 81 seconds.




FIGURE 3. Time-consumption comparison chart between the pairwise comparison with direction and the pairwise comparison without direction

CONCLUSION

This paper is a part of the main research with title A GIS-based Multi-Criteria Decision Analysis and Public Participatory Approach for Public Schools Site Selection and focused on the AHP pairwise judgment phase. This research encounters a 'wasting time' when almost a year collecting opinions got a unexpected result. The inconsistent pairwise comparison proportion was two times the consistent one. It happened because the researcher has no experience with managing AHP pairwise judgment before. Not all judges would care about consistency, especially if we didn't tell beforehand.

There are two kinds of processes that can resolve the inconsistency of pairwise comparison. The first is fixing the result by modifying the pairwise judgment to reduce inconsistency. The second is to recall the judges to fix their comparison. This research chooses the second one. The AHP application built with a new approach called 'directed pairwise judgment.' This application dynamically calculated the available options in the pairwise based on the previous pairwise judgments. This approach prevented the respondent from comparing the next pairwise with inconsistent value. The result of this second MCDA got a much higher number of respondent's judgment with an accepted consistency ratio than did the first one. The application was then updated with feedback and force the respondent for making the comparison until it got a particular consistency ratio. The algorithm in the second AHP application has also proven to provide a faster time for the user to get this specific consistency ratio. It can be concluded that the use of directed pairwise judgment approach and consistency ratio feedback generate consistent pairwise comparison with less time needed by the respondent.

REFERENCES

1. Prasetyo, D.H., Mohamad, J. and Fauzi, R., 2018. A GIS-based multi-criteria decision analysis approach for public school site selection in Surabaya, Indonesia. *Geomatica*, 72(3), pp.69-84.
2. Saaty, T.L., 1988. What is the analytic hierarchy process?. In *Mathematical models for decision support* (pp. 109-121). Springer, Berlin, Heidelberg.
3. Fedrizzi, M. and Giove, S., 2007. Incomplete pairwise comparison and consistency optimization. *European journal of operational research*, 183(1), pp.303-313.
4. Gomez-Ruiz, J.A., Karanik, M. and Peláez, J.I., 2010. Estimation of missing judgments in AHP pairwise matrices using a neural network-based model. *Applied Mathematics and Computation*, 216(10), pp.2959-2975
5. Benítez, J., Delgado-Galván, X., Izquierdo, J. and Pérez-García, R., 2015. Consistent completion of incomplete judgments in decision making using AHP. *Journal of Computational and Applied Mathematics*, 290, pp.412-422
6. Chen, K., Kou, G., Tarn, J.M. and Song, Y., 2015. Bridging the gap between missing and inconsistent values in eliciting preference from pairwise comparison matrices. *Annals of operations research*, 235(1), pp.155-175.
7. González-Pachón, J. and Romero, C., 2004. A method for dealing with inconsistencies in pairwise comparisons. *European Journal of Operational Research*, 158(2), pp.351-361.
8. Ghazanfari, M. and Nojavan, M., 2004. Educing inconsistency in fuzzy AHP by mathematical programming models. *Asia-Pacific Journal of Operational Research*, 21(03), pp.379-391.
9. Cao, D., Leung, L.C. and Law, J.S., 2008. Modifying inconsistent comparison matrix in analytic hierarchy process: A heuristic approach. *Decision Support Systems*, 44(4), pp.944-953.
10. Koczkodaj, W.W. and Szarek, S.J., 2010. On distance-based inconsistency reduction algorithms for pairwise comparisons. *Logic Journal of the IGPL*, 18(6), pp.859-869.
11. Yang, I.T., Wang, W.C. and Yang, T.I., 2012. Automatic repair of inconsistent pairwise weighting matrices in analytic hierarchy process. *Automation in Construction*, 22, pp.290-297.
12. Abel, E., Mikhailov, L. and Keane, J., 2013, October. Reducing inconsistency in pairwise comparisons using multi-objective evolutionary computing. In *2013 IEEE International Conference on Systems, Man, and Cybernetics* (pp. 80-85). IEEE.
13. Benítez, J., Izquierdo, J., Pérez-García, R. and Ramos-Martínez, E., 2014. A simple formula to find the closest consistent matrix to a reciprocal matrix. *Applied Mathematical Modelling*, 38(15-16), pp.3968-3974.
14. Zhang, H., Sekhari, A., Ouzrout, Y. and Bouras, A., 2014. Optimal inconsistency repairing of pairwise comparison matrices using integrated linear programming and eigenvector methods. *Mathematical Problems in Engineering*, 2014
15. Kou, G., Ergu, D. and Shang, J., 2014. Enhancing data consistency in decision matrix: Adapting Hadamard model to mitigate judgment contradiction. *European Journal of Operational Research*, 236(1), pp.261-271.

16. Xia, M. and Chen, J., 2015. Consistency and consensus improving methods for pairwise comparison matrices based on Abelian linearly ordered group. *Fuzzy Sets and Systems*, 266, pp.1-32.
17. Pereira, V. and Costa, H.G., 2015. Nonlinear programming applied to the reduction of inconsistency in the AHP method. *Annals of Operations Research*, 229(1), pp.635-655.
18. Koczkodaj, W. and Szybowski, J., 2016. The limit of inconsistency reduction in pairwise comparisons. *International Journal of Applied Mathematics and Computer Science*, 26(3), pp.721-729.
19. Koczkodaj, W.W. and Magnot, J.P., 2016. A geometric framework for the inconsistency in pairwise comparisons. arXiv preprint arXiv:1601.01301.
20. Ishizaka, A. and Lusti, M., 2004. An expert module to improve the consistency of AHP matrices. *International Transactions in Operational Research*, 11(1), pp.97-105.
21. Ergu, D., Kou, G., Peng, Y. and Shi, Y., 2011. A simple method to improve the consistency ratio of the pairwise comparison matrix in ANP. *European Journal of Operational Research*, 213(1), pp.246-259.
22. Jarek, S., 2016. Removing inconsistency in pairwise comparisons matrix in the AHP. *Multiple Criteria Decision Making*, 11, pp.63-76.
23. Hary Prasetyo, D., Muhamad, J. and Fauzi, R., 2016, June. Development of online Spatial Multi-Criteria Decision Analyst application: Case study on determining area suitability for school location in Surabaya, Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 37, No. 1, p. 012051). IOP Publishing.

ISSN 2686-5955



INTERNATIONAL CONFERENCE ON INFORMATICS,
TECHNOLOGY, AND ENGINEERING

25-26 AUGUST 2021

PROCEEDINGS

Leveraging Smart Engineering

All papers are published in:

AIP Publishing

ISBN: 978-0-7354-4180-4

Volume number: 2470

EDITORS:

Prof. Joniarto Parung, Ph.D.

Assoc. Prof. Nemuel Daniel Pah, Ph.D.

Assoc. Prof. Putu Doddy Sutrisna, S.T., M.Sc., Ph.D.

Asst. Prof. Marcellinus Ferdinand Suciadi, S.T., M.Comp.

PUBLISHER:

LPPM UNIVERSITAS SURABAYA

Faculty of Engineering
Universitas Surabaya



PROCEEDINGS

Leveraging Smart Engineering



InCITE Secretariat
Faculty of Engineering
Universitas Surabaya
Jl. Raya Kalirungkut
Surabaya 60293
INDONESIA

Phone +62 31 298 1150
Fax. +62 31 298 1151

incite@unit.ubaya.ac.id
incite.ubaya.ac.id

EDITORS:

Prof. Joniarto Parung, Ph.D.

Assoc. Prof. Nemuel Daniel Pah, Ph.D.

Assoc. Prof. Putu Doddy Sutrisna, S.T., M.Sc., Ph.D.

Asst. Prof. Marcellinus Ferdinand Suciadi, S.T., M.Comp.

PUBLISHER:

LPPM UNIVERSITAS SURABAYA

ISSN



9 772888 595002



Faculty of Engineering
Universitas Surabaya

InCITE
2019

PROCEEDING BOOK OF INTERNATIONAL CONFERENCE
ON INFORMATICS, TECHNOLOGY AND ENGINEERING 2021

Leveraging
Smart Engineering



**INTERNATIONAL CONFERENCE ON INFORMATICS,
TECHNOLOGY, AND ENGINEERING**

25-26 AUGUST 2021

PROCEEDINGS

Leveraging Smart Engineering

All papers are published in:

AIP | Publishing

ISBN: 978-0-7354-4180-4

Volume number: 2470

EDITORS:

Prof. Joniarto Parung, Ph.D.

Assoc. Prof. Nemuel Daniel Pah, Ph.D.

Assoc. Prof. Putu Doddy Sutrisna, S.T., M.Sc., Ph.D.

Asst. Prof. Marcellinus Ferdinand Suciadi, S.T., M.Comp.

PUBLISHER:

LPPM UNIVERSITAS SURABAYA

Preface

WELCOME FROM InCITE 2021 STEERING COMMITTEE

It is a great pleasure to welcome all of you to the 3rd Bi-Annual International Conference on Informatics, Technology, and Engineering 2021 (InCITE 2021) held by the Faculty of Engineering, University of Surabaya (UBAYA). The first and second InCITE have been successfully held in Bali, Indonesia in 2017 and 2019. Hence, now we are delighted to host the third InCITE through online media due to the Covid-19 pandemic situation.

There are 37 papers have been selected to be presented in InCITE 2021. The papers were written by experts not only from Indonesia, but also from different parts of the world. The main theme of this conference is Leveraging Smart Engineering in response to the current and future Industrial Revolution 4.0 that should be handled by every country in the world. We hope through this conference, all participants will be able to know each other and interact to develop future collaboration.

We would like to express our sincere gratitude to the Keynote speakers, International Scientific Committee, Steering Committee, and Organizing Committee for their huge efforts to make this conference successful.

Thank you all for your support and attendance at InCITE 2021. Please enjoy the conference!

Asst. Putu Doddy Sutrisna, Ph.D.
Chair, InCITE 2021 Steering Committee

Preface

WELCOME FROM InCITE 2021 ORGANIZING COMMITTEE

Welcome to InCITE 2021! The third bi-annual international conference on engineering domain conducted by the Faculty of Engineering, The University of Surabaya (UBAYA). Due to the COVID-19 pandemic, InCITE 2021 is held as an online conference. Online conference opens the opportunity for many researchers around the globe to share their findings and learn from other global researchers with less restrictions.

InCITE 2021 invites three keynote speakers, well reputable global researchers in their research domain from Australia and Taiwan. Following each keynote session are two presentation sessions run in parallel.

This year, we received 66 papers submitted by researchers from four distinct countries (i.e., first author's country of origin): Indonesia, Australia, Taiwan, and Kazakhstan.

We employed a double-blind review to ensure a high standard and a minimum level of bias in the reviewing processes. This resulted in 56% of the submissions were accepted and will be published to the AIP Conference Proceedings.

Authors of all accepted papers are to disseminate their findings during InCITE 2021 conference between 25 to 26 of August 2021. This presents a great opportunity for everyone, including the researchers, to discuss and further improve current achievements.

We thank all keynote speakers, presenters, and reviewers/scientific committees for the generous supports. We thank the University of Surabaya, the Faculty of Engineering UBAYA, and all InCITE 2021 committees that enable InCITE 2021.

We wish you a very pleasant and rich conference experience in InCITE 2021 and looking forward to seeing you again on InCITE 2023! Thank you.

Yours sincerely,
Asst. Prof. Dr. Jimmy
Chair, InCITE 2021 Organizing Committee

Conference Organizer

The InCITE 2021 Organizing Committee would like to thank the following names who have served as the:

STEERING COMMITTEE

Chair:	Asst. Prof. Putu Doddy Sutrisna, S.T., M.Sc., Ph.D.
Honorary	Prof. Ir. Joniarto Parung, M.M.B.A.T., Ph.D.
Members:	Prof. Ir. Lieke Riadi, Ph.D.
Members:	Assoc. Prof. Ir. Eric Wibisono, Ph.D., IPU
	Prof. Ir. Markus Hartono, S.T., M.Sc., Ph.D.
	Assoc. Prof. Djuwari, S.T., Ph.D.
	Assoc. Prof. Dr. Dra. Amelia Santoso, M.T.
	Asst. Prof. Nemuel Daniel Pah, S.T., M.Eng., Ph.D.
	Assoc. Prof. Dr. Emma Savitri, S.T., M.Sc.
	Assoc. Prof. Elieser Tarigan, S.Si., M.Eng., Ph.D.
	Assoc. Prof. Jaya Suteja, S.T., M.Sc., Ph.D.
	Assoc. Prof. Ir. Hudiyo Firmanto, M.Sc., Ph.D.
	Prof. Restu Kartiko Widi, S.Si., M.Si., Ph.D.
	Assoc. Prof. Dr. Joko Siswantoro, S.Si., M.Si.
	Assoc. Prof. Dr. Indri Hapsari, S.T., M.T.
	Asst. Prof. Susilo Wibowo, S.T., M.Eng.
	Asst. Prof. Arum Soesanti, S.T., M.T.

ORGANIZING COMMITTEE

Chair:	Asst. Prof. Dr. Jimmy, S.T., M.I.S.
Vice Chair:	Asst. Prof. Yuwono Budi Pratiknyo, S.T., M.T.
Secretariat:	Ms. Liliana, S.T., M.MSI.
	Mr. Marcellinus Ferdinand Suciadi, S.T., M.Comp.
Treasurer:	Ms. Rafina Destiarti Ainul, S.ST., MT.
Program:	Ms. Maya Hilda Lestari Louk, S.T., M.Sc.
	Mr. Herman Susanto, S.T., M.Sc.
Website:	Mr. Daniel Soesanto, S.T., M.M.
	Mr. Felix Handani, S.Kom., M.Kom.
Design:	Ms. Tryza Adelia, S.Sn., M.Inf.Tech.

REVIEWERS

Prof. Benny Tjahjono, Ph.D. (Coventry University, Coventry, England)

Prof. Dr. Anton Satria Prabuwo (King Abdulaziz University, Jeddah, Saudi Arabia)

Prof. Dr. Ing. Ir. I Made Londen Batan M.Eng. (Institut Teknologi Sepuluh Nopember (ITS), Surabaya, Indonesia)

Prof. Dr. Ir. Joko Lianto Buliali (Institut Teknologi Sepuluh Nopember (ITS), Surabaya, Indonesia)

Prof. Dr. Ir. Judy Retti B. Witono, M.App.Sc. (Universitas Katolik Parahyangan, Bandung, Indonesia)

Prof. Dr. Ir. Wahyudi Sutopo, S.T., M.Si. P.Eng. (Universitas Sebelas Maret, Solo, Indonesia)

Prof. Ir. Arif Djunaidy, M.Sc., Ph.D. (Institut Teknologi Sepuluh Nopember (ITS), Surabaya, Indonesia)

Prof. Ir. Djoko Budiyanto, M.Eng., Ph.D. (Universitas Atma Jaya, Yogyakarta, Indonesia)

Prof. Ir. Joniarto Parung, M.M.B.A.T., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Prof. Ir. Lieke Riadi, Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Prof. Itthisek Nilkhamhang, Ph.D. (Sirindhorn International Institute of Technology, Pathum Thani, Thailand)

Prof. Dr. Pavel Albores (MIET, FHEA) (Aston University, Birmingham, England)

Assoc. Prof. Bertha Maya Sopha, S.T., M.Sc., Ph.D. (Universitas Gadjah Mada (UGM), Yogyakarta, Indonesia)

Assoc. Prof. Dina Natalia Prayogo, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr-Ing. Amalia Suzianti, S.T., M.Sc. (Universitas Indonesia (UI), Jakarta, Indonesia)

Assoc. Prof. Dr. A. F. M. Saifuddin Saif (American International University, Bangladesh)

Assoc. Prof. Dr. Andi Cakravastia Arisaputra Raja, S.T., M.T. (Institut Teknologi Bandung (ITB), Bandung, Indonesia)

Assoc. Prof. Dr. Benjawan Srisura (Assumption University of Thailand, Bangkok, Thailand)

Assoc. Prof. Dr. Diana Purwitasari, S.Kom., M.Sc. (Institut Teknologi Sepuluh Nopember (ITS), Surabaya)

Assoc. Prof. Dr. Dra. Amelia Santoso, M.T. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr. Dra. Ir. Evy Herowati, M.T. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr. Emma Savitri, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr. Ir. Anas Ma'ruf, M.T. (Institut Teknologi Bandung (ITB), Bandung, Indonesia)

Assoc. Prof. Dr. Ir. Puguh Setyoprato, M.T. (Universitas Surabaya, Surabaya, Indonesia)

REVIEWERS

Assoc. Prof. Dr. Joko Siswantoro, S.Si., M.Si. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr. Ludovic F. Dumeé (Khalifa University, Uni Arab Emirates (UAE))

Assoc. Prof. Dr. Mohd Sanusi Azmi (Universiti Teknikal Malaysia Melaka, Melaka)

Assoc. Prof. Dr. Ridi Ferdiana, S.T., M.T. (Universitas Gadjah Mada (UGM), Yogyakarta, Indonesia)

Assoc. Prof. Dr. Rosita Meitha Surjani, S.T., M.T. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Dr.Eng. Wahyudiono (Nagoya University, Nagoya, Japan)

Assoc. Prof. Elieser Tarigan, S.Si., M.Eng., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Ir. Eric Wibisono, Ph.D., IPU. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Ir. Hanung Adi Nugroho, Ph.D. (MIEEE, MACM) (Universitas Gadjah Mada (UGM), Yogyakarta, Indonesia)

Assoc. Prof. Ir. Markus Hartono, S.T., M.Sc., Ph.D.,CHFP.,IPM.,ASEAN Eng. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Restu Kartiko Widi, S.Si., M.Si., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Assoc. Prof. Satvasheel Powar, Ph.D. (Dalarna University, Sweden)

Assoc. Prof. Tan Kay Chuan, Ph.D. (National University of Singapore (NUS), Singapore)

Assoc. Prof. Teguh Bharata Adji, S.T., M.T., M.Eng., Ph.D. (Universitas Gadjah Mada (UGM), Yogyakarta, Indonesia)

Assoc. Prof. Timotius Pasang, Ph.D. (Oregon Institute of Technology, USA)

Alexander Yohan, S.Kom., M.I.M., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Djuwari, S.T., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Awang Hendrianto Pratomo (UPN "Veteran" Yogyakarta, Indonesia)

Dr. Delta Ardy Prima, S.ST., M.T. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Drs. Muhammad Rosiawan, M.T. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Fredy Purnomo, S.Kom, M.Kom. (Universitas Bina Nusantara, Jakarta, Indonesia)

Dr. Hazrul Iswadi, S.Si., M.Si. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Hendri Himawan Triharminto (Akademi Angkatan Udara, Yogyakarta, Indonesia)

Dr. Indri Hapsari, S.T., M.T. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Ir. Susila Candra, M.T. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Jimmy, S.T., M.I.S. (Universitas Surabaya, Surabaya, Indonesia)

Dr. Khoiruddin, S.T., M.T. (Institut Teknologi Bandung (ITB), Bandung, Indonesia)

REVIEWERS

Dr.rer.nat. Lanny Sapei, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)
Dr. Mohamad Rezi bin Abdul Hamid (University Putra Malaysia, Seri Kembangan, Malaysia)
Dr. Naniek Utami Handayani, S.Si., M.T. (Universitas Diponegoro, Semarang, Indonesia)
Dr. Yenny Sari, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)
Firman Kurniawansyah, S.T., M.Eng.Sc., Ph.D. (Institut Teknologi Sepuluh Nopember (ITS), Surabaya)
Nemuel Daniel Pah, S.T., M.Eng., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)
Ratna Surya Alwi, S.T., M.Si. Ph.D. (Universitas Fajar, Makassar, Indonesia)
The, Jaya Suteja, S.T., M.Sc., Ph.D. (Universitas Surabaya, Surabaya, Indonesia)
Argo Hadi Kusumo, S.T., M.B.A. (Universitas Surabaya, Surabaya, Indonesia)
Drs. Heru Arwoko, M.T. (Universitas Surabaya, Surabaya, Indonesia)
Hendi Wicaksono Agung Darminto, S.T., M.T. (Universitas Surabaya, Surabaya, Indonesia)
I Made Ronyastra, S.T., M.T. (Universitas Surabaya, Surabaya, Indonesia)
Liliana, S.T., M.MSI. (Universitas Surabaya, Surabaya, Indonesia)
Maya Hilda Lestari Louk, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)
Mohammad Farid Naufal, S.Kom., M.Kom. (Universitas Surabaya, Surabaya, Indonesia)
Monica Widiasri, S.Kom., M.Kom. (Universitas Surabaya, Surabaya, Indonesia)
Vincentius Riandaru Prasetyo, S.Kom., M.Cs. (Universitas Surabaya, Surabaya, Indonesia)
Yuana Elly Agustin, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)
Yunus Fransiscus, S.T., M.Sc. (Universitas Surabaya, Surabaya, Indonesia)

InCITE 2021 ORGANIZING COMMITTEE

FACULTY OF ENGINEERING, UNIVERSITAS SURABAYA
DEAN BUILDING TB 2, RAYA KALIRUNGKUT
SURABAYA 60293, INDONESIA

PHONE: +62-31-2981150, **FAX:** +62-31-2981151

EMAIL: incite@unit.ubaya.ac.id

WEBSITE:

<https://incite.ubaya.ac.id>

<https://teknik.ubaya.ac.id>

TABLE OF CONTENTS

Preface	i
Conference Organizer	iii
Table of Contents	vii

SMART DESIGN AND INNOVATION

How energy efficiency, smart factory, and mass personalization affect companies in Industry 4.0 <i>Yu-Chung Tsao, Felix Arril Simbara Barus, Chien-Wei Ho</i>	A-1
Kansei Engineering and Product-Service Systems (KEPSS) for Customer-centered Experience <i>Markus Hartono</i>	A-10
The Role of Supply Chain Performance to Determine the Firm Performance <i>Yoni Kristiawan, Edi Purwanto, and Rustono Farady Marta</i>	A-15
Real-time Monitoring Design for Make-To-Order Industry <i>Senapati C. Adisasmito, Pradipta Deffinika Pamungkas, and Anas Ma'ruf</i>	A-25
Reducing Production Process Lead Time Using Value Stream Mapping and Kaizen Approaches: A Case Study in the Musical Instrument Industry <i>Indra Setiawan and Hernadewita</i>	A-35
Simple Heuristics for Scheduling Apache Airflow: A Case Study at PT. X <i>Hans Tanto, Indriati N. Bisono, and Hanijanto Soewandi</i>	A-44
Quality Improvement with PDCA Approach and Design of Experiment Method in Single Socks Industry in Indonesia <i>Hibarkah Kurnia, Choesnul Jaqin, and Humiras Hardi Purba</i>	A-54
Integration of Corporate Social Responsibility for Improved Business Performance: Evidence from the Indonesian Manufacturing Industry <i>Esti Dwi Rinawiyanti, Xueli Huang, and Sharif As-Saber</i>	A-65
Community Mobility during Covid-19 Pandemic and Tourism Performance: Data Mining Approach <i>Gunawan</i>	A-76
Inventory System Improvement for Short-lived Item <i>Noverta Brilly Leksana Putra, Indri Hapsari, Dina Natalia Prayogo</i>	A-85
Users' Perception of Digital Prototypes in Indonesian Fashion Industry: A Qualitative Study <i>Christabel Parung and Prayogo Waluyo</i>	A-92

SMART MANUFACTURING AND PROCESSES

- Dynamic Study of Batch Milk Cooling Process at KUD SAE Pujon
Rudy Agustriyanto, Puguh Setyoprato, and Endang Srihari..... B-1
- Recent advances and application of Selective Laser Melting (SLM) in the aerospace industry
Anel Yerubayeva, Essam Shehab, and Md. Hazrat Ali B-8

POWER SYSTEM AND SMART ENERGY MANAGEMENT

- Immobilization of Xylanase on Acid Pretreatment Bentonite as Green Biocatalyst
Lieke Riadi, Ruth Chrisnasari, Joshua Kristanto, Cahaya Caesar Bigravidia, Meyta Sanoe C-1
- Rheological Behavior and Antioxidant Activity of Carrageenan Extracted from Green Seaweed (*Eucheuma cottonii*) Using Alkaline Solution at Low Temperature
Puguh Setyoprato and Lanny Sapei C-9
- Simulation of Impact Azimuth Angle on Specific Energy Output of a Fixed Mounting Rooftop PV System in Jakarta, Indonesia
Elieser Tanigan..... C-18
- Rice Husk Ash for the Stabilization of the Outer Interfacial Layer of W/O/W Double Emulsion
Lanny Sapei, Rudy Agustriyanto, Endang Wahyu Fitriani, Zerravym Levy, and Cindy Sumampouw..... C-25
- The Effects of Material to Solvent Ratio on The Performances of Natural Dyes Extraction
Putu Doddy Sutrisna, Meyta Sanoe, Rifando Gogo Adiyaksa, Kristina Wahyu Agustine, Hadiyatni Rita Priyantini, Prayogo Widyastoto Waluyo, and I Made Ronyastra C-33
- Carbon Based Sulfonated Catalyst as an Environment Friendly Material: A Review
Putu Padmareka Deandra, Herry Santoso, and Judy Retti B. Witono..... C-43
- A Performance Study of Magnetite-Lignin Composites as Photothermal Materials in Solar Steam Generation System
Marta Devega Yuharma, W. Widiyastuti, Ni Made Intan Putri Suari, and Heru Setyawan..... C-54
- Organosolv Lignin from Coir Fibers as Potential Biomaterials for Sunscreen
Diana Novita Sari, Mahardika F. Rois, W. Widiyastuti, and Heru Setyawan..... C-61
- The Effect of Sodium Lauryl Sulfate on Silica Nanofluid Stabilization Using Microbubble Method
Ratri Sekaringsalih, I Made Joni, W. Widiyastuti, and Heru Setyawan C-69
- One-Step Electrochemical Synthesis of Silica-coated Magnetite Nanofluids
Delyana Ratnasari, W. Widiyastuti, and Heru Setyawan C-77
- Textile Waste Purification Using Corona Discharge Method
Rezha Carina Rachmady, Ari Rahman, and Wahyu Kunto Wibowo C-85
- Synthesis and Characterization of Chitosan-Allium Sativum Film
Emma Savitri, Maria Irine Tjahayani, and Anastasia Apriyani Ngene Say C-92

THE ROLE OF IT IN INNOVATION ENHANCEMENT

Hate Speech Content Detection System on Twitter using K-Nearest Neighbor Method <i>Vincentius Riandaru Prasetyo and Anton Hendrik Samudra</i>	D-1
School Finder, Intelligent Recommendation System for Elementary School Selection <i>Susana Limanto, Endah Asmawati, and Yusuf Wira Kencana Putra</i>	D-11
Designing a Recommender System based on the Application of Decision Tree Algorithm in Data Mining with KNIME <i>Yenny Sari, Vincentius Riandaru Prasetyo, and Kevin Liyansah</i>	D-20
Weather Image Classification using Convolutional Neural Network with Transfer Learning <i>Mohammad Farid Naufal and Selvia Ferdiana Kusuma</i>	D-28
Student Performance Prediction in Higher Education: A Comprehensive Review <i>Ellysa Tjandra, Sri Suning Kusumawardani, and Ridi Ferdiana</i>	D-38
Sentiment Analysis on Feedback of Higher Education Teaching Conduct: An Empirical Evaluation of Methods <i>Jimmy and Vincentius Riandaru Prasetyo</i>	D-48
Implementing Directed Pairwise Judgment Approach in Web-Based AHP Survey Application to Reduce Inconsistency Ratio <i>Daniel Hary Prasetyo</i>	D-57
Automatic Leaf Geometric Properties Measurement Based on Camera Parameters <i>Joko Siswanto, Ida Bagus Made Artadana, and Muhammad Z. F. N. Siswanto</i>	D-64
A Design of Secure Supply Chain Management System with Blockchain Technology <i>Alexander Yohan, Nai-Wei Lo, and Kevin Valentino</i>	D-72
Implementation of Behavior Tree for Creating an In-Game Cut-Scene <i>Delta Ardy Prima</i>	D-82
The Online Attendance System Models for Educational Institutions <i>Andre and Marcellinus Ferdinand Suciadi</i>	D-92
Genetic Algorithm with Adaptive Diversification and Intensification for the Vehicle Routing Problem <i>Eric Wibisono, Iris Martin, and Dina Natalia Prayogo</i>	D-102

Smart Design and Innovation

Smart Design and Innovation

TABLE OF CONTENTS

How energy efficiency, smart factory, and mass personalization affect companies in Industry 4.0 <i>Yu-Chung Tsao, Felix Arril Simbara Barus, Chien-Wei Ho</i>	A-1
Kansei Engineering and Product-Service Systems (KEPSS) for Customer-centered Experience <i>Markus Hartono</i>	A-10
The Role of Supply Chain Performance to Determine the Firm Performance <i>Yoni Kristiawan, Edi Purwanto, and Rustono Farady Marta</i>	A-15
Real-time Monitoring Design for Make-To-Order Industry <i>Senapati C. Adisasmito, Pradipta Deffinika Pamungkas, and Anas Ma'ruf</i>	A-25
Reducing Production Process Lead Time Using Value Stream Mapping and Kaizen Approaches: A Case Study in the Musical Instrument Industry <i>Indra Setiawan and Hernadewita</i>	A-35
Simple Heuristics for Scheduling Apache Airflow: A Case Study at PT. X <i>Hans Tanto, Indriati N. Bisono, and Hanijanto Soewandi</i>	A-44
Quality Improvement with PDCA Approach and Design of Experiment Method in Single Socks Industry in Indonesia <i>Hibarkah Kurnia, Choesnul Jaqin, and Humiras Hardi Purba</i>	A-54
Integration of Corporate Social Responsibility for Improved Business Performance: Evidence from the Indonesian Manufacturing Industry <i>Esti Dwi Rinawiyanti, Xueli Huang, and Sharif As-Saber</i>	A-65
Community Mobility during Covid-19 Pandemic and Tourism Performance: Data Mining Approach <i>Gunawan</i>	A-76
Inventory System Improvement for Short-lived Item <i>Noverta Brilly Leksana Putra, Indri Hapsari, Dina Natalia Prayogo</i>	A-85
Users' Perception of Digital Prototypes in Indonesian Fashion Industry: A Qualitative Study <i>Christabel Parung and Prayogo Waluyo</i>	A-92