



Journal of Applied Sciences

ISSN 1812-5654

science
alert

ANSI*net*
an open access publisher
<http://ansinet.com>

Reaction Layers of the Diffusion-Bonded Sialon and High-Chromium Steel

Hudiyono Firmanto, Patthi Hussain and Othman Mamat

Department of Mechanical Engineering, Universiti Teknologi PETRONAS, Bandar Seri Iskandar,
31750 Tronoh, Perak, Malaysia

Abstract: This study investigates diffusion bonding of sialon and high-chromium steel. Sialon and 7.5%-Cr steel were directly joined. The process was performed using hot press machine. Good joint was achieved due to the reaction of the sialon and the steel. The elemental inter-diffusion developed reaction layers in the interface of the bonded materials. The layers consisted of a thin and porous layer adjacent to the sialon and a thicker diffusion zone extended into the steel. Precipitates as reaction products of the sialon and the steel were found in the reaction layer in the sialon side. The reaction layers were more ductile than the bonded materials and helped to attain the joint.

Key words: Diffusion bonding, high-chromium steel, sialon, reaction layers

INTRODUCTION

Sialon is an engineering ceramic that is made of silicon nitride and aluminium oxide. It has a combination of silicon nitride (high strength, hardness, fracture toughness and low thermal expansion) and aluminium oxide (corrosion resistance, chemically inert, high-temperature capabilities and oxidation resistance) properties. With its remarkable properties, sialon is now utilized to many industries, ranging from manufacturing, chemical and also oil and gas industries.

In industrial applications, combining ceramic with metal is frequently necessary. However, due to the difficulties in joining it with metal, sialon is often used only for components which do not need to be joined with metal (e.g. extrusion dies, cutting tip, mechanical seal, sand blast nozzle). Therefore, the ability to join with metal will expand its utilization.

Many techniques have been applied in joining metal and ceramic (e.g. brazing, diffusion bonding, hybrid joining and ultrasonic bonding). Brazing is commonly carried out by using liquid metal to join ceramic and metal. In many cases, metallic interlayer is utilized. Diffusion bonding is another method of joining ceramic to metal; it is conducted by applying pressure to maintain intimate contact between the joined surfaces while heating the joined materials.

Joining ceramic with metal by diffusion bonding process is rather difficult. This is mainly due to the different coefficient of thermal expansion of the materials. Crack sensitivity of the diffusion bonding ceramic with metal has been observed (Hussain and Isnin, 2001;

Abed *et al.*, 2001; Oliveira *et al.*, 2000). The crack occurred at the cooling stage during the diffusion bonding process. In joining sialon and ferritic stainless steel, nitriding of the steel prior to bonding (Hussain and Isnin, 2001) was attempted to reduce its thermal expansion coefficient.

At the diffusion temperature, sialon is decomposed. Due to this process, nitrogen in the sialon side closed to the joint is given off (Hussain and Isnin, 2001; Abed *et al.*, 2001; Stoop and Ouden, 1993; Stoop and Ouden, 1995; Polanco *et al.*, 2004; Hussain and Mamat, 2008; Ruiz *et al.*, 2006). Besides nitrogen, other liberated elements diffuse into the steel. Steel's elements may also diffuse into the sialon. Thus, inter-diffusion of elements takes place during the diffusion bonding. This may produce reaction layers in the interface of the joint. Several new phases may be formed in the layers.

Good joint was obtained in joining of silicon nitride to stainless steel (Stoop and Ouden, 1993; Stoop and Ouden, 1995; Polanco *et al.*, 2004). Optimum temperature and time to produce good result of joining were obtained. Joining sialon with austenitic stainless steel, however, did not give the expected result. Crack in the ceramic side was found (Hussain and Isnin, 2001; Abed *et al.*, 2001).

A good joint was found in joining sialon to ferritic stainless steel (Hussain and Isnin, 2001). With this type of steel, the sialon was successfully bonded. In this joining, a ductile reaction layer was formed. It was then presumed that the layer greatly accommodated residual stress and led to good bonding. However, besides the ductile diffusion layer, a harder-thin-porous layer was also formed in the interface.

Reactivity of sialon with iron alloy was identified when the materials were in contact at high temperature (Kalin *et al.*, 2000; Vleugels *et al.*, 1996; Oliveira *et al.*, 2000). Since the work did not intend to obtain the bonding, low pressure was employed. Hence, it seemed that with sufficient pressure for diffusion bonding, sialon could be joined with steel. This work studied the joining of sialon with high-chromium steel. The joint and the interface of the materials were investigated. Microstructure and elemental diffusion across the joint were examined and analyzed. Mechanical properties of the reaction layers in the joint were estimated from the hardness of the layers.

MATERIALS AND METHODS

Materials: The materials to be joined were sialon and 7.5%-Cr steel. Syalon Int., Ltd., UK, provided the sialon. The material was supplied in discs of 19 mm diameter and 4 mm thickness, while the 7.5%-Cr steel was in the form of 16 mm diameter round bar. Chemical compositions of the sialon and the steel are given in Table 1 and 2, respectively.

Diffusion bonding experiment: The steel was cut into 1.5 mm thickness. Prior to bonding, it was ground and polished with 1 μm diamond polisher. Subsequently the materials were washed with acetone in an ultrasonic cleaner and dried with a hot air dryer. The diffusion bonding was performed using Korea Vac hot press machine.

The materials were arranged in sandwich form with the steel was placed in between two sialon discs. Uniaxial pressure of 20 MPa was applied to the materials while heating them at 1200°C for one h. The pressure was released at the onset of cooling. Heating and cooling were set at 5°C min⁻¹. The diffusion bonding process was carried out under vacuum condition of 2×10⁻⁵ Torr.

Characterization and hardness test of the joint: The joined sample was cross-sectioned using a diamond precision cutter. The microstructure of the layer was analysed using optical and scanning electron microscopes. Prior to the microstructure examination, the sample was ground and polished to 1 μm and etched with Glycerigia reagent.

Table 1: Chemical compositions of sialon (wt %)

Al	O	N	Si
3.57	2.87	1.58	Bal

Table 2: Chemical compositions of chromium steel (wt %)

C	Cr	Mo	Ni	S	Si	Mn	V	Fe
0.006	7.51	0.69	0.87	0.002	0.32	0.64	0.29	Bal

Knoop hardness test with 10 g load (HK 10 g) was performed across the layer to study the hardness. The technique was used to impose a minimum indentation at the cross section of the thin layer.

To study the reaction layer, SEM examination was performed. The elements at the joint section were identified using EDX attached to the SEM.

RESULTS AND DISCUSSION

Microstructure of the joint: Microstructure of the joint cross-section of the sialon and the chromium steel is given in Fig. 1. Cohesive joint can also be observed in the Fig. 1.

Figure 1 shows that reaction layers in the interface of the joint were formed. A thin layer (A-B) in the interface of the steel and the sialon was seen (i.e. interface layer). This layer extended into the sialon. It indicated the reaction between the steel and the sialon. Though little porosities were found at the interface layer, yet no crack was found.

The second layer (B-C) was a thicker layer that grew into the steel (i.e. diffusion layer). The morphology of this zone was obviously different with the interface layer. Beyond this area, the parent metal was dominated with martensitic structure.

In Fig. 2 the presence of white precipitates is apparent. It illustrates a non-uniform thickness of the interface layer. Besides the indication of the reaction between the sialon and the steel, porosity was also found. Previous studies have detected that the porosity was caused by the nitrogen in the molecule form that was trapped in the layer (Abed *et al.*, 2001; Stoop and Ouden, 1993; Stoop and Ouden, 1995). However, the porosities that were found in this study did not impress the crack initiation that potentially caused the crack propagation as it was found in the solid-state joint of ceramic with steel (Hussain and Isnin, 2001; Abed *et al.*, 2001; Kalin *et al.*, 2000). Therefore, the joint was successfully achieved.

The B region (Fig. 1) was the initial contact of the ceramic and metal before joining (Kalin *et al.*, 2000; Vleugels *et al.*, 1996; Oliveira *et al.*, 2000). Hence, the interface layer was part of the ceramic which decomposed during the diffusion bonding; while the diffusion layer (B-C) was part of the steel. It means the joint of the steel and the sialon was actually at the border of the interface and the diffusion layers. This border could be hardly observed. Thus, it revealed that a very-sound joint had been attained.

Morphology of the interface layer was different with the uninfluenced sialon. This was due to the decomposition of the sialon in this area and also the reaction of the sialon with the steel. Considering the same




Fig. 1: Cross section image sialon-7.5%-Cr steel joint




Fig. 2: Scanning electron micrograph of interface layer of sialon and 7.5%-Cr steel joint

contrast of the interface layer matrix and the second layer, a same phase of the interface layer matrix with the second zone in the steel side could be expected.

Microstructure of the as-received chromium steel is ferritic, however this structure transformed to fully martensitic after the diffusion bonding. The influence of nitrogen on the martensite formation in high-chromium steel has been recognized (Hussain and Isnin, 2001; Firmanto *et al.*, 2008; Mitsui and Kurihana, 2007). The diffused nitrogen into the steel also enhanced its hardness. Therefore, the martensite formation at the steel indicated that nitrogen had diffused across the reaction layers into the steel.

Besides the martensite formation, a line of precipitations was also discovered in the border of the diffusion layer with the parent steel (Fig. 3). Previous investigation recognized this as the Cr_2N or CrN (Hussain and Mamat, 2008; Vleugels *et al.*, 1996). In




Fig. 3: Chromium nitride in the border of the diffusion layer

joining sialon and austenitic stainless steel, the nitride was found in the form of nitrogen pearlite (Polanco *et al.*, 2004; Hussain and Mamat, 2008). It was also formed when ferritic stainless steel was solution nitrided (Mitsui and Kurihana, 2007). Thus, in addition to the diffusion of nitrogen into the steel; it also precipitated in the form of chromium nitride.

Inter-diffusion of elements across the joint: EDX analysis results across the joint (Fig. 4) described the inter-diffusion of elements from the sialon to the steel and vice versa. The analysis was started from the distance of 10 μm from the interface layer at the sialon. In the interface layer, the presence of sialon's elements (Si, Al and O) was apparent. The steel's elements (Fe and Cr) were also found. The presence of steel's elements in the interface layer disclosed that the diffusion of steel's elements into the sialon had taken place.

Among the sialon's element, only Si was detected in the steel. It was identified in the diffusion layer. Therefore, the diffusion of sialon's elements into the steel was also occurred. The diffusion of Si reached approximately 60 μm into the steel. The silicon in the steel formed the second reaction layer; i.e. the silicon-diffusion layer. It was stated previously that the same contrast of the interface layer matrix and the diffusion layer might imply the same phase in those two parts.

Due to the diffusion of Si into the steel, the diffusion layer was occupied by the element. The layer also comprised Fe and Cr as it was part of the steel. Considering a small concentration of Si in this mixture, the phase in the diffusion layer most probably is iron solid solution with the dissolved Cr and Si. This also considered that Si and Cr both are ferrite formers, thus the

elements could stabilize the α -Fe solid solution in the diffusion layer.

The discussion on the elemental analysis results revealed that inter-diffusion of elements took place from the sialon to the steel and vice versa. It was also a sign that the sialon had decomposed at the diffusion bonding temperature. The decomposition of the sialon was reported to take place at the temperature of 1033°C (Vleugels *et al.*, 1996). This released silicon and nitrogen that diffused into the steel. In the present study, the silicon diffused into the steel and built the diffusion layer in the steel side. It was presumed that the silicon dissolved in the α -Fe solid solution in the layer.

The presence of nitrogen in the steel side was not detectable by the technique employed in this study. However, the existence of the nitrogen in the steel could be predicted from the formation of chromium nitride in the border of the steel with the diffusion layer (Fig. 3). Martensite phase and its high hardness also indicated that the nitrogen was present in the area. The influence of nitrogen in stimulating the martensite formation in the chromium steel was recognized well in nitriding study of the material (Firmanto *et al.*, 2008; Mitsui and Kurihana, 2007). Thus, the martensite phase in the parent steel divulged that the nitrogen released from the decomposition of the sialon had diffused into the steel.

Figure 4 also illustrates the diffusion of the steel's elements into the reaction layer. Fe and Cr from the steel diffused into the interface layer in the ceramic side. The elements met the sialon's elements in this area and formed the reaction products. Hence, during the diffusion bonding, silicon moved from the ceramic into the steel and formed the α -Fe solid solution in the diffusion layer, while Fe and Cr diffused into the sialon parts and met the sialon's elements to create the reaction products in the interface layer. These might also made a ferrite solid solution in the interface layer matrix.

The interface layer was the reaction pot of the steel's and the sialon's elements. Elemental analysis on this area found all sialon's elements and Fe and Cr from the steel. This led to the reaction of the steel's and the sialon's elements. In Fig. 2, two parts were indicated in the interface layer; namely: the white precipitates which were seen throughout the layer; and the matrix which had the same contrast with the diffusion layer.

EDX analyses on the interface layer were then performed on the precipitates and the matrix. The results of the analyses on the precipitates showed the availability of all sialon's element (Fig. 5). Besides that, Fe and Cr from the steel were also found.

The precipitates could be a complex phase to predict since they contained all sialon's elements as well as the steel's elements. Study on the reactivity of sialon with Fe




Fig. 4: Concentration profile of elements across the joint; S=sialon; F=interface layer; D=diffusion layer; St=parent steel




Fig. 5: EDX spectra of precipitates in the interface layer

identified the precipitates as Al_2O_3 (Vleugels *et al.*, 1996). This conclusion was guided by the high concentration of aluminium and oxygen that was detected at the precipitates. It was then confirmed with Raman spectroscopy. However, in the present study, the content of the aluminium and oxygen in the precipitates was insignificant compared to the other elements. Instead, high concentration of Si and Fe in the precipitates was observed. Thus the presence of iron silicide in the precipitates could be expected rather than the alumina. Further investigation on the phases in the precipitates is still underway.

In the matrix of the layer, the EDX results gave Fe, Cr and Si (Fig. 6). Aluminium was also identified in the spectra, yet its concentration was insignificant (note that the presence of the C in the layer was coming from the




Fig. 6: EDX spectra of the interface layer matrix




Fig. 7: Hardness profile across the joint of sialon and 7.5%-Cr steel

environment during the sample preparations). The main elements that occupied this area were considered same with the elements of the diffusion layer (i.e. Fe, Cr and Si). Furthermore, the contrast of the interface layer matrix showed no difference with the diffusion layer. Therefore, it strongly indicated that the matrix of the interface layer was also α -Fe solid solution.

Hardness profile of the joint section: Hardness test result across the joint section is given in Fig. 7. It shows that the diffusion layer was the part of the joint that had lowest hardness value. In the steel side, this area was significantly-less hard than the parent metal. The martensite phase and the nitrogen that diffused in the steel had enhanced the hardness of the parent steel.

The hardness of the sialon decreased in the reaction front in the sialon side (i.e. interface layer). In this region the ceramic was dissociated. Besides releasing its

elements into the steel, porosities and precipitates were formed as the new species in this part. This situation led to the change of the ceramic's properties. The presence of the porosities and the α -Fe solid solution in the layer had decreased the hardness of the sialon in this part.

Refer to the lower hardness of the layers; it was believed that the reaction layers (i.e. interface and diffusion layers) were more ductile than the bonded materials. Thus the reaction layers performed like a "bridge" between the two hard materials (i.e. sialon and steel). The benefit of the ductility of the layer has been claimed (Hussain and Isnin, 2001). It could absorb the residual stress that was commonly developed during the diffusion bonding process; especially for the materials with different thermal expansion coefficient.

CONCLUSION

The bonding of 7.5%-Cr steel with sialon was successfully achieved. A very-sound joint was attained due to the reaction of the sialon and the steel.

Sialon decomposed and released silicon and nitrogen. Inter-diffusion of elements took place from the sialon to steel and vice versa. Silicon diffused approximately 60 μm into the steel and formed the diffusion layer which consisted of α -Fe solid solution, while nitrogen diffused across the reaction layers and reached the parent steel. In this area, the nitrogen formed chromium nitride and also drove the martensite formation. This enhanced the hardness of the parent steel.

Fe and Cr from the steel diffused into the sialon. The reaction of those elements with the sialon's elements developed a reaction layer in the joint interface. The interface layer contained pores and white precipitates with α -Fe solid solution matrix.

Based on the hardness comparison, the reaction layers were thought to be more ductile than the parent bonded materials. Hence, the layers might be able to absorb the residual stress developed during the diffusion bonding process and contribute the joint.

ACKNOWLEDGMENTS

This study was supported by Universiti Teknologi PETRONAS under the STIRF (Short Term Internal Research Fund) scheme. The authors are thankful for the grant and the facilities provided. Thanks are also due to the International Syalons (Newcastle) Limited, UK, for giving sialon samples (i.e. Syalon 101[®]) for the research; and AMREC, Sirim, Bhd., for allowing to use the hot press machine for the diffusion bonding experiments.

REFERENCES

- Abed, I., P. Hussain, S. Jalham and A. Hendry, 2001. Joining of sialon ceramics by a stainless steel interlayer. *J. Eur. Ceramic Soc.*, 21: 2803-2809.
- Firmanto, H., P. Hussain, A.M. Abdul Rani and O. Mamat, 2008. Microstructure and hardness of 9% ferritic stainless steel nitrided at high temperature. *Proceeding of the 6th International Materials Technology Conference and Exhibition*, Sept. 19-23, Kuala Lumpur, Malaysia.
- Hussain, P. and A. Isnin, 2001. Joining of austenitic stainless steel and ferritic stainless steel to sialon. *J. Mater. Process. Technol.*, 113: 222-227.
- Hussain, P. and O. Mamat, 2008. Inter-diffusion and interreaction of steel-composite-sialon joint. *J. Mech. Eng.*, 5: 73-80.
- Kalin, M., J. Vizintin, J. Vleugels and O. van Der Biest, 2000. Chemical reactivity of silicon nitride with steel and oxidized steel between 500 and 1200°C. *Mater. Sci. Eng. A*, 281: 28-36.
- Mitsui, H. and S. Kurihana, 2007. Solution nitriding treatment of Fe-Cr alloys under pressurized nitrogen gas. *Iron Steel Inst. Jpn.*, 47: 479-485.
- Oliveira, F.J., R.F. Silva and J.M. Vieira, 2000. Chemical interaction silicon nitride ceramics and iron alloys. *Bol. Soc. Esp. Cerám. Vidrio*, 39: 711-715.
- Polanco, R., A. De Pablos, P. Miranzo and M.I. Osendi, 2004. Metal-ceramic interfaces: Joining silicon nitride-stainless steel. *Applied Surface Sci.*, 238: 506-512.
- Ruiz, J.L., J. Patino and A.L. Drew, 2006. Self-Joining of Si₃N₄ using metal interlayers. *Metallurgical Mater. Trans. A*, 37: 69-75.
- Stoop, B.T.J. and G.D. Ouden, 1993. Diffusion bonding of silicon nitride to austenitic stainless steel without interlayer. *Metallurgical Trans. A*, 24: 1835-1843.
- Stoop, B.T.J. and G.D. Ouden, 1995. Diffusion bonding of silicon nitride to austenitic stainless steel with metallic interlayer. *Metallurgical Mater. Trans. A*, 26: 203-208.
- Vleugels, J., L. Vandeperre and O. van Der Biest, 1996. Influence of alloying elements on the chemical reactivity between Si-Al-O-N ceramics and iron-based alloys. *J. Mater. Res.*, 11: 1265-1276.



pISSN: 1812-5654

eISSN: 1812-5662



Journal of Applied Sciences

Publisher: Asian Network for Scientific Information

REGIONAL EDITORS



Mosaad Attia Abdel-Wahhab

National Research Center, Egypt

[More Details](#)



Rajarshi Kumar Gaur

Mody Institute of Technology and Science, India

[More Details](#)



Ramasamy Ponalagusamy

National Institute of Technology, India

[More Details](#)



Azhari Hamid Nour Abduelrahman

University of Gezira, Sudan

[More Details](#)



L. Ammayappan

National Institute of Research on Jute and Allied Fibre Technology, India

[More Details](#)





Alert



University of Oran 1 Ahmed Ben Bella, Algeria

[More Details](#)



Muhammad Sabbir Rahman

International Islamic University Malaysia, Malaysia

[More Details](#)



Gamal A. El-Hiti

King Saud University, Saudi Arabia

[More Details](#)



Matthew Olaleke Aremu

Federal University Wukari, Nigeria

[More Details](#)



Seyed Taghi Akhavan Niaki

Sharif University of Technology, Tehran, Iran

[More Details](#)



Doina Humelnicu

Alexandru Ioan Cuza University, Romania

[More Details](#)

ASSOCIATE EDITORS



Fook Yee Chye

Universiti Malaysia Sabah, Malaysia

[More Details](#)





Alert



Cairo University, Egypt

[More Details](#)



Amjad Daifalla Al-Nasser

Yarmouk University, Jordan

[More Details](#)



Atef El-Taher

Al-Azhar University, Egypt

[More Details](#)



izzet yavuz

Dicle University, Turkey

[More Details](#)



Haytham Mahmoud Mohamad Daradka

Jarash Private University, Jordan

[More Details](#)



Wan Muhamad Amir Bin W Ahmad

Universiti Sains Malaysia, Malaysia

[More Details](#)



Suleyman Korkut

Duzce University, Turkey

[More Details](#)



Sunday Joshua Ojolo

University of Lagos, Nigeria

[More Details](#)





Alert



UNIVERSITI MALAYSIA SABAH, Malaysia

[More Details](#)



M. Siva Ram Kumar

Karpagam University, India

[More Details](#)



Hayder B. Sahib

Al-Nahrain University, Iraq

[More Details](#)



Nagarajan Yogananth

Mohamed Sathak College of Arts and Science, India

[More Details](#)



Ganiyat Kehinde Oloyede

University of Ibadan, Nigeria

[More Details](#)



Nahed Fawzy Abdel -Aziz Abdel-Moneim

National Research Centre, Egypt

[More Details](#)



Prabhu Britto Albert

Vinayaka Missions Kirupananda Variyar, Engineering College, India

[More Details](#)



Khalid Zaki Elwakeel

Port-Said University, Egypt

[More Details](#)





Alert



National Research Center, Egypt

[More Details](#)



Kayode Adebisi Arowora

University of Ibadan, Ibadan, Nigeria

[More Details](#)



Azza Abdel Gawad Tantawy

Ain Shams University, Egypt

[More Details](#)



Mohamed Ahmed EL-Esawi

Tanta University, Egypt

[More Details](#)

TECHNICAL EDITORS



Srinivasan Alavandar

Agni College of Technology, India

[More Details](#)



Medhat Mohamed EL-Moselhy

Jazan University, Saudi Arabia

[More Details](#)



Adeshina Fadeyibi

Kwara State University, Nigeria

[More Details](#)





Alert



Ali Karim Hacı Bayram Veli University, Turkey

[More Details](#)



Rocco Furferi

University of Florence, Italy

[More Details](#)



Amer Nizar Fayeze Abu Ali

Philadelphia University, Jordan

[More Details](#)



Moustafa Mohammed Sabry Bakry

Agricultural Research Center, Egypt

[More Details](#)



Shaker Mohamed Arafat

Agriculture Research Centre, Egypt

[More Details](#)



Jae Jun Lee

Osong medical innovation foundation, South Korea

[More Details](#)



Faten Abdul Rahman Fuad Khorshid

King Abdul-Aziz University, Saudi Arabia

[More Details](#)



Shanmugavadivelu Chandra Mohan

Shanmuga Centre for Medicinal Plants Research, India

[More Details](#)





Alert



Nigeria Police Academy, Nigeria

[More Details](#)



Ragp ADIGÜZEL

Munzur University, Turkey

[More Details](#)



Ferit Gurbuz

Hakkari University, Turkey

[More Details](#)



Jay Prakash Verma

Banaras Hindu University, India

[More Details](#)



Mustafizur Rahman

Universiti Malaysia Pahang, Malaysia

[More Details](#)



Tawatchai Tanee

Maharakham University, Thailand

[More Details](#)



Hussein Kamel Abd El-Maksoud

Cairo University, Egypt

[More Details](#)



Neeraj Kumar Sethiya

The M S University of Baroda, India

[More Details](#)





Alert



Dr. GRD College of Arts and Science, India

[More Details](#)



Mosbeh Rashed Mosbeh Kaloop

Mansoura University, Egypt

[More Details](#)



Sobhy Ahmed Azab El Sohaimy

Mubarak City for Science and Technology Applications, Egypt

[More Details](#)



Harish Garg

Thapar University, India

[More Details](#)



Nermin Berik

Canakkale Onsekiz Mart University, Turkey

[More Details](#)



Yu Li

Wuhan University of Technology, China

[More Details](#)



Mohammad bin Awang

Universiti Malaysia Terengganu, Malaysia

[More Details](#)



Onojake, Mudiaga C.

University of Port Harcourt, Nigeria

[More Details](#)





Alert



UCSI University, Malaysia

[More Details](#)



Hassimi Abu Hasan

Universiti Kebangsaan Malaysia, Malaysia

[More Details](#)



Anouar Ben Mabrouk

Taibah University, Saudi Arabia

[More Details](#)



Omwoyo Wesley Nyaigoti

Vaal University of Technology, South Africa

[More Details](#)



Ammar A. Labib

National Research Center, Egypt

[More Details](#)



Siti Mazlina Mustapa Kamal

Universiti Putra Malaysia, Malaysia

[More Details](#)



Rambabu Busi

C.R. Reddy College of Engineering, India

[More Details](#)



K. Sundar

Pondicherry Central University, India

[More Details](#)





Alert



Dharamdasan University, India

[More Details](#)



Emad Jalal Akawwi

Al-Balqa Applied University, Jordan

[More Details](#)



Saad Abdel-Hamid El-Sayed Hamad

Zagazig University, Egypt

[More Details](#)



Syed Maqbool Geelani

Institute of Advanced Studies in Education, India

[More Details](#)



Khaled M. Elattar

Sert University, Turkey

[More Details](#)



Jie Ma

Tongji University, China

[More Details](#)



Sinem Gokturk

University of Marmara, Turkey

[More Details](#)



Daya Shankar Mishra

Govind Ballabh Pant University of Agriculture and Technology, India

[More Details](#)





Alert



Universiti Putra Malaysia, Malaysia

[More Details](#)



Shaoyong Ke

Hubei Academy of Agricultural Sciences, China

[More Details](#)



Seyed Saeid Rahimian Koloor

Universiti Teknologi Malaysia, Malaysia

[More Details](#)



Surekha P

Amrita School of Engineering, Bangalore, India

[More Details](#)



Davut Ozbag

University of Kahramanmaras Sutcu Imam, Turkey

[More Details](#)



Sayed Ali Mohamed Hassan

National Research Center, Egypt

[More Details](#)



C. Sujatha

SSM Institute of Engineering and Technology, India

[More Details](#)



Dalia Anwar Hamza

Cairo University, Egypt

[More Details](#)





Alert



University Putra, Malaysia

[More Details](#)



Olawale Paul Olatidoye

Federal University of Agriculture Abeokuta, Nigeria

[More Details](#)



Shankar Karuppannan

Adama Science and Technology University, Ethiopia

[More Details](#)



Alvaro Gonzalez Angeles

Universidad Autonoma de Baja California, Mexico

[More Details](#)

USEFUL LINKS

- > [Journals](#)
- > [For Authors](#)
- > [For Referees](#)
- > [For Librarian](#)
- > [For Societies](#)

CONTACT US

Office Number 1128,
Tamani Arts Building,
Business Bay,
Deira, Dubai, UAE

Phone: +971 507 888 742

Email: support@scialert.com

About Science Alert


Science Alert is a technology platform and service provider for scholarly publishers, helping them to publish and distribute their content online. We provide a range of services, including hosting, design, and digital marketing, as well as analytics and other tools to help publishers understand their audience and optimize their content. Science Alert works with a wide variety of publishers, including acad[↑]



Journal of Applied Sciences

Publisher: Asian Network for Scientific Information

Citations



Search

Most Cited

[Heavy Metals in Marine Pollution Perspective–A Mini Review](#)

★ 556 Citations

[Application of ANN and ANFIS Models on Dryland Precipitation Prediction \(Case Study: Yazd in Central Iran\)](#)

★ 475 Citations

[Multi-Objective Differential Evolution Algorithm for Solving Engineering Problems](#)

★ 381 Citations

Indexed In





- [Asian Digital Library](#)
- [Chemical Abstracts](#)
- [Google Scholar](#)
- [JournalsPedia](#)



Volume 11, Number 10, 2011

Study on the Fibre Reinforced Epoxy-based Intumescent Coating Formulations and their Char Characteristics

[N. Amir](#), [F. Ahmad](#) and [P.S.M. Megat-Yusoff](#)

Journal of Applied Sciences Volume 11, Number 10, 1678-1687, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Frequency Shift in Tracking the Damage of Fixed Offshore Structures

[S. Abdul Rahim](#) and [A.J. Hillis](#)

Journal of Applied Sciences Volume 11, Number 10, 1688-1697, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Flame Development Study at Variable Swirl Level Flows in a Stratified CNG DI Combustion Engine using Image





Journal of Applied Sciences Volume 11, Number 10, 1698-1706, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Vibration Analysis of Flexible Gantry Crane System Subjected Swinging Motion of Payload

[E. Yazid](#), [S. Parman](#) and [K. Fuad](#)

Journal of Applied Sciences Volume 11, Number 10, 1707-1715, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Open-Loop Responses of Flexible Gantry Crane System

[Edwar Yazid](#), [Setyamartana Parman](#) and [Khairul Fuad](#)

Journal of Applied Sciences Volume 11, Number 10, 1716-1724, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

The Tube Side Heat Transfer Coefficient for Enhanced Double Tube by Wilson Plot Analysis

[Tiruselvam Ramahlingam](#) and [Vijay R. Raghavan](#)

Journal of Applied Sciences Volume 11, Number 10, 1725-1732, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Analysis of the Temperature Distribution in GT Blade Cooled by Compressed Air

[Hussain H. Al-Kayiem](#) and [Amir H. Ghanizadeh](#)

Journal of Applied Sciences Volume 11, Number 10, 1733-1740, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Analytical Analysis of Roof Top Solar Chimney for Power Generation

[K.V. Sreejaya](#), [Hussain H. Al-Kayiem](#) and [Syed Ihtsham Ul-Haq Gilani](#)

Journal of Applied Sciences Volume 11, Number 10, 1741-1748, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Review of Current Development of Pneumatic Artificial Muscle

[S. Krishna](#), [T. Nagarajan](#) and [A.M.A. Rani](#)

Journal of Applied Sciences Volume 11, Number 10, 1749-1755, 2011





Numerical Analysis of Thermal and Elastic Stresses in Thick Pressure Vessels for Cryogenic Hydrogen Storage Apparatus

[T.M. Badri](#) and [H.H. Al-Kayiem](#)

Journal of Applied Sciences Volume 11, Number 10, 1756-1762, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Effect of Vermiculite Addition on Thermal Characteristic of Water-based Acrylic Fire Retardant Coating Formulation

[Wan Amalina Wan Zaharuddin](#), [Bambang Ariwahjoedi](#) and [Patthi Hussain](#)

Journal of Applied Sciences Volume 11, Number 10, 1763-1769, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Automated Calculations for Improvement of Tank Inventory at Fuel Terminals

[Shaharin A. Sulaiman](#), [Sherrene C. Basil](#), [Nelson S. Dunggatt](#) and [Mohd Hafriz M. Hashim](#)

Journal of Applied Sciences Volume 11, Number 10, 1770-1776, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Transient Cooling Load Characteristic of an Academic Building, using TRNSYS

[Petrus Tri Bhaskoro](#) and [Syed Ihstham Ul Haq Gilani](#)

Journal of Applied Sciences Volume 11, Number 10, 1777-1783, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Machining of Cemented Tungsten Carbide using EDM

[A.T.Z. Mahamat](#), [A.M.A. Rani](#) and [Patthi Husain](#)

Journal of Applied Sciences Volume 11, Number 10, 1784-1790, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

The Operation of Free Piston Linear Generator Engine Using MOSFET and IGBT Drivers

[Abdulwehab A. Ibrahim](#), [A. Rashid A. Aziz](#), [Ezran Zharif B. Zainal Abidin](#) and [Saiful A. Zulkifli](#)

Journal of Applied Sciences Volume 11, Number 10, 1791-1796, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Investigation of Worn Surface Characteristics of Steel Influenced by Jatropha Oil as Lubricant and Eco-friendly





Journal of Applied Sciences Volume 11, Number 10, 1797-1802, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Stress Analysis on Direct Joining of Sialon to AISI 430 Ferritic Stainless Steel

[C.S. Hassan](#), [P. Hussain](#) and [M. Awang](#)

Journal of Applied Sciences Volume 11, Number 10, 1803-1808, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Reaction Layers of the Diffusion-Bonded Sialon and High-Chromium Steel

[Hudiyo Firmanto](#), [Patthi Hussain](#) and [Othman Mamat](#)

Journal of Applied Sciences Volume 11, Number 10, 1809-1814, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Fouling Characteristic and Tendencies of Malaysian Crude Oils Processing

[C.M. Sinnathambi](#), [N.M. Nor](#) and [M.Z. Ahmad](#)

Journal of Applied Sciences Volume 11, Number 10, 1815-1820, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Study Combinations Effects of HAc in H₂S/CO₂ Corrosion

[Y.P. Asmara](#) and [M.C. Ismail](#)

Journal of Applied Sciences Volume 11, Number 10, 1821-1826, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Comparison of HCCL and SI Characteristics on Low Load CNG-DI Combustion

[N. Noraz al-Khairi](#), [P. Naveenchandran](#) and [A Rashid A Aziz](#)

Journal of Applied Sciences Volume 11, Number 10, 1827-1832, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Injection Molding Parameter Optimization of Titanium Alloy Powder Mix with Palm Stearin and Polyethylene for Multiple Performance Using Grey Relational Analysis

[N.H. Mohamad Nor](#), [N. Muhamad](#), [A.K. Ariffin](#), [M. Ruzi](#), [K.R. Jamaludin](#) and [A. Sufizar](#)

Journal of Applied Sciences Volume 11, Number 10, 1833-1838, 2011





Stress Intensity Factor for Cracks Emanating from a Shaft

[Khoo Sze Wei](#) and [Saravanan Karuppanan](#)

Journal of Applied Sciences Volume 11, Number 10, 1839-1844, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Burst Strength Analysis of Corroded Pipelines by Finite Element Method

[Chanyalew T. Belachew](#), [Mokhtar C. Ismail](#) and [S. Karuppanan](#)

Journal of Applied Sciences Volume 11, Number 10, 1845-1850, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Measurement of Near Wall Fluid Interaction with an Atomised Spray

[N. Lad](#), [A. Aroussi](#) and [D. Adebayo](#)

Journal of Applied Sciences Volume 11, Number 10, 1851-1856, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Development and Strengthening of 2219 Aluminium Alloy by Mechanical Working and Heat Treatment

[M. Rafi Raza](#), [Faiz Ahmad](#), [N. Ikram](#), [R. Ahmad](#) and [A. Salam](#)

Journal of Applied Sciences Volume 11, Number 10, 1857-1861, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Smoldering Combustion of Biomass Particles

[K.M. Chirag](#), [K. Vijay](#), [V. Raghavan](#) and [A.S. Rangwala](#)

Journal of Applied Sciences Volume 11, Number 10, 1862-1866, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Effect of Machining Parameters on Surface Roughness During Wet and DryWire-EDM of Stainless Steel

[S. Abdulkareem](#), [A.A. Khan](#) and [Z.M. Zain](#)

Journal of Applied Sciences Volume 11, Number 10, 1867-1871, 2011

[Abstract](#) [PDF](#) [Fulltext](#) [Citations](#) [XML](#) [References](#)

Experimental Study of Exhaust Configurations on the Diesel Engine Performance

[I. Ibrahim](#), [K.A.Z. Abidin](#), [A. Zainuddin](#) and [T.N.A.T. Kamaruddin](#)





USEFUL LINKS

- > [Journals](#)
- > [For Authors](#)
- > [For Referees](#)
- > [For Librarian](#)
- > [For Societies](#)

CONTACT US

Office Number 1128,
Tamani Arts Building,
Business Bay,
Deira, Dubai, UAE

Phone: +971 507 888 742

Email: support@sialert.com

About Science Alert

Science Alert is a technology platform and service provider for scholarly publishers, helping them to publish and distribute their content online. We provide a range of services, including hosting, design, and digital marketing, as well as analytics and other tools to help publishers understand their audience and optimize their content. Science Alert works with a wide variety of publishers, including academic societies, universities, and commercial publishers.

Follow Us   

Journal of Applied Sciences

Discontinued in Scopus as of 2015

COUNTRY

[Pakistan](#)

 Universities and research institutions in Pakistan

 Media Ranking in Pakistan

SUBJECT AREA AND CATEGORY

[Multidisciplinary](#)
[Multidisciplinary](#)

PUBLISHER

[Asian Network for Scientific Information](#)

H-INDEX

48

PUBLICATION TYPE

[Journals](#)

ISSN

[18125654, 18125662](#)









COVERAGE

[2006-2015](#)

SCOPE

Information not localized

 [Join the conversation about this journal](#)



Journal of Applied Sciences

← Show this widget in your own website

Not yet assigned quartile

SJR 2022

powered by scimagojr.com

Just copy the code below and paste within your html code:

```
<a href="https://www.scims
```

SCImago Graphica

Explore, visually communicate and make sense of data with our [new data visualization tool](#).

Metrics based on Scopus® data as of April 2023

R **Ramesh Kumar** 3 years ago

Dear Editor,

Kindly let us know the status of this journal. This is Q2 in scopus? OR discontinued

reply



Melanie Ortiz 3 years ago

SCImago Team

Dear Ramesh, thank you very much for your participation. Our data come from Scopus/Elsevier, which offers an annual copy of their database. We understand that, since the date indicated by Scopus/Elsevier, the journal is no longer indexed in its database. While the citation window is still active, we can show indicators of the journal (up to three years). However, we always suggest our users to consult the Scopus database directly as SJR are a static image of Scopus, which is changing every day.
Best Regards, SCImago Team

M **Maham Naseer** 3 years ago

in which category (X, Y, Z) journal of applied sciences lie?

reply



Melanie Ortiz 3 years ago

SCImago Team

Dear Maham,
thank you for contacting us.
Unfortunately, we cannot help you with your request.
Best Regards, SCImago Team

D **Dr Ramesh Kumar** 3 years ago

It seems Journal of Applied Science in Q-2 but I can't see updated information regarding Q-2. Please guide. How much time is needed for to publish a paper in the Journal of applied science.

Regards

reply



Melanie Ortiz 3 years ago

SCImago Team

Dear Dr Ramesh,

Thank you for contacting us. The Quartile's information can be found above. For further information about this journal, please visit the journal's website or contact the editorial staff.

Best Regards, SCImago Team

M **Mimi** 4 years ago

Hi, According to Scopus this journal (Journal of Applied Sciences) has a "Scopus coverage years: from 2006 to 2015". Additionally it is written: "coverage discontinued in Scopus". Can you please explain me why you have different information on Scimago? Why is there Q2 ranking for the journal in 2018 if it has a "Coverage 2006-2013 (cancelled)" on Scimago? Can you please explain the situation as it is very confusing.
Thank you.

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Mimi,

Thank you for contacting us. Our data come from Scopus, they annually send us an

update of the data around April / May every year. It seems that the Coverage period shown (2006-2013 (cancelled)) was the one sent in the last update (2019) and it has probably changed since then. The following SCImago update will be made in June 2020 with the new update sent by Scopus. We suggest you to wait for that date in order to see if these changes have been done by Scopus.

Concerning the availability of indicators , we inform you that, while the citation window is still active, we can show indicators of the journal, even if the coverage has been cancelled recently.

Best Regards, SCImago Team

M **Mohammed Ahfaf** 4 years ago

Sir

I want to publish in your journal and want to ask the following, please

- 1- How much the payment fee?
- 2- How long the paper is reviewed?

really thank you for your cooperation and support

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Mohammed,
thank you for contacting us.

We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to visit the journal's homepage or contact the journal's editorial staff , so they could inform you more deeply.

Best Regards, SCImago Team

J **Jim** 4 years ago

I would like to ask you that, still can we submit the manuscript for publication in the journal of applied sciences? TQVM

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Jim,
thank you for contacting us.

We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request, we suggest you to visit the journal's homepage or contact the journal's editorial staff , so they could inform you more deeply.

Best Regards, SCImago Team

R **Rasha** 4 years ago

This journal is still indexed by Scopus and Q2 with SJR 0.22 till now , only canceled from (2006-2013) .

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Rasha,

thank you very much for your participation. Our data comes from Scopus/Elsevier, which

offers an annual copy of their database. We understand that since the date indicated by Scopus/Elsevier the journal is no longer indexed in its database. You can see that information here:

<https://www.scopus.com/sourceid/3900148513>

Despite of this fact, while the citation window is still active, we can show indicators of the journal.

Best Regards, SCImago Team

Z **zahra** 4 years ago

hello, I have a question, why your journal Coverage is 2006-2013 (cancelled) , and it is not ongoing

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Zahra, thank you very much for your participation. Our data comes from Scopus/Elsevier, which offers an annual copy of their database. We understand that since the date indicated by Scopus/Elsevier the journal is no longer indexed in its database. While the citation window is still active, we can show indicators of the journal. However, we always suggest our users to consult the Scopus database directly as SJR is a static image of Scopus, which is changing every day. Best Regards, SCImago Team

S **Shaista Kausar** 4 years ago

Request for Publication
Venerated Sir/Madam

My name is Shaista Kausar. Current studying in the University of Lahore. I want to publish my research work on your journal. I am very thankful to you and waiting for your response.

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Shaista, thank you very much for your comment. Sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. We suggest you to look for author's instructions/ submission guidelines in the journal's website. Best Regards, SCImago Team

H **Hanan** 4 years ago

What does it mean coverage cancelled ? Between 2006-2013?

reply



Melanie Ortiz 4 years ago

SCImago Team

Dear Hanan, thank you very much for your participation. Our data comes from Scopus/Elsevier, which offers an annual copy of their database. We understand that since the date indicated by Scopus/Elsevier the journal is no longer indexed in its database. While the citation window is still active, we can show indicators of the journal. Best Regards, SCImago Team

K **kemp** 5 years ago

Dear Editors in chief

When the editor of a journal and the reviewers receive a manuscript, they commonly rely on the

honesty of the author presenting the data. Here, a new case involving plagiarism of images supposedly dealing with sediments and foraminifera and fossils from different areas and of different ages is reported. The person involved in this fraud is Dr. Orabi Hussein Orabi from Geology department, faculty of science, Menoufia university, Egypt Due to fraudulent practices of, where his last paper published in 2015 entitled "Foraminifera from Paleocene –early Eocene rocks of Bir El Markha section (West Central Sinai), Egypt: Paleobathymetric and paleotemperature significance" volume 111, This published manuscript is based on untruthful data, plagiarism, duplications from other published papers, and so on especially that published recently claiming and defended his manuscript that full of great mistakes and among them his papers that published in your respected journal and hence the discovering these unusual practices and unethical behavior of such researcher is an issue that concerns to everybody within Science; Foaraminiferal 's association in Brazil all together are forced to struggle among fraudulent and dishonest practices in specified trend in the branch of science and all his published papers will be investigated again and we wish to inform your excellency that all the works of Orabi will be investigated again. Due to the threaten that alleged him and published a report on it through the different websites. Best wishes forever, Sincerely Kemp Witmer, expert of foraminifer, Instituto Tecnológico Vale, Belém, Brazil.

reply



Elena Corera 5 years ago

SCImago Team

Thank you very much for your participation!

N **Naseer Inuwa Durumin Iya** 5 years ago

Hello, please may I known the status of a journal under scopus that have a coverage (2006-2013) cancelled ?

reply



Elena Corera 5 years ago

SCImago Team

Dear Naseer,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/

Best Regards,
SCImago Team

M **muetaz almhdi** 5 years ago

I want to publish in your journal and want to know the following:

1. How much the payment fee?
2. How long the paper is reviewed?

reply

Q **Qusay Adnan** 5 years ago

How much the payment fee



Elena Corera 5 years ago

SCImago Team

Dear Muetaz Almhdi,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you check author's instructions in journal website. You can find that information in SJR website <https://www.scimagojr.com>

Best Regards,

SCImago Team

S **Sri** 5 years ago

This journal is still indexed by Scopus, isn't it?

reply



Elena Corera 5 years ago

SCImago Team

Dear Sri,

Yes it is, all the journals included in SJR are indexed in Scopus. Elsevier / Scopus is our data provider.

Best Regards,
SCImago Team

R **Reham** 6 years ago

Can I get very fast acceptance within 20 days only

reply

R **Reham** 6 years ago

Hello can I get very fast acceptance for my paper within 20 days

reply



Elena Corera 5 years ago

SCImago Team

Dear Reham, in the link below you will find the information corresponding to the author's instructions of this journal. Best regards, SCImago Team
<http://www.ansinet.com/guide2.php?id=32&issn=1812-5654>

Leave a comment

Name

Email

(will not be published)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS
Horatio (Satire 1, 1, 106)

[Legal Notice](#)

[Privacy Policy](#)





Source details

Journal of Applied Sciences

Scopus coverage years: from 2006 to 2015

(coverage discontinued in Scopus)

Publisher: Asian Network for Scientific Information


ISSN: 1812-5654 E-ISSN: 1812-5662

Subject area: [Multidisciplinary](#)

Source type: Journal

[View all documents >](#)

[Set document alert](#)

 [Save to source list](#)

[View CiteScore methodology >](#) [CiteScore FAQ >](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

All content on this site: Copyright © 2024 Elsevier B.V. ↗, its licensors, and contributors. All rights are reserved, including data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing applies. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

