ISSN: 2252-8806, DOI: 10.11591/ijphs.v12i3.23272

Specific coping behaviours related to depression in adolescents with a divorced parent

Ktut Dianovinina^{1,2}, Endang Retno Surjaningrum¹, Primatia Yogi Wulandari¹

¹Department of Psychology, Faculty of Psychology, Universitas Airlangga, Surabaya, Indonesia ²Department of Psychology, Faculty of Psychology, Universitas Surabaya, Surabaya, Indonesia

Article Info

Article history:

Received Apr 9, 2023 Revised Jun 5, 2023 Accepted Jun 23, 2023

Keywords:

Adolescent Behavioural-disengagement Coping strategy Depression Instrumental support

ABSTRACT

Parents' divorce is one of the life events that elicit pressure in adolescents, to such an extent that parents' divorce is a predictor of depressive disorder in adolescents. Coping strategy plays an important role in the relationship between pressure and depression. This research aimed to examine coping strategies (problem-focused, emotion-focused, and dysfunctional coping) and specific coping behaviours which affect adolescents with divorced parents' depressive symptoms. Participants are 80 adolescents with divorced parents from several cities in Indonesia, aged between 13 to 19 years old (mean=16.6 years, SD=1.62 with 76% female and 24% male). Depressive symptoms were measured using the children's depression inventory, and specific coping behaviour was measured with Brief-COPE or coping orientation to problems experienced. In this research, it was found that 38% of the adolescents had depression. On the multiple linear regression, only problem-focused coping and dysfunctional coping significantly affected depression and not emotion-focused coping. Furthermore, among 14 specific coping behaviours, only instrumental support and behaviour disengagement affect depressive symptoms. These findings indicate that intervention focused on increasing the utilization of problem-focused coping and reducing dysfunctional coping might be beneficial to minimize depressive symptoms in adolescents with divorced parents.

This is an open access article under the <u>CC BY-SA</u> license.



1337

Corresponding Author:

Ktut Dianovinina

Department of Psychology, Faculty of Psychology, Universitas Airlangga 4-6 Airlangga Road, Airlangga University, Surabaya, East Java, Indonesia

Email: ktut.dianovinina-2020@psikologi.unair.ac.id

1. INTRODUCTION

Depressive disorder keeps increasing each year. In Indonesia, depressive disorder ranks first in 1990 and 2017, with a prevalence of 6.1% amongst the population of age 15-24 years old (N=157.695) [1]. Adolescence is a long transition period between childhood and adulthood, which causes many significant changes in developmental aspects. These changes can be a pressure for adolescents. The stress experienced by adolescents along with their development causes this period to be known as a critical period of dramatically increasing internalization problems, one of which is depression [2], [3].

One of the exposures to stress experienced by adolescents is parental divorce [4]. Tension, fighting, the conflict between parents, and drastic changes in family structure and routines are pressure children encounter due to parents' divorce [5], [6]. Children may lose one of their parents, have less interaction time with the single parent who is busy making a living, and reduced income, which causes lifestyle changes and limitations in previously owned facilities [7]. In Indonesia, the divorce rate has become higher over time, with yearly percentages from 2017 to 2019 being 19.34%, 20.25%, and 22.30%, respectively [8].

1338
ISSN: 2252-8806

Several studies showed that parental divorce might be associated with depressive symptoms in adolescents and has become the strongest predictor of depressive disorder among adolescents [9]–[16]. Another research identified depressive symptoms that happened twice more among adolescents with divorced parents than those with complete family [7], with depressive disorder prevalence in adolescents with divorced parents changing from 5.7% to 8% in the years 2006, 2009, to 2016 [16]. Consequently, parents' divorce has a long-term effect, such as developing mental health problems in the future [17]. In the COVID-19 pandemic, a longitudinal study found pandemic has increased adolescent depressive symptoms, and parental conflicts add to the pressure. The pandemic and parental conflict were significant risk factors in predicting depressive symptoms in adolescents [18].

Although parents' divorce hurts adolescents' mental health, not all children are affected by their parents' divorce [19]. Some children can easily stand the pressure, but others keep showing difficulties in behaviour and psychological adjustment. One factor determining the variability is adolescents' ability and strategy to overcome life pressure [20]. Coping strategies moderate the relationship between parental conflict and internalizing symptoms in adolescents [21].

Coping strategy is vital to adolescents because it plays an essential role in adolescent mental health, especially when faced with stressful life events [22]. Adolescents have fewer skills, experience, and resources than adults in dealing with psychological stress. However, adolescents' ability to deal with psychological stress affects their ability to develop in the short and long term [23]. Coping strategies during adolescence will affect adult coping strategies [24]. The concern is that if an adolescents' coping strategy is ineffective, it will persist until adulthood and may develop serious psychological problems.

There are three main types of coping strategies [25]. Several studies have shown that problem-focused coping is related to good mental health [26], [27] and is negatively related to depressive symptoms [28]–[31]. Problem-focused coping consists of active efforts from an individual to produce solutions or to change conditions causing stress [32]. Conversely, dysfunctional coping inclines toward diverting the mind and behaviour away from the stressor, which may prolong depression episodes [30], [33], [34]. Unlike problem-focused coping and dysfunctional coping, studies have shown that emotion-focused coping is found to have different outcomes. It was found that emotion-focused coping has a significant negative correlation with depression [30]; on the other hand, it has a significant positive correlation with depression [35].

On each main type of coping strategy, specific coping behaviors include planning, using instrumental support, active coping, acceptance, religion, positive reframing, humour, emotional support, self-distraction, behavioural disengagement, denial, venting of emotions, self-blame and substance use. Active coping [30], [36] and instrumental support [30] have been associated with lower depression scores. Self-blame, self-distraction [30], [37], [38], behavioural disengagement coping behaviour [30], [39], [40], and denial [30] were related to increased depression.

Although several studies analyze coping strategies and depressive symptoms, studies that examine the effect of coping strategies on depressive symptoms of adolescents from divorced families are limited. A family with divorced parents is associated with low cohesiveness, a high rate of conflict in the family, and minimal parental support, which risk the adolescent developing poor coping strategies when going through the long-term distress resulting from divorce [19]. Family or parental problems can be considered triggers of stress adolescents face because they learn how parents handle problems through modeling [41]. However, adolescents may depend more on parental guidance in responding to stressors [42].

This study aims to: i) recognize the coping strategy serves as a predictor of depression in adolescents coming from a divorced family, where coping above strategies are problem-focused coping, emotion-focused coping, and dysfunctional coping; and ii) investigate the specific coping behaviour that significantly predicts depression, where specific coping behaviours are the fourteen subscales of coping behaviour based on [25] theory. The result of this study is expected to be utilized in constructing intervention that focuses on teaching coping strategies for adolescent psychological problems caused by parent divorce.

2. METHOD

2.1 Participants

Participants involved in this research were 80 adolescents with divorced parents and aged between 13–19 years old (average age is 16.6 years old, with a standard deviation of 1.62). They consisted of 24% male and 76% female participants from several cities in Indonesia. Participants' ages when parent divorce happened were early childhood (24%), school age (19%), early adolescence (29%), and middle adolescence (29%). In terms of parents' divorce timing, some divorces happened less than one year (4%), one to less than three years (13%), three to less than five years (14%), five to ten years (45%), and divorce happened more than ten years ago (25%). All participants have expressed their consent to be involved in this research through informed consent given.

2.2 Measurement

Depressive symptoms were measured using children depression inventory or CDI developed by Maria Kovacs. CDI was used in this research in the Indonesian translated version used previously by Husada [43]. In Indonesia, CDI can be used for individuals from 7-19 years old [44]. CDI consists of 27 questions where each item has three statements scored 0, 1, 2. Items on this scale are grouped in five subscales: negative mood, interpersonal problem, ineffectiveness, anhedonia, and negative self-esteem.

Coping strategies are measured using Brief-COPE or coping orientation to problems experienced consisting of 28 self-report items with 14 subscales [25], [45], which then grouped into three categories, namely problem-focused coping, i.e., planning, using instrumental support and active coping; emotion-focused coping, i.e., acceptance, religion, positive reframing, humour, and using emotional support; and lastly dysfunctional coping, i.e., self-distraction, behavioural disengagement, denial, venting of emotions, self-blame, substance use [27]. In this instrument, participants were asked how they utilize it when encountering problems. Each response was measured using a Likert scale ranging from 1 (never utilize the way) to 4 (always utilize the way).

2.3 Statistical analysis

This research used independent-samples t-test to see the difference in depressive symptoms and categories of coping strategy based on gender, bivariate correlation analysis to identify the relationship between coping strategies and depressive symptoms, and multiple linear regression analysis to identify coping behaviour that affects adolescents with divorced parents' depressive symptoms. Classic assumption tests and model fit evaluations were conducted before multiple linear regression analyses. There were three classic assumption tests, i.e., multicollinearity, heteroscedasticity, and normality test.

3. RESULTS AND DISCUSSION

3.1 Result

Overall, 38% of adolescents have depression, while the remaining 62% is excluded from the depression category. There was no difference in depressive symptoms among adolescents of different gender (F=.559, p=.141). Regarding coping strategies, only dysfunctional coping showed a significant difference between male and female adolescents (F=.481, p=.034), with the average score for females higher than males. In contrast, between problem-focused coping (F=5.932, p=.348) and emotion-focused coping (F=.086, p=.130), there was no significant difference between male and female adolescents.

3.1.1. The correlation between coping strategy and depressive symptoms

Bivariate correlation analysis showed in Table 1. Coping strategies that correlate with depressive symptoms are problem-focused coping (r=-.293, p<.01) and dysfunctional coping (r=.350, p<.01), whereas no correlation was found between emotion-focused coping and depressive symptoms. Specific coping behaviours that correlate positively with depressive symptoms are denial (r=.248, p<.05), behavioural disengagement (r=.399, p<.01), acceptance (r=.248, p<.05), self-blame (r=.306, p<.01), while behaviours that correlate negatively with depressive symptoms are using emotional support (r=-.233, p<.01) and using instrumental support (r=-.391, p<.01).

3.1.2. The role of coping strategy on depressive symptoms

Linear regression model results in this study are isolated from multicollinearity and heteroskedasticity. Multiple linear regression analysis shown in Tables 2 and 3 has passed the classic assumption test and model fit test, where the variance inflation factor (VIF) score is below 10, the tolerance score above .01, and the scatter plot showed dots with no specific pattern or form, and P-P Plot result showed dots' pattern almost as a straight line and residual score >.05.

The model fit test showed that F=9.847, p=.000, so the estimated linear regression model is the best fit to be used to explain the effect of coping strategies on depressive symptoms as seen in Table 2. Linear regression model results have a proportion of effect of as much as 27.2% towards depressive symptoms, whereas the remaining 72.8% was affected by other variables, not in the linear regression model.

Multiple linear regression analysis in Table 2 shows that problem-focused coping (β =-.473, p=.002) and dysfunctional coping (β =-.415, p=.000) affected adolescents' depressive symptoms, while emotion-focused solving did not significantly affect the depressive symptoms (β =.118, p=.445). The negative regression coefficient on problem-focused coping implies adolescents who adopt problem-focused coping have lower depressive symptoms. The more they use problem-focused coping, the lower the depressive symptoms experienced. The positive regression coefficient on dysfunctional coping implies that adolescents who utilized dysfunctional coping have higher depressive symptoms. In other words, regular practice of dysfunctional coping resulted in higher depressive symptoms experienced.

Table		Rivorinta	correlation	010 0 177010
1 autc	1.	Divarian	Conciation	l allaly 515

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Depression -	.082	199	.248*	.003	233*	391**	.399**	.031	156	053	019	.248*	045	.306**	293*	098	.350**
Self-distraction	-	.403**	006	.177	.169	.214	064	$.275^{*}$.472**	.476**	.226*	.338**	.079	.179	.466**	.453**	.416**
Active coping		-	.010	.133	.173	$.268^{*}$	259*	.110	.511**	.510**	.130	$.228^{*}$.451**	107	.740**	.532**	.047
Denial			-	073	075	099	.347**	$.280^{*}$	076	078	062	080	.233*	.244*	078	020	.589**
Substance use				-	.744**	.486**	.113	$.242^{*}$.193	.312**	.273*	.131	046	.026	.425**	.484**	.351**
Emotional					-	.672**	027	.362**	.313**	.388**	.254*	.008	.004	.014	.564**	.599**	.272*
support use																	
Instrumental						-	152	$.264^{*}$	$.410^{**}$.355**	.141	029	.180	009	.750**	.517**	.145
support																	
Behavioral							-	.347**	296**	086	.141	017	114	.291**	213	106	.643**
disengagement																	
Venting								-	.137	.274*	.186	.094	.101	.306**	.290**	.326**	.697**
Positive									-	.547**	.231*	.125	.317**	.078	.635**	.726**	.108
reframing																	
Planning										-	.192	.289**	.455**	.277*	.800**	.671**	.306**
Humor											_	.128	069	.140	.202	.601**	.242*
Acceptance												-	045	.221*	.198	.370**	
Religion													-	.093	.459**	.436**	.110
Self-blame														-	.071	.187	.652**
PFC															-	.749**	.220*
EFC																_	.334**
DC																	-

Note: Problem-focused coping (PFC), emotion-focused coping (EFC), dysfunctional coping (DC) *p<.05, **p<.01, ***p<.001

Table 2. Multiple linear regression for coping strategies

Preedictors	Standardized coeeficient beta (β)	t	Sig.	R	R-square	F (Sig)
Problem-focused coping	473	-3.200	.002	.521	.272***	9.847
Emotion-focused coping	.118	.769	.445			(.000)
Dysfunctional coping	.415	3.993	.000			

*p<.05; **p<.01; ***p<.001

Table 3. Multiple linear regression specific coping behaviour

Preedictors	Standardized coeeficient beta (β)	t	Sig.	R	R-square	F (Sig)
Self-distraction	.156	1.272	.208	.657	.432***	3.536
Active coping	180	-1.358	.179			(.000)
Denial	.110	.973	.334			
Substance use	.259	1.740	.087			
Emotional support	113	621	.537			
Instrumental support	358	-2.632	.011			
Behavioral disengagement	.276	2.283	.026			
Venting	099	824	.413			
Positive reframing	.080	.601	.550			
Planning	063	411	.682			
Humour	081	784	.436			
Acceptance	.208	1.916	.060			
Religion	.111	.860	.393			
Self-blame	.140	1.217	.228			

*p<.05, **p<.01, ***p<.001

3.1.3. The role of specific coping behaviour on depressive symptoms

The model fit test showed F=3.536, p=.000, therefore, can be concluded that the estimated linear regression model can be used to explain the effect of coping strategies towards depressive symptoms as displayed in Table 3. The resulting regression linear model showed a 43.2% proportion on the effect of depressive symptoms, while the remaining 56.8% was affected by other variables apart from a linear regression model. Multiple linear regression results in Table 3 showed two specific coping behaviours that positively impact depressive symptoms which are instrumental support (β =-.358, p=.011) and behavioural disengagement (β =.276, p=.026). The negative regression coefficient on instrumental support explained that adolescents who use instrumental support coping behaviour presented fewer depressive symptoms than adolescents who did not use it. The more frequent utilization of the coping behaviour, the less depressive symptoms experienced. The positive regression coefficient on behavioural disengagement explained that adolescents who used behavioural disengagement had higher depressive symptoms than adolescents who did not use it. Thus, it may endorse that the more adolescents use this coping behaviour, the greater their depressive symptoms.

3.2 Discussion

This study aimed to examine categories of coping strategies and specific coping behaviour that become significant predictors of depression in adolescents with divorced parents. Study results showed that only problem-focused coping and dysfunctional coping may predict the development of depressive symptoms in adolescents who had their parents divorce, not the emotion-focused coping.

3.2.1. Problem-focused coping

Problem-focused coping focuses on problem-solving effort, therefore doing something to change the stressor. Adolescents with a background of divorced parents experience several stressful life events during the process and after the divorce [19]. By using problem-focused coping, adolescents actively seek ways to overcome life pressure, be more adaptive, and have better mental health [46]. Problem-focused coping is crucial in anticipating the development of depressive symptoms in adolescents because it can protect adolescents from the severity of depression. Adolescents who use problem-focused coping when dealing with stressful situations are less likely to experience depressive moods [29]. Adolescents who experienced higher discrimination and used problem-focused coping showed fewer depressive symptoms [47].

The only specific coping behaviour in the problem-focused coping dimension, which becomes a depressive predictor in the regression model, is using instrumental support. Using instrumental support is one of the specific coping behaviors adolescents apply to deal with the pressures caused by their parent's divorce [48]. Using instrumental support is a coping behaviour aimed at seeking help or advice from others to overcome problems [25]. The strategies to find instrumental support, including help-seeking, is an effective coping to handle various life events in contrast to solely relying on oneself, which is ineffective and has more risk [49]. Higher depressive symptoms relate to a lower possibility of seeking help from friends or family [50]. The higher intention of help-seeking from friends or family, the lower depression experienced. In depressive individuals, half of the respondents never seek help to overcome their problems [51].

In this study, using instrumental support coping became a predictor of the development of depressive symptoms experienced by adolescents with divorce families. Parent divorce forms various pressures on adolescents; one is the loss of parental support [19]. Nonetheless, adolescents are in the life stage where they need advice or information on self-direction regardless and to be more focused on overcoming their problems. By using instrumental support coping, adolescents receive the information they need to face their parent's divorce effect.

Other coping behaviour within problem-focused coping dimensions, such as planning and active coping, do not correlate with depression and are not a predictor of depression on a regression model. This contrasts with the previous study, which showed a negative correlation between planning and active coping with depressive symptoms. The possible cause of the absence of a relationship may be that planning and active coping significantly correlate with using instrumental support.

3.2.2. Dysfunctional coping

Dysfunctional coping is a significant predictor of depression in the regression model. This finding is consistent with previous studies [52], [53], where dysfunctional coping application has a higher risk for diagnosis of depression [54], [55]. Dysfunctional coping is a coping strategy that aims to divert attention and stress from its cause. This strategy is only effective initially but becomes ineffective if applied repetitively, continuously, and in the long term [25]. Dysfunctional coping includes behavioural disengagement, self-distraction, substance use, venting, and self-blame [25].

The only specific coping behaviour within the dysfunctional coping dimension which correlates positively with depression and becomes the predictor of depression in the regression model is behavioural disengagement. Along with a study by Burker *et al.* [39], a higher level of depression correlates with a higher application of behavioural disengagement when encountering a problem. Individuals who apply behavioural disengagement feel hopeless in facing the stressor. Therefore, the problem will still exist and induce even more significant negative consequences than individuals who focus on problem-solving efforts [56], [57]. Generally, those who use this coping technique have given up and considered their problem unsolvable [58]. This condition brings out feelings of helplessness which facilitate the onset of depressive symptoms and maintain the current symptoms. Coping involving the act of surrender when encountering a problem is a risk factor and depressive symptom in adolescents [40], [59].

Adolescents with divorced parents use behavioural disengagement coping strategies to overcome the pressure caused by their parent's divorce [60]. Abelsohn also stated that coping was used to escape from situations that make them uncomfortable, namely the negative parenting and other impacts caused by a parent's divorce. Adolescents consider problems between both parents to be out of their control. Hence, they favor disengaging from the problems.

3.2.3. Emotion-focused coping

Emotion-focused coping is not a predictor of depressive symptoms in adolescents with divorced parents. This finding contrasts a study conducted by Horwitz *et al.* [61], which found that emotion-focused coping was a significant predictor in adolescents' depressive development. The possible cause is due to differences in research participants' characteristics. There are several parent divorce impacts that influence adolescents' coping behaviour.

Emotion-focused coping consists of five specific coping behaviours namely positive reframing, humour, religion, acceptance, and using emotional support [25]. In this study, all five coping behaviours did not predict adolescent depression, and only two coping behaviours correlated with depression, in different directions. Applying emotional support correlates negatively with depression, and acceptance correlates positively with depression. The aversion to correlation may cause emotion-focused coping to not correlate with depression.

Positive reframing, humour, and religion are not a predictor of depression and are not correlated to depression; i) positive reframing involves more complex cognitive ability while not all adolescents could interpret negative issues with positive thinking. This is also influenced by adolescent brain structure which has just started to develop, especially in early adolescence where lobus frontal development is slower than the limbic system [62]. Hence, when they experience the pressure of a parent's divorce, their emotion is triggered easily and they have difficulties with more complex thinking, to find positive meaning from their experience of parent divorce. Adolescents start to think more complexly when they are in their late adolescence; ii) humor, adolescents who have parental divorce constantly face parental conflict and feuds, experience decreased social, emotional, and financial support from their parents, and receive pressure from extended family and their surroundings [19]. The adolescent lost his parent as the primary source to fulfill their needs. The impact of divorce is experienced as immense pressure unsolvable by humour. This may cause no correlation between humour as coping and depression; and iii) religion, in adolescence, religious coping is a limited option to the oppression, which correlates positively with age. The younger their age, the narrower the usage. This is one of the possible causes of no correlation between specific coping of religion and depression [63].

One finding different from previous research was that acceptance correlates positively with depression. In this study, the more adolescents accepted their parent's divorce, the higher depressive score they had. The adolescents might have tried to get the divorce because it will set them free from constant conflict and harshness, but on the other hand, they cannot bear the equal amount of pressure. Altogether, it created internal conflict inside, which later could elicit depressive symptoms. Acceptance not accompanied by active coping strategies would cause unresolved problems. Nevertheless, in the adolescence stage of life, they need support from adults to overcome relatively challenging problems.

4 CONCLUSION

This research showed that problem-focused coping and dysfunctional coping influence depression, not emotion-focused coping. Furthermore, out of fourteen specific coping behaviours, only instrumental support and behaviour disengagement influence depressive symptoms. Adolescents who used problem-focused coping more frequently had lower depressive symptoms because they were able to actively seek means to overcome life pressure caused by parent divorce which was to seek social support. On the other hand, adolescents who used dysfunctional coping more frequently had higher depressive symptoms because they tend to redirect their attention from pressure, thus problems that could not be solved. These findings implied practically that adolescents with divorced parents need to be trained to utilize problem-focused coping. This training is crucial as adolescents ought to sustain the long-term impact of their parents' divorce.

REFERENCES

- [1] Yoeyoen Aryatin Indrayani and T. Wahyudi, "Mental health situation in Indonesia (in Indonesian: Situasi Kesehatan Mental di Indonesia)," InfoDATIN. Pusat Data dan Informasi Kemenkes RI, Jakarta, 2019.
- [2] K. E. Grant, B. E. Compas, A. F. Stuhlmacher, A. E. Thurm, S. D. McMahon, and J. A. Halpert, "Stressors and child and adolescent psychopathology: moving from markers to mechanisms of risk," *Psychological Bulletin*, vol. 129, no. 3, pp. 447–466, 2003, doi: 10.1037/0033-2909.129.3.447.
- [3] E. G. Simpson, A. Vannucci, and C. M. C. Ohannessian, "Family functioning and adolescent internalizing symptoms: A latent profile analysis," *Journal of Adolescence*, vol. 64, no. March, pp. 136–145, 2018, doi: 10.1016/j.adolescence.2018.02.004.
- [4] A. M. C. Lange, M. M. Visser, R. H. J. Scholte, and C. Finkenauer, "Parental conflicts and posttraumatic stress of children in high-conflict divorce families," *Journal of Child and Adolescent Trauma*, no. 0123456789, 2021, doi: 10.1007/s40653-021-00410-9
- [5] T. L. Hanson, "Does parental conflict explain why divorce is negatively associated with child welfare?," Social Forces, vol. 77, no. 4, pp. 1283–1316, 1999, doi: 10.1093/sf/77.4.1283.

- [6] J. Ehrlich, "Helping adults and children mourn when a marriage comes apart," no. November, pp. 2014–2016, 2014, doi: 10.13140/2.1.4347.2322.
- [7] A. Clarke-Stewart and C. Brentano, Divorce causes and consequences. New Haven and London: Yale University Press, 2006.
- [8] Central Bureau of Statistics, Indonesian Statistics 2020 (in Indonesian: Statistik Indonesia 2020). Jakarta, 2020. [Online]. Available: https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html
- [9] A. Sands, E. J. Thompson, and D. Gaysina, "Long-term influences of parental divorce on offspring affective disorders: A systematic review and meta-analysis," *Journal of Affective Disorders*, vol. 218, no. November 2016, pp. 105–114, 2017, doi: 10.1016/j.jad.2017.04.015.
- [10] J. M. Weaver and T. J. Schofield, "Mediation and moderation of divorce effects on children's behavior problems," *Journal of Family Psychology*, vol. 29, no. 1, pp. 39–48, 2015.
- [11] H. Bohman, S. B. Låftman, A. Päären, and U. Jonsson, "Parental separation in childhood as a risk factor for depression in adulthood: A community-based study of adolescents screened for depression and followed up after 15 years," BMC Psychiatry, vol. 17, no. 1, pp. 1–11, 2017, doi: 10.1186/s12888-017-1252-z.
- [12] R. Van Dijk and S. Branje, "A meta-analysis on interparental conflict, parenting, and child adjustment in divorced families: Examining mediation using meta-analytic structural equation models," *Clinical Physology Review*, no. May, 2020, doi: 10.1016/j.cpr.2020.101861.
- [13] S. Obeid *et al.*, "Association between parental divorce and mental health outcomes among Lebanese adolescents: results of a national study," *BMC Pediatrics*, vol. 21, no. 1, pp. 1–9, 2021, doi: 10.1186/s12887-021-02926-3.
- [14] P. Miralles, C. Godoy, and M. D. Hidalgo, "Long-term emotional consequences of parental alienation exposure in children of divorced parents: A systematic review," *Current Psychology*, no. 1973, 2021, doi: 10.1007/s12144-021-02537-2.
- [15] N. Galbraith and M. Kingsbury, Parental separation or divorce, shared parenting time arrangements, and child well-being: new findings for Canada, vol. 49, no. 2. Springer International Publishing, 2022. doi: 10.1007/s42650-022-00068-0.
- 16] L. Wang et al., "The effects of parental relationships, and gender and grade differences on depressive disorder in Chinese adolescents: the evidence from multiple cross-sectional surveys (1999–2016)," China Population and Development Studies, vol. 3, no. 1, pp. 37–52, 2019, doi: 10.1007/s42379-019-00033-6.
- [17] F. Auersperg, T. Vlasak, I. Ponocny, and A. Barth, "Long-term effects of parental divorce on mental health A meta-analysis," *Journal of Psychiatric Research*, vol. 119, no. April, pp. 107–115, 2019, doi: 10.1016/j.jpsychires.2019.09.011.
- [18] X. S. Li, M. Wang, X. Zhang, P. Sun, and M. Liu, "The role of parental conflict in predicting adolescent depression symptoms during the COVID-19 pandemic: A longitudinal study," *Current Psychology*, no. 0123456789, 2022, doi: 10.1007/s12144-022-03696-6.
- [19] P. R. Amato, "The consequences of divorce for adults and children," *Journal of Marriage and Family*, vol. 62, no. 4, pp. 1269–1287, 2000, doi: 10.1111/j.1741-3737.2000.01269.x.
- [20] C. S. Carver and M. F. Scheier, "Situational coping and coping dispositions in a stressful transaction," *Journal of Personality and Social Psychology*, vol. 66, no. 1, pp. 184–195, 1994, doi: 10.1037/0022-3514.66.1.184.
- [21] K. M. Tu, S. A. Erath, and M. El-Sheikh, "Coping responses moderate prospective associations between marital conflict and youth adjustment," *Journal of Family Psychology*, vol. 30, no. 5, pp. 523–532, 2016, doi: 10.1037/fam0000169.
- [22] T. D. Washington, "Psychological stress and anxiety in middle to late childhood and early adolescence: manifestations and management," *Journal of Pediatric Nursing*, vol. 24, no. 4, pp. 302–313, 2009, doi: 10.1016/j.pedn.2008.04.011.
- [23] A. L. Garrett, R. Grant, P. Madrid, A. Brito, D. Abramson, and I. Redlener, "Children and megadisasters: lessons learned in the new millennium," *Advances in Pediatrics*, vol. 54, no. 1, pp. 189–214, 2007, doi: 10.1016/j.yapd.2007.03.011.
- [24] B. E. Compas, J. K. Connor-Smith, H. Saltzman, A. H. Thomsen, and M. E. Wadsworth, "Coping with stress during childhood and adolescence: Problems, progress, and potential in theory and research," *Psychological Bulletin*, vol. 127, no. 1, pp. 87–127, 2001, doi: 10.1037/0033-2909.127.1.87.
- [25] Charles S. Carver, "You want to measure coping but your protocol's too long: Consider the brief COPE," International Journal of Behavioral Medicine, vol. 4, no. 1, pp. 92–100, 1997.
- [26] C. L. Donovan and S. H. Spence, "Prevention of childhood anxiety disorders," Clinical Psychology Review, vol. 20, no. 4, pp. 509–531, 2000, doi: 10.1016/S0272-7358(99)00040-9.
- [27] C. Cooper, C. Katona, M. Orrell, and G. Livingston, "Coping strategies and anxiety in caregivers of people with Alzheimer's disease: The LASER-AD study," *Journal of Affective Disorders*, vol. 90, no. 1, pp. 15–20, 2006, doi: 10.1016/j.jad.2005.08.017.
- [28] C. E. Li, R. DiGiuseppe, and J. Froh, "The roles of sex, gender, and coping in adolescent depression," *Adolescence*, vol. 41, no. 163, pp. 409–415, 2006.
- [29] C. W. Cong, W. S. Ling, and T. S. Aun, "Problem-focused coping and depression among adolescents: Mediating effect of self-esteem," *Current Psychology*, vol. 40, no. 11, pp. 5587–5594, 2021, doi: 10.1007/s12144-019-00522-4.
- [30] A. S. Ramadianto, I. Kusumadewi, F. Agiananda, and N. W. Raharjanti, "Symptoms of depression and anxiety in Indonesian medical students: association with coping strategy and resilience," *BMC Psychiatry*, vol. 22, no. 1, pp. 1–11, 2022, doi: 10.1186/s12888-022-03745-1.
- [31] J. L. Mize, "Depression, anxiety, and stress symptoms and coping strategies in the context of the sudden course modality shift in the Spring 2020 semester," Current Psychology, no. 0123456789, 2023, doi: 10.1007/s12144-023-04566-5.
- [32] C. Basterfield, C. Reardon, and K. Govender, "Relationship between constructions of masculinity, health risk behaviors and mental health among adolescent high school boys in Durban. South Africa," international Journal of Men's Health, vol. 13, no. 2, pp. 101–120, 2014.
- [33] I. Seiffge-Krenke, "Causal links between stressful events, coping style, and adolescent symptomatology," *Journal of Adolescence*, vol. 23, no. 6, pp. 675–691, 2000, doi: 10.1006/jado.2000.0352.
- [34] L. D. Evans et al., "Longitudinal relations between stress and depressive symptoms in youth: coping as a mediator," Journal of Abnormal Child Psychology, vol. 43, no. 2, pp. 355–368, 2015, doi: 10.1007/s10802-014-9906-5.
- [35] F. Yang, "Coping strategies, cyberbullying behaviors, and depression among Chinese netizens during the COVID-19 pandemic: a web-based nationwide survey," *Journal of Affective Disorders*, vol. 281, pp. 138–144, Feb. 2021, doi: 10.1016/j.jad.2020.12.023.
- [36] V. Steiner-Hofbauer and A. Holzinger, "How to cope with the challenges of medical education? stress, depression, and coping in undergraduate medical students," *Academic Psychiatry*, vol. 44, no. 4, pp. 380–387, 2020, doi: 10.1007/s40596-020-01193-1.
- [37] M. A. Kraines, C. P. Krug, and T. T. Wells, "Decision Justification Theory in Depression: Regret and Self-Blame," Cognitive Therapy and Research, vol. 41, no. 4, pp. 556–561, 2017, doi: 10.1007/s10608-017-9836-y.
- [38] G. Hapunda, "Coping strategies and their association with diabetes specific distress, depression and diabetes self-care among people living with diabetes in Zambia," *BMC Endocrine Disorders*, vol. 22, no. 1, pp. 1–11, 2022, doi: 10.1186/s12902-022-01131-2.
- [39] E. J. Burker, D. Evon, M. M. Loiselle, J. Finkel, and M. Mill, "Planning helps, behavioral disengagement does not: Coping and depression in the spouses of heart transplant candidates," *Clinical Transplantation*, vol. 19, no. 5, pp. 653–658, 2005, doi: 10.1111/j.1399-0012.2005.00390.x.

[40] L. Kaminsky, M. Robertson, and D. Dewey, "Psychological correlates of depression in children with recurrent abdominal pain," Journal of Pediatric Psychology, vol. 31, no. 9, pp. 956–966, 2006, doi: 10.1093/jpepsy/jsj103.

- [41] E. A. Skinner and M. J. Zimmer-Gembeck, "The development of coping," Annual Review of Psychology, vol. 58, pp. 119–144, 2007, doi: 10.1146/annurev.psych.58.110405.085705.
- [42] A. S. Anderson et al., "Relations between maternal coping socialization, adolescents' coping, and symptoms of anxiety and depression," Journal of Child and Family Studies, vol. 30, no. 3, pp. 663–675, 2021, doi: 10.1007/s10826-020-01879-y.
- [43] M. S. Husada, "The relationship between age and gender on depressive syndrome in children and adolescents at favorite schools in Medan (in Indonesian: hubungan usia dan jenis kelamin terhadap sindrom depresi pada anak dan remaja di sekolah favorit di kota Medan)," Universitas Sumatera Utara, 2012.
- [44] W. Widhiarso and S. Retnowati, "Investigation of gender bias items in measuring depression through the children's depression inventory (CDI) (in Indonesian: Investigasi item bias gender dalam mengukur depresi melalui inventarisasi depresi anak-anak (CDI))," Jurnal Penelitian Psikologi, vol. 2, no. 1, 2011.
- [45] C. S. Carver, M. F. Scheier, and K. J. Weintraub, "Assessing coping strategies: a theoretically based approach," *Journal of Personality and Social Psychology*, vol. 56, no. 2, pp. 267–283, 1989, doi: 10.1037/0022-3514.56.2.267.
- [46] C. W. Cong, W. S. Ling, and T. S. Aun, "Problem-focused coping and depression among adolescents: Mediating effect of self-esteem," *Current Psychology*, vol. 1, 2019, doi: 10.1007/s12144-019-00522-4.
- [47] S. Foster, N. Estévez-Lamorte, S. Walitza, S. Dzemaili, and M. Mohler-Kuo, "Perceived stress, coping strategies, and mental health status among adolescents during the COVID-19 pandemic in Switzerland: a longitudinal study," *European Child and Adolescent Psychiatry*, no. 0123456789, 2022, doi: 10.1007/s00787-022-02119-y.
- [48] Dahlia and N. Tartilla, "Self-esteem and coping strategy among adolescents as victims of parental divorce," Proceedings of the 1st International Conference on Psychology - Volume 1: ICPsy, 2020, no. ICPsy 2019, pp. 19–28. doi: 10.5220/0009436900190028.
- [49] B. Headey and A. Wearing, "The sense of relative superiority Central to well-being," Social Indicators Research, vol. 20, no. 5, pp. 497–516, 1988, doi: 10.1007/bf03359554.
- [50] J. Chang, M. N. Natsuaki, and C. N. Chen, "The importance of family factors and generation status: mental health service use among latino and Asian Americans," *Cultural Diversity and Ethnic Minority Psychology*, vol. 19, no. 3, pp. 236–247, 2013, doi: 10.1037/a0032901.
- [51] S. H. Kim, J. S. Kim, H. Y. Yoo, and E. Ryu, "Parental occupational status and suicidal ideation in adolescent: cross-sectional secondary data analysis," *Journal of Pediatric Nursing*, vol. 45, pp. e57–e63, 2019, doi: 10.1016/j.pedn.2019.01.005.
- [52] N. T. Ping Pang, R. Masiran, K. A. Tan, and A. Kassim, "Psychological mindedness as a mediator in the relationship between dysfunctional coping styles and depressive symptoms in caregivers of children with autism spectrum disorder," *Perspectives in Psychiatric Care*, vol. 56, no. 3, pp. 649–656, 2020, doi: 10.1111/ppc.12481.
- [53] N. L. Hambali et al., "Mediating effect of psychological process variables on the relationship between dysfunctional coping and psychopathologies: a comparative study on psychopathologies during COVID-19," *Behavioral Sciences*, vol. 12, no. 7, 2022, doi: 10.3390/bs12070206.
- [54] A. Orzechowska, M. Zajaczkowska, M. Talarowska, and P. Gałecki, "Depression and ways of coping with stress: A preliminary study," *Medical Science Monitor*, vol. 19, pp. 1050–1056, 2013, doi: 10.12659/MSM.889778.
- [55] M. Ziarko, E. Mojs, B. Piasecki, and W. Samborski, "The mediating role of dysfunctional coping in the relationship between beliefs about the disease and the level of depression in patients with rheumatoid arthritis," *The Scientific World Journal*, vol. 2014, 2014, doi: 10.1155/2014/585063.
- [56] L. Fortes-Ferreira, J. M. Peiró, M. Gloria González-Morales, and I. Martín, "Work-related stress and well-being: The roles of direct action coping and palliative coping," *Scandinavian Journal of Psychology*, vol. 47, no. 4, pp. 293–302, 2006, doi: 10.1111/j.1467-9450.2006.00519.x.
- [57] R. K. Chao and C. Aque, "Interpretations of parental control by asian immigrant and european american youth," *Journal of Family Psychology*, vol. 23, no. 3, pp. 342–354, 2009, doi: 10.1037/a0015828.
- [58] M. T. M. Dijkstra and A. C. Homan, "Engaging in rather than disengaging from stress: Effective coping and perceived control," Frontiers in Psychology, vol. 7, no. SEP, pp. 1–12, 2016, doi: 10.3389/fpsyg.2016.01415.
- [59] M. E. Wadsworth and B. E. Compas, "Coping with family conflict and economic strain: The adolescent perspective," *Journal of Research on Adolescence*, vol. 12, no. 2, pp. 243–274, 2002, doi: 10.1111/1532-7795.00033.
- [60] D. Abelsohn, "Dealing with the abdication dynamic in the post divorce family: a context for adolescent crisis," Family Process, vol. 22, no. 3, pp. 359–383, 1983, doi: 10.1111/j.1545-5300.1983.00359.x.
- [61] A. G. Horwitz, R. M. Hill, and C. A. King, "Specific coping behaviors in relation to adolescent depression and suicidal ideation," Journal of Adolescence, vol. 34, no. 5, pp. 1077–1085, 2011, doi: 10.1016/j.adolescence.2010.10.004.
- [62] J. W. Santrock, Adolescence, 16th ed. New York: McGraw-Hill Education, 2016.
- [63] J. Torralba, L. Oviedo, and M. Canteras, "Religious coping in adolescents: new evidence and relevance," *Humanities and Social Sciences Communications*, vol. 8, no. 1, pp. 1–9, 2021, doi: 10.1057/s41599-021-00797-8.

BIOGRAPHIES OF AUTHORS



Ktut Dianovinina is a student of Doctoral Psychology Program at Airlangga University in Indonesia. She is interested in exploring mental health problem in adolescents, especially depression. She can be contacted via email: ktut.dianovinina-2020@psikologi.unair.ac.id.



Endang Retno Surjaningrum is seen an Associate Professor in the Department in the Faculty of Psychology Airlangga University in Indonesia. She has expertise in research and training of clinical psychology, mental health social science, and knowledge of qualitative research methodology including use of data management and analysis software packages (NVivo) and research in the areas of: depression, health behaviour, mental health literacy, maternal mental health, and the role of community health workers in mental health areas, and cognitive behaviour therapy. She can be contacted at email: endang.surjaningrum@psikologi.unair.ac.id.



Primatia Yogi Wulandari Development and Faculty of Psychology Airlangga University with a specialization in developmental psychology. She is also a member of two research studies at the Faculty Early Childhood Education and Faculty Development and Family Care and Education. Apart from teaching, she has conducted several studies and publications. One of which is entitled "Adaptation and Validation of Sibling Conflict Strategies". Several books have also been published, including "Sibling Conflict: Its effect on early childhood empathy". Her professional expertise as a psychologist is developed through some applied units at the Faculty such as the Psychology Service unit, the Center for Applied Educational Psychology, and the Institute for Applied Psychological Assessment and Development. She can be contacted at email: primatia.yogi@psikologi.unair.ac.id.



1.1 0.179 0.190 SJR SNIP







ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS

Home > About the Journal > Editorial Team

Editorial Team

Advisory Board

Prof. Hans-Olov Adami, MD, Karolinska Institutet. Sweden Assoc. Prof. Dr. Luoping Zhang, PhD, University of California, United States
Dr. Khalid M. Al Aboud, King Faisal Specialist Hospital and Research Centre, Saudi Arabia

Prof. Dr. Jay G. Silverman, University of California, United States

Managing Editor

Assoc. Prof. Dr. Lina Handayani, Universitas Ahmad Dahlan, Indonesia

Associate Editors

<u>Prof. Dr. Mane Abhay Babruwahan</u>, Navodaya Medical College, India <u>Assoc. Prof. Dr. Giovanna Ricci</u>, Università degli Studi di Camerino, Italy ASSOC, Prof. Dr. Henry Oblianosen Imhonde, Ambrose Alli University, Nigeria
ASSOC, Prof. Dr. Henry Oblianosen Imhonde, Ambrose Alli University, Nigeria
ASSOC, Prof. Dr. Jitendra Gupta, GLA University, India
ASSOC, Prof. Dr. Mohd Hasni Jaafar, Universiti Kebangsaan Malaysia, Malaysia
ASSIS, Prof. Dr. Fakher Rahim, Cihan University- Sulaymania, Iraq
Dr. Ali Mohamed Ali Ismali, Cairo University, Egypt
Dr. Fazal Shirazi, University of Texas MD Anderson Cancer Center, United States
Dr. Miguel A. Mayer MD, PhD, MPH, MSC, Dipl, Universitat Pompeu Fabra Barcelona, Spain Dr. Muhiuddin Haider, University of Maryland, United States
Dr. Rashid Menhas, Zhejiang University, China
Dr. Tassanee Rawiworrakul, Mahidol University, Thailand
Dr. Xiaoli Gao, University of Texas Health Science Center at San Antonio, United States

Editorial Board Members

Dr Sajad Rashidi, Department of Medical Laboratory Sciences, Khomein University of Medical Sciences, Khomein, Iran, Iran,

Islamic Republic of <u>Dr K. Bincy,</u> Department of Community Medicine, SRM Institute of Science and Technology, India

Prof. Dr. George Williams Rutherford, University of California, United States Prof. Dr. Godfrey Mutashambara Rwegerera, University of Botswana, Botswana Prof. Dr. Jens Aagaard-Hansen, University of the Witwatersrand, South Africa

Mr. Ridwan Islam Sifat, University of Maryland, Baltimore County, United States

Prof. Dr. Louise H. Taylor, Global Alliance for Rabies Control, United States
Prof. Dr. Louise H. Taylor, Global Alliance for Rabies Control, United States
Prof. Dr. Michael Kundi, Medical University Vienna, Austria
Prof. Dr. Mogens Vyberg, PhD, Aalborg University, Denmark
Prof. Dr. Robson Xavier Faria, Universidade Federal Fluminense, Brazil
Prof. Dr. Sitl Zubaidah, Universitas Negeri Malang, Indonesia
Prof. Dr. Sigit Purnama, Universitas Islam Negeri Sunan Kalijaga Yogyakarta, Indonesia
Prof. Dr. Viskasari P. Kalanjati, Universitas Airlangga, Indonesia Prof. Dr. Viskasarl P. Kalanjati, Universitas Airlangga, Indonesia
Assoc. Prof. Dr. Emmanuel Kusi Achampong, University of Cape Coast, Ghana
Assoc. Prof. Dr. Luan Luis González Pascual, Universidad Europea de Madrid, Spain
Assoc. Prof. Dr. Lyus Luis Conzález Pascual, University of Cyberjaya, Malaysia
Assist. Prof. Dr. Prabu Christopher, Vellore Institute of Technology, Vellore, India
Assoc. Prof. Dr. Simona Zaami, Sapienza University of Rome, Italy
Mr. Lim Kuang Kuay, Institute for Public Health, Malaysia
Dr. Abdolhakim Jorbonyan, Mazandaran University of Medical Sciences, Iran, Islamic Republic of
Dr. Abhinand Thaivalappil, Ontario Veterinary College, Canada
Dr. Ahmad Ghiffari, Universitas Muhammadiyah Palembano. Indonesia

Dr. Ahmad Ghiffari, Universitas Muhammadiyah Palembang, Indonesia

Dr. Alence Geteneh, Woldia University, Ethiopia

Dr. Aletha Yvette S. Akers, University of Pittsburgh, United States

Dr. Andrew Winokur, UConn Health, United States

dr. Anton Suryatma, National Research and Innovation Agency Republic of Indonesia, Indonesia

Dr. Asha Hegde, Manipal Academy of Higher Education, Karnataka, India Dr. Asha Hegde, Manipal Academy of Higher Education, Karnataka, India Dr. Ashgulla Shariff, JSS College of Pharmacy, India Dr. Barbara Abrams, University of California, United States

Dr. Barbara Abrams, University of California, United States
Dr. Barbara K. Campbell, Oregon Health & Science University, United States
Dr. Christopher Bowle, Victoria University of Wellington, New Zealand
Dr. Crystal LaRae Wynn, Virginia State University, United States
Dr. Daniel Susilo, Bunda Mulia University, Indonesia
Dr. Erika Villavicencio-Ayub, Universidad Nacional Autonoma de México, Mexico
Dr. Fhumulani Mavis Mulaudzi, University of Pretoria, South Africa
Dr. Gloria Nnadwa Alhassan, Cyprus International University, Turkey
Dr. Jennifer A. Fish, The University of South Australia, Australia
Dr. Ll-Ping Zou, Second Military Medical University, China
Dr. Lynn B. McCool, Drake University, United States
Dr. Maja Subelj, National Institute of Public Health, Slovenia
Dr. Mehran Akbari, Khomein University of Medical Sciences, Iran, Islamic Repub

Dr. Maja Subelj, National Institute of Public Health, Slovenia
Dr. Mehran Akbari, Khomelin University of Medical Sciences, Iran, Islamic Republic of
Dr. Noor Hazfalinda Hamzah, Universiti Kebangsaan Malaysia, Malaysia
Dr. Phayong Thepaksorn, Praboromarajchanok Institute, Thailand
Dr. Oprinah Estiningtyas Sakilah Adnani, Faculty of Medicine, Universitas Padjadjaran, Indonesia
dr. Rakhmad Hidayat, Sp.S.(K), MARS, Universitas Indonesia, Indonesia
Dr. Rob M.G. van Bommel, Catharina Hospital, Netherlands
Dr. Rui Manuel de Almeida Poinhos, Reitoria da Universidade do Porto, Portugal
Dr. Stenbangia, S. Rottbaphera, University of Bittsburph Medical Center Marage-Womens Hospital, I

Dr. Stephanie S. Rothenberg, University of Pittsburgh Medical Center Magee-Womens Hospital, United States Dr. Tarik Bereket, University of Toronto, Canada Dr. Vera Fernandes, Hospital de Braga, Portugal Dr. Yogesh Kumar Jain, All India Institute of Medical Sciences, Jodhpur, India

International Journal of Public Health Science (IJPHS)

p-ISSN: 2252-8806, e-ISSN: 2620-4126

This journal is published by the Intelektual Pustaka Media Utama (IPMU) in collaboration with Institute of Advanced Engineering



CITATION ANALYSIS

- Scopus
- Google ScholarScholar Metrics
- Scholar Met
 Scinapse
 Dimensions
 Scilit

SPECIAL LINKS

- Author Guidelines

- Editorial Boards
 Online Submissi
 Abstracting and Indexina
- Publication Ethics
- Contact Us

JOURNAL CONTENT

Search Search Scope Search

By Issue

- By Author
- By Title

INFORMATION

- For Readers
- For Authors For Librarians





ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS

Prediction of pulmonary tuberculosis incidence based on epidemiological triad as a preventive

measure
Agung Sutriyawan, Anri Anri, Andri W. J. Imbar, Ramdhani M. Natsir, Paryany Pangeran, Hairil Akbar

Home > Archives > Vol 12, No 3

Vol 12, No 3

September 2023

DOI: http://doi.org/10.11591/jjphs.v12i3

Table of Contents

OVID-19 vaccine acceptance in Notoprajan, Yogyakarta, Indonesia: a lesson learned from the andemic Aulia Putri Nugraheni, Sulistyawati Sulistyawati	924-93
tisk factors of COVID-19 incidence in Bantul Regency. Indonesia Siska Wardani, Fardhiasih Dwi Astuti	PD 932-93
Determinant factor affected the presence of Aedes sp. in a customary village Nur Alvira Pascawati, Tri Baskoro Tunggul Satoto	PD 940-94
nsecticide resistance of Aedes aegypti in Indonesia: a systematic review Liena Sofiana, Rokhmayanti Rokhmayanti, Martini Martini, Dewi Ariyani Wulandari	950-96
mpact of COVID-19 pandemic in dermatology outpatient visits Monika Fida, Dorina Toçi, Ervin Toçi, Sabina Dedej, Arbnore Tafica, Amanda Kore, Ermira Vasili	<u>PD</u> 965-97.
<u>Quality of life among women living in Haor Basin in Bangladesh and its socio-economic predictors</u> Fatema Akhter Hiramoni	973-98
	PD
<u>Quality of life among urban hypertensive patients</u> Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bul Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran	_
Tran Nguyen Ngoc, Dang Thanh Tung, Bui Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong	_
Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran	981-98 PD
Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran model of self-regulation in preventing risk sexual behavior among adolescents Wahyu Agustin Eka Lestari, Retno Indarwati, Ilya Krisnana, Neisya Pratiwindya Sudarsiwi ruritus and long-term hemodialysis among patients with chronic renal failure	981-98 989-99
Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran Imodel of self-regulation in preventing risk sexual behavior among adolescents Wahyu Agustin Eka Lestari, Retno Indarwati, Ilya Krisnana, Neisya Pratiwindya Sudarsiwi ruritus and long-term hemodialysis among patients with chronic renal failure Dwi Retnaningsih, Putri Puspitasari, Dyah Restuning Prihati dealth Information seeking patterns among medical and non-medical university students in Egypt	981-98 989-99 998-100
Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran Amodel of self-regulation in preventing risk sexual behavior among adolescents Wahyu Agustin Eka Lestari, Retno Indarwati, Ilya Krisnana, Neisya Pratiwindya Sudarsiwi Pruritus and long-term hemodialysis among patients with chronic renal failure Dwi Retnaningsih, Putri Puspitasari, Dyah Restuning Prihati Bealth information seeking patterns among medical and non-medical university students in Egypt Hend Aly Sabry, Farah Mohamed Ezzat, Marwa Rashad Salem	981-98 989-99 998-100
Tran Nguyen Ngoc, Dang Thanh Tung, Bul Van Dung, Trinh Viet Anh, Bui Van San, Hoang Thi Phuong Nam, Nguyen Hoang Thanh, Huy Dinh Quang, Thien Van Tran Immodel of self-regulation in preventing risk sexual behavior among adolescents Wahyu Agustin Eka Lestari, Retno Indarwati, Ilya Krisnana, Neisya Pratiwindya Sudarsiwi Pruritus and long-term hemodialysis among patients with chronic renal failure Dwi Retnaningsih, Putri Puspitasari, Dyah Restuning Prihati Bealth information seeking patterns among medical and non-medical university students in Egypt Hend Aly Sabry, Farah Mohamed Ezzat, Marwa Rashad Salem Prevalence of occupational stress and workload among laboratory staff Suriya Kumareswaran, Siti Umairah Muhadi, Jeyanthini Sathasivam, Vanitha Thurairasu	981-98 989-99 998-100 1004-101

<u>Determinat factors influenced consumer's decision: a study in a regional public hospital</u> Rochana Ruliyandari, Nisrina Hazerika

<u>Nutritional knowledge, family income, and blood sugar level among diabetic patients</u>

Mohsen Maleki, Abolfazl Payandeh, Maryam Seraji, Mahshid Taherkhani, Ahmad Bolouri

<u>Human resource development and job satisfaction among nurses</u>
Suprapto Suprapto, Nursyamsi Norma Lalla, Trimaya Cahya Mulat, Darmi Arda

USER
Username
Password
Remember me
Login

CITATION ANALYSIS

PDF 917-923

PDF 1048-1055

PDF 1056-1063

PDF 1064-1069

- ScopusGoogle ScholarScholar MetricsScinapseDimensionsScilit

SPECIAL LINKS

- Author Guidelines
 Editorial Boards
 Online Submission
 Abstracting and

- Indexing
 Publication Ethics
 Visitor Statistics

|--|

JOURNAL CONTENT
Search
Search Scope
All v
Search
Browse
By Issue
By Author
By Title

INFORMATION

- For Readers
 For Authors
 For Librarians

Protective effect of Carica papaya leaves against oxidative stress in brine shrimps Richard Johari James, Hasseri Hallm, Mohd Mursyidul Amin Nasir, Fatimatul Huda Amiruddin, Nurul Aqmar Mohamad Nor Hazalin	PDF 1070-1077
Iron and calcium nutrition interventions among Vietnamese women Linh Thuy Nguyen, Tho Anh Pham, Nga Thanh Ta, Yoshinori Komatsu, Thao Phuong Tran	PDF 1078-1084
Effectiveness of a nutrition and physical activity intervention among adolescent Abeer Ahmad Bahathig, Hazizi Abu Saad, Nor Baizura Mohd Yusof, Nurul Husna Mohd Shukri	PDF 1085-1092
Determinant factors of stunting incidence in Muara Enim Regency. South Sumatra Province Susyani Susyani, Sartono Sartono, Ahmad Sadiq, Imelda Telisa, Terati Terati, Devy Kartika Sari, Tri Friantini, Hamzah Hasyim	PDF 1093-1101
Nutritional status and dietary patterns of children with attention deficit hyperactivity disorder in Bangladesh Abul Kashem Obidul Huq, Sakera Khatun Mony, Totini Datta Chowdhury, Ielias Uddin, Abu Naim Mohammad Bazlur Rahim, Tasrin Jahan, Khaleda Hossain Moon, Chowdhury Tasneem Hasin, Kazi Mohammad Formuzul Haque	PDF 1102-1111
Container characteristics and density of Aedes aegypti larvae: a field trial of Ziziphus mauritiana leaf extract Nurul Amaliyah, Fathmawati Fathmawati, Yulia Yulia, Kholisotul Hikmah	PDF 1112-1118
Sansevieria trifasciata extract effectively inhibit the growth of Escherichia coli bacteria, in vitro Rachmaniyah Rachmaniyah, Rusmlati Rusmlati	PDF 1119-1125
Factors affecting non-adherence to the public recommendation of mask use in Bangladesh: a nationwide survey. Mohammad Aminul Islam, Md. Kaderi Kibria, Apon Das, Md. Monimul Huq	PDF 1126-1136
Earmarking policy: how it affects the Indonesian health and education sector Faishal Fadil, Vietha Devia Sagita Sumantri	1137-1146
Policy implementation and public satisfaction index concerning COVID-19 pandemic handling in East Lombok Regency Ahyar Rosidi, Kumboyono Kumboyono, Yati Srihayati	<u>PDF</u> 1147-1154
Including families in schizophrenia treatment: a systematic review Dwi Indah Iswanti, Nursalam Nursalam, Rizki Fitryasari PK, Fery Agusman Motuho Mendrofa, Umi Hani	PDF 1155-1164
The relationship between diabetes self-care management and blood glucose level among type 2 diabetes mellitus patients Erika Untari Dewi, Ni Putu Widari, Nursalam Nursalam, Mahmudah Mahmudah, Esti Yunita Sari, Yohana Fransiska Ning Susiana	PDF 1165-1170
Eco-enzyme as disinfectant: a systematic literature review Cindy Vidalia, Emily Angelina, Joenni Hans, Lin Hill Field, Nathania Caroline Santo, Elisabeth Rukmini	PDF 1171-1180
Model of protective behavior during the COVID-19 pandemic in Indonesia Ivan Muhammad Agung, Desma Husni	PDF 1181-1188
Evaluation of deep learning models for melanoma image classification Shiva Shankar Reddy, Vetukuri Venkata Siva Rama Raju, Chigurupati Ravi Swaroop, Neelima Pilli	PDF 1189-1199
Online love fraud and the experiences of indonesian women: a qualitative study Susanti Niman, Tina Shinta Parulian, Timothy Rothhaar	PDF 1200-1208
The impact of therapeutic group therapy on the life purpose of elderly people suffering from loneliness Erlyono Budi Wijoyo, Novy Helena C. Daulima, Ice Yulia Wardani, Habibi Rohman Rosyad	PDF 1209-1217
Structured educational app in improving self-care management in diabetes mellitus patients: systematic review Devangga Darma Karingga, Ferry Efendi, Retno Indarwati, Angeline Bushy	PDF 1218-1225
Reducing diabetes burnout syndrome using self-instructional training Nian Afrian Nuari, Handono Faikhur Rahman, Abdul Hamid Wahid	PDF 1226-1231
Balancing privacy at the time of pandemic: global observation Zoran Jordanoski, Luis Felipe M. Ramos, Moinul Zaber	PDF 1232-1242
Lifetime prevalence of dysgraphia and associated family environment characteristics in primary schools Sameeha Naser Abed, Dhakam Mohammed Abbas, Israa Dawood	PDF 1243-1248
Modeling quality of life of Ho Chi Minh City dwellers Vy Dang Bich Huynh, Quyen Le Hoang Thuy To Nguyen, Tram Huynh Mai Nguyen, Phong Thanh Nguyen, The Thi Ngoc Dang	PDF 1249-1258
A systematic review of artificial intelligence-based methods in healthcare Anthony Lirase Apio, Jonathan Kissi, Emmanuel Kusi Achampong	PDF 1259-1269
An increase of human immunodeficiency virus infection amongs blood donor during COVID-19 pandemic Nina Difla Muflikhah, Fatia Rizki Nuraini	PDF 1270-1276

Behavioral and psychological diagnosis for universities students after the corona pandemic closures Ghazi El Kallani, Osama Abdel Fattah, Ayed A. Zureigat, Omar Amir	PDF 1277-1286
Determinants of stunting in children aged 24-59 months: a case- control study Muliani Muliani, Henrietta Imelda Tondong, Abd Farid Lewa, Mutmainnah Mutmainnah, Arie Maineny, Asrawaty Asrawaty	<u>PDF</u> 1287-1294
ife quality differences before and after hemorrhoid treatment Fadli Robby Amsriza, Rizka Fakhriani	PDF 1295-1301
Sport and religion: a mapping analytical research Davi Sofyan, Khairul Hafezad Abdullah, Ejiro Uriri Osiobe, Indrayogi Indrayogi, Rajip Mustafillah Rusdiyanto, Novri Gazali, Yohanes Touvan Juni Samodra	1302-1310
Association between screen time, physical activity and sleep quality among youths Gang Liu, Duan Liu	PDF 1311-1319
Duality of life in epilepsy: comparison between Indonesian version of QULIE-10 and QULIE-31 Diah Kurnia Mirawati, Lestari Handayani, Subandi Subandi, Muhammad Hafizhan, Stefanus Erdana Putra	1320-1326
<u>Chermosensitive hydrogels as drug carriers for breast cancer treatment: a systematic review</u> Azis Ikhsanudin, Teuku Nanda Saifullah Sulaiman, Khadijah Zai, Bambang Sulistyo Ari Sudarmanto	P <u>DF</u> 1327-1336
Specific coping behaviours related to depression in adolescents with a divorced parent Ktut Dianovinina, Endang Retno Surjaningrum, Primatia Yogi Wulandari	PDF 1337-1345
Maternal perception and fear on the adverse effects of immunization, Surabaya City Mulyanti Ayu Wulandari Maulana, Made Nita Sintari, Arlef Hargono	PDF 1346-1352

International Journal of Public Health Science (IJPHS) p-ISSN: 2252-8806, e-ISSN: 2620-4126

This journal is published by the Intelektual Pustaka Media Utama (IPMU) in collaboration with Institute of Advanced Engineering and Science (IAES).



View IJPHS Stats



© 0 0 SY 58

This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Home Journal Rankings

Country Rankings

Viz Tools

Help

About Us

International Journal of Public Health Science

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
Universities and research institutions in Indonesia Media Ranking in Indonesia	Medicine Health Policy Medicine (miscellaneous) Public Health, Environmental and Occupational Health Nursing Nutrition and Dietetics Social Sciences Health (social science)		10
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Journals	22528806, 26204126	2019-2023	Homepage
			How to publish in this journal
			ijphs@iaescore.com

SCOPE


International Journal of Public Health Q Science (IJPHS) is an interdisciplinary journal that publishes material on all aspects of public health science. This IJPHS provides the ideal platform for the discussion of more sophisticated public health research and practice for authors and readers world wide. The priorities are originality and excellence. The journal welcomes high-impact articles on emerging public health science that covers (but not limited) to epidemiology, biostatistics, nutrition, family health, infectious diseases, health services research, gerontology, child health, adolescent health, behavioral medicine, rural health, chronic diseases, health promotion, evaluation and intervention, public health policy and management, health economics, occupational health and environmental health.

Q Join the conversation about this journal

Quartiles

E





I want to submit my paper

reply



SCImago Team

Dear Priya,

Thank you for contacting us.

We suggest you visit the journal's homepage (See submission/author guidelines) or contact the journal's editorial staff, so they could inform you more deeply. Best Regards, SCImago Team

Leave a comment

Name

Email

(will not be published)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:

Powered by:





Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2024. Data Source: Scopus®



Legal Notice

Privacy Policy

QThis site uses Google AdSense ad intent links. AdSense automatically generates these links and they may help creators earn money.

(i)

(i)

(i)

CiteScore 2023

1.1

SJR 2023

0.179

SNIP 2023

0.190



Source details

International Journal of Public Health Science

Years currently covered by Scopus: from 2019 to 2024

Publisher: Intelektual Pustaka Media Utama ISSN: 2252-8806 E-ISSN: 2620-4126

Subject area: (Medicine: Medicine (miscellaneous)) (Social Sciences: Health (social science)) (Medicine: Health Policy)

(Medicine: Public Health, Environmental and Occupational Health) (Nursing: Nutrition and Dietetics)

Source type: Journal

View all documents > Set document alert □ Save to source list

CiteScore CiteScore rank & trend Scopus content coverage

CiteScore
$$\frac{2023}{602 \text{ Citations } 2020 - 2023}$$

$$1.1 = \frac{602 \text{ Citations } 2020 - 2023}{565 \text{ Documents } 2020 - 2023}$$

Calculated on 05 May, 2024

CiteScoreTracker 2024 ①

Last updated on 08 July, 2024 • Updated monthly

CiteScore rank 2023 ①

Category	Rank Percentil	e
Medicine Medicine (miscellaneous)	#260/398	34th
Social Sciences Health (social science)	#266/371	28th

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語版を表示する

查看简体中文版本

查看繁體中文版本

Просмотр версии на русском языке

Customer Service

Help

Tutorials

Contact us

ELSEVIER

Terms and conditions \supset Privacy policy \supset

All content on this site: Copyright © 2024 Elsevier B.V. \neg , its licensors, and contributors. All rights are reserved, including those for text and data mining, Al training, and similar technologies. For all open access content, the Creative Commons licensing terms apply. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies \neg .

RELX™