



Analysis of Risk Factors for Commercial Sex Workers and the Prevalence of the Human Immunodeficiency Virus (HIV)

Sajuni Widjaja^{1✉}, Winnie Nirmala Santosa², Dwi Martha Nur Aditya²

¹Microbiology laboratory, Faculty of Medicine, Universitas Surabaya, Surabaya, Indonesia

²Biomedical laboratory, Faculty of Medicine, Universitas Surabaya, Surabaya, Indonesia

Article Info

Article History:
Submitted January 2023
Accepted April 2023
Published July 2023

Keywords:
HIV, AIDS, Dolly localization.

DOI
<https://doi.org/10.15294/kemas.v19i1.42036>

Abstract

Human Immunodeficiency Virus (HIV) and Acquired Immunodeficiency Syndrome (AIDS) are one of the biggest health problems in the 21st century. HIV/AIDS cases continue to soar, one of which is due to the practice of prostitution because commercial sex workers (CSW) are a group at high risk of contracting HIV/AIDS. Dolly, the largest localization at Surabaya, has already been closed by the government to decrease the transmission of HIV. The research method is based on laboratory examination using the Rapid Test Immunochromatography method, with the subject of examination being women who live around Dolly localization. This method has the advantages of fast inspection time (only around 15-30 minutes), is easy to do, do not use special tools, and is quite sensitive. The number of women who were HIV positive was 1.4%, and the numbers who were HIV negative was 98.6%. The association between the risk variables for CSWs and HIV status was then determined using the Spearman correlation test. Statistical analyses revealed a significant relationship between CSW status and HIV prevalence with a significance value of 0.05 ($p=0.025$; $CI=95\%$). Since the correlation coefficient is positive, a rise in CSWs' active status can also increase HIV prevalence.

Introduction

In general, the incidence of AIDS and the Human Immunodeficiency Virus (HIV) has grown during the past ten years. According to Ministry of Health data, 543,100 persons with HIV as of March 2022. Based on information and reports from 2010 to March 2022, East Java has 71,909 cases, making it one of the five provinces with the highest number of HIV infections (Fitri Anis Annisa & Azinar, 2021). According to Central Statistics Agency figures for 2019, HIV cases are more prevalent in the city of Surabaya (Suherwan, 2018). It is so that prostitution by commercial sex workers can take place at a venue for entertainment in Surabaya's Dolly neighborhood. One of the key contributors to the spread of HIV is this circumstance (Naully & Romlah, 2018). Previous studies suggested that the pattern of condom usage in the

Surabaya dolly localization region enhanced HIV prevalence (Miftahul Khairoh, 2016). Condom usage is one basic preventive measure that may be performed, but the major safeguard that should be implemented is refraining from having unrestricted intercourse (Merati et al., 2021). There's a strong correlation between that region's free sex practices and the use of this condom.

The government has now formally ended dolly localization. Improvements are being made to the Dolly neighborhood as part of ongoing efforts to make it better, including efforts to make the region's residents HIV-free. It is the decision on sustainable development objectives made as a consequence of the agreement of 193 United Nations members to end the HIV/AIDS epidemic in 2030, known as the Sustainable Development Goals (SDGs) (Shannon et al.,

✉ Correspondence Address:
Microbiology laboratory, Faculty of Medicine, Universitas Surabaya, Surabaya, Indonesia
Email : sajuni@staff.ubaya.ac.id

2018). Although the government has declared Dolly's localized area to be closed, there are still active types of clandestine prostitution there. Prostitution is conducted at boarding homes and a few inns outside of the localized area, as opposed to before, when it was done openly. Because HIV/AIDS-infected prostitutes had the ability to covert phenomenon of prostitution is genuinely problematic and raises additional concerns from the standpoint of HIV/AIDS prevention (Daulay, 2018). The outcomes of the scenario investigation showed that many local people exploited as free boarding houses and locations for illegal prostitution in the Dolly localization region. Like two sides of a coin, the Dolly region closure policy has rendered HIV transmission and spread uncontrollably since the periodic monitoring program has diminished, it has covered the condition of the Dolly area, which is presently closed, but it is not precisely the case.

Economic and sociocultural variables are also significant in this situation. It can contribute to an increase in HIV incidence in addition to the risk factor of working in commercial sex. Previous studies showed that the biggest influences on someone's decision to choose a career as a commercial sex worker are economic and sociocultural variables (Frank et al., 2019). Long-term research on these variables yields findings that are closely correlated with the prevalence of HIV. In contrast to these risk factors, there are a number of additional variables that might result in an increase in HIV prevalence, such as CSWs' active status and their length of time as prostitutes. Based on this context, researchers worked to determine the HIV prevalence status in the new settlement region and to assess the etiological variables' potential to enhance the prevalence of the virus as well as their potential carrying capacity.

Method

The University of Surabaya Health Research Ethics Committee has approved this study as ethically acceptable and assigned it registration number 58/KE/XI/2022. This study has a cross-sectional design and is an observational analytical study. HIV status was the dependent variable in this study; the independent variables were prostitution risk

factors (FR), CSW status (ST) (active or retired), CSW tenure (LM), age at first sex (HS), and frequency of routine healthcare visits (FRP). By capillary blood drawn from the fingertip, an HIV fast screening kit is used to check a patient's HIV status. If two stripes emerge in the test, the subject is diagnosed as HIV positive, and the opposite is true. To measure the independent variables, a guided questionnaire was used, which the study participants completed with the help of the research team. Numerous question items in the survey included open, scaled, and closed response options. It is allocated to the FR and ST variables for questions with closed answer types, the FRP variable for questions with scaled response types, and the HS and LM variables for questions with open answer types.

All women of adult age in the Put Jaya Village region made up the study's population (18-65 years). This study employed a non-probability selection strategy with a purposive sampling method, which implies that participants were chosen based on traits connected to previously known population traits. In this instance, the risk factors for becoming a prostitute. On November 10, 2022, data collection was done with 72 individuals. The collected data were tabulated and coded by the research requirements, and the non-parametric Spearman correlation test was used to analyze the data using the SPSS v.25 programs.

Result and Discussion

After coding the results of completing the questionnaire and checking for HIV status, the data analysis procedure was carried out. The number of women who were HIV positive was 1.4%, and the number who were HIV negative was 98.6%, according to the results of the quick screening method. According to the questionnaire's findings, out of 72 respondents, 55.5% of the women had CSW status, while 44.4% did not. 62.5% of the 55.5% of women who engage in prostitution are still in business, while 37.5% are retired. The average length of time as a prostitute is 6.7 ± 4.71 years, and the average age at which you had your first sexual encounter is 19.5 ± 4.02 years. According to data, 10.0% of people have their HIV checked more than eight times per year, 15.0% have their HIV

checked four to four times per year, 20.0% have their HIV checked once every two to three months, and 55.0% have their HIV checked just once per year. Table 1 provides an exhaustive summary of the inspection findings.

TABLE 1. General characteristics of research subjects (personal sources)

	N	Mean±SD
HIV Status:	72	
- Positive	1	
- Negative	71	
Prostitution Risk Factors:	72	
- Yes	40	
- No	32	
CSW Status:	40	
- Active	25	
- Retired	15	
CSW Tenue	40	6.7±4.71
Age at First Sex	40	19.5±4.02
Frequency of Routine Healthcare Visits:	40	
->8 times/year	4	
-5-8 times/year	6	
-2-4 times/year	8	
-≤ 1 time/year	22	

Source: Primary data, 2022

The association between the risk variables for CSWs and HIV status was then determined using statistical analysis of the study data that had been gathered. Utilizing the Spearman correlation test, statistical analyses revealed a significant relationship between CSW status and HIV prevalence with a significance value of 0.05 ($p=0.025$; CI=95%). Since the correlation coefficient is positive, a rise in CSWs' active status can also increase HIV prevalence. The risk factors for CSWs ($p=0.187$; CI=95%), duration of being a CSW ($p=0.128$; CI=95%), age at first sexual encounter ($p=0.221$; CI=95%), and frequency of medical visits ($p=0.180$; CI=95%) were all significant at $p>0.05$, but the findings of other factor tests were not. A complete description of the statistical test results in full can be seen in Table 2.

TABLE 2. Analysis of the association between CSW risk variables and HIV prevalence (personal sources)

		HIV
Prostitution Risk Factors	Correlation coefficient	0.106
	Significance	0.187
	N	72
CSW Status	Correlation coefficient	0.231
	Significance	0.025*
	N	72
CSW Tenue	Correlation coefficient	0.266
	Significance	0.128
	N	72
Age at First Sex	Correlation coefficient	0.105
	Significance	0.221
	N	72
Frequency of Routine Healthcare Visits	Correlation coefficient	0.119
	Significance	0.180
	N	72

Source: Primary data, 2022

According to data analysis findings, there is only a positive link between the prevalence of HIV and the active status of CSWs. There will undoubtedly be a rise in HIV prevalence in the region since more CSWs are working there. It is consistent with other research from several different nations that have shown that having CSWs in a community might raise the risk factors for HIV transmission. The prevalence of HIV rises as a result of CSWs' active status, according to research on prostitution hotspots in Vietnam (Zhang et al., 2020). According to studies, there are also comparable situations in several countries like Russia, Iran, Mexico, Lesotho, and China (Girchenko et al., 2015) (Shokoohi et al., 2016) (Gaines et al., 2013) (Grosso et al., 2018) (Huang et al., 2012). Because it is well known that CSWs may provide sex services up to ten times each day, the transmission that they carry out is enormous. CSWs may also choose to receive increased payment for not using condoms (Nhurod et al., 2010). CSWs with lower income may compromise their ability to decline risky sexual practices. They may be compromise not to use condoms in order to get more clients. CSWs with lower socioeconomic status are more likely to meet partners from lower socioeconomic status, which was reported to be a strong predictor of HIV seropositivity (Abdella et al., 2022). Previous studies claimed that immunopathogenesis, which takes place in tissue mucosa, is what causes alterations in immunity when penile-vaginal induction occurs alternatively and in large numbers (Mohammadi et al., 2022). Continuous penile-vaginal induction results in extensive alterations in the tissue mucosa, leading to inflammation there. Sexual intercourse may easily damage wall of an altered genital tract to facilitate entry of HIV into the body (Abdella et al., 2022). Due to the body's decreased immunity caused by inflammation, the virus uses this state to reproduce (Petrova et al., 2013).

Other risk variables, such as the duration of prostitution, the age at which a person has their first sexual encounter, and visiting a doctor, do not appear to be related to the incidence of HIV. Although this did not occur in our study, a positive correlation coefficient suggests that these variables may also affect changes in HIV

prevalence status. Previous research has shown that variables such as the length of time spent as a prostitute, lack of access to health screenings, level of education, and use of drug-injecting needles might increase the spread of infection (Lopez-Corbeto et al., 2022a)(Lopez-Corbeto et al., 2022b). According to further research, age affects how an illness spreads (Pérez-Morente et al., 2017). The maturity of a person's decision-making is influenced by each of these variables. Being a prostitute is a choice, but maturity defines a preventative lifestyle, starting with being aware of the hazards associated with using contraception and scheduling regular checkups with the doctor for health screenings. According to earlier research, using preventative measures will further decrease the spread of illness and lower the risk of unintended pregnancy (Folch et al., 2014).

CSWs face a higher burden of HIV infection and also face systematic barriers to accessing appropriate health services (Wilson, 2015). The role of community leaders and also religious leaders can influence people's behavior so CSWs can be accepted in society and access better health services (Tuba et al., 2023). There is a need to expand HIV testing around CSWs and intervention strategy such as preexposure prophylaxis to reduce the transmission of HIV (Nsanzimana et al., 2020).

Conclusion

A significant relationship was found between the status of commercial sex workers and HIV status. More education is needed for commercial sex workers so they don't get infected or infect HIV by always using condoms. Commercial sex workers need to learn how to negotiate condom use with their clients and increase diagnostic testing of HIV.

Acknowledgments

The author would like to acknowledge LPPM Universitas Surabaya for providing support.

References

- Abdella, S., Demissie, M., Worku, A., Dheresa, M., & Berhane, Y., 2022. HIV Prevalence and Associated Factors Among Female Sex Workers in Ethiopia, East Africa: A Cross-

- Sectional Study Using a Respondent-Driven Sampling Technique. *EClinicalMedicine*, 51, pp.101540.
- Daulay, P., 2018. Resistance of Red Light District Communities in Responding Dolly Closure Policy in Surabaya City Indonesia. *Advances in Social Sciences Research Journal*, 5(12).
- Fitri Anis Annisa, V., & Azinar, M., 2021. Perilaku Seksual Berisiko Tertular dan Menularkan HIV/AIDS (Studi Kasus pada Karyawan Penderita HIV/AIDS di Kota Semarang). *Indonesian Journal of Public Health and Nutrition*, 1(3), pp.743–751.
- Folch, C., Casabona, J., Sanclemente, C., Esteve, A., & González, V., 2014. Tendencias de la Prevalencia del VIH y de las Conductas de Riesgo Asociadas en Mujeres Trabajadoras del Sexo en Cataluña. *Gaceta Sanitaria*, 28(3), pp.196–202.
- Frank, T.D., Carter, A., Jahagirdar, D., Biehl, M.H., Douwes-Schultz, D., Larson, S.L., Arora, M., Dwyer-Lindgren, L., Steuben, K.M., Abastabar, H., Abu-Raddad, L.J., Abyu, D.M., Adabi, M., Adebayo, O.M., Adekanmbi, V., Adetokunboh, O.O., Ahmadi, A., Ahmadi, K., Ahmadian, E., & Murray, C.J.L., 2019. Global, Regional, and National Incidence, Prevalence, and Mortality of HIV, 1980–2017, and Forecasts to 2030, for 195 Countries and Territories: A Systematic Analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. *The Lancet HIV*, 6(12), pp.e831–e859.
- Gaines, T.L., Rusch, M.L.A., Brouwer, K.C., Goldenberg, S.M., Lozada, R., Robertson, A.M., Perkins, E., Strathdee, S.A., & Patterson, T.L., 2013. Venue-level Correlates of Female Sex Worker Registration Status: A Multilevel Analysis of Bars in Tijuana, Mexico. *Global Public Health*, 8(4), pp.405–416.
- Girchenko, P., Ompad, D.C., Kulchynska, R., Bikmukhametov, D., Dugin, S., & Gensburg, L., 2015. Correlates of Lifetime History of Purchasing Sex Services by Men in Saint Petersburg and Leningrad Oblast, Russia. *Journal of Urban Health*, 92(6), pp.1105–1116.
- Grosso, A., Busch, S., Mothopeng, T., Sweitzer, S., Nkonyana, J., Mpooa, N., Tarubekera, N., & Baral, S., 2018. HIV Risks and Needs Related to the Sustainable Development Goals Among Female Sex Workers who were Commercially Sexually Exploited as Children in Lesotho. *Journal of the International AIDS Society*, 21, pp.e25042.
- Huang, Z.J., He, N., Nehl, E.J., Zheng, T., Smith, B.D., Zhang, J., McNabb, S., & Wong, F.Y., 2012. Social Network and Other Correlates of HIV Testing: Findings from Male Sex Workers and Other MSM in Shanghai, China. *AIDS and Behavior*, 16(4), pp.858–871.
- Lopez-Corbeto, E., Sanclemente, C., González, V., Mansilla, R., Casabona, J., & Folch, C., 2022a. HIV, Chlamydia and Gonorrhoea Vulnerability Depending to Sex Work Site. *Enfermedades Infecciosas y Microbiología Clínica (English Ed.)*, 40(4), pp.166–171.
- Lopez-Corbeto, E., Sanclemente, C., González, V., Mansilla, R., Casabona, J., & Folch, C., 2022b. Vulnerabilidad Frente al VIH, Clamidia y Gonococia Según el Lugar Donde se Ejerce el Trabajo Sexual. *Enfermedades Infecciosas y Microbiología Clínica*, 40(4), pp.166–171.
- Merati, T.P., Karyana, M., Tjitra, E., Kosasih, H., Aman, A.T., Alisjahbana, B., Lokida, D., Arlinda, D., Maldarelli, F., Neal, A., Arif, M., Gasem, M.H., Lukman, N., Sudarmono, P., Lau, C.-Y., Hadi, U., Lisdawati, V., Wulan, W.N., Lane, H.C., & Siddiqui, S., 2021. Prevalence of HIV Infection and Resistance Mutations in Patients Hospitalized for Febrile Illness in Indonesia. *The American Journal of Tropical Medicine and Hygiene*, 105(4), pp.960–965.
- Miftahul Khairoh., 2016. Perilaku Seksual Pekerja Seks Komersil dan Pelanggan di Lokalisasi Gang Dolly Surabaya. *Prosiding International Conference of Midwives*, 4(1), pp.88–100.
- Mohammadi, A., Bagherichimeh, S., Choi, Y., Fazel, A., Tevlin, E., Huibner, S., Good, S.V., Tharao, W., & Kaul, R., 2022. Immune Parameters of HIV Susceptibility in the Female Genital Tract Before and After Penile-Vaginal Sex. *Communications Medicine*, 2(1), pp.60.
- Naully, P.G., & Romlah, S., 2018. Prevalensi HIV dan HBV pada Kalangan Remaja. *Jurnal Kesehatan*, 9(2), pp.280.
- Nsanzimana, S., Mills, E. J., Harari, O., Mugwaneza, P., Karita, E., Uwizihwe, J.P., Park, J.J.H., Dron, L., Condo, J., Bucher, H., & Thorlund, K., 2020. Prevalence and Incidence of HIV Among Female Sex Workers and Their Clients: Modelling the Potential Effects of Intervention in Rwanda. *BMJ Global Health*, 5(8).
- Pérez-Morente, M.Á., Cano-Romero, E., Sánchez-Ocón, M.T., Castro-López, E., Jiménez-Bautista, F., & Hueso-Montoro, C., 2017. Sexuality Risk Factors among People with Suspect of Sexually Transmitted Disease. *Revista Espanola de Salud Publica*, 91.
- Petrova, M.I., van den Broek, M., Balzarini, J.,

- Vanderleyden, J., & Lebeer, S., 2013. Vaginal Microbiota and Its Role in HIV Transmission and Infection. *FEMS Microbiology Reviews*, 37(5), pp.762–792.
- Shannon, K., Crago, A.-L., Baral, S.D., Bekker, L.-G., Kerrigan, D., Decker, M.R., Poteat, T., Wirtz, A.L., Weir, B., Boily, M.-C., Butler, J., Strathdee, S.A., & Beyrer, C., 2018. The Global Response and Unmet Actions for HIV and Sex Workers. *The Lancet*, 392(10148), pp.698–710.
- Shokoohi, M., Karamouzian, M., Khajekazemi, R., Osooli, M., Sharifi, H., Haghdoost, A.A., Kamali, K., & Mirzazadeh, A., 2016. Correlates of HIV Testing among Female Sex Workers in Iran: Findings of a National Bio-Behavioural Surveillance Survey. *PLOS ONE*, 11(1), pp.e0147587.
- Suherwan, G.S., 2018. *Perubahan Sosial Ekonomi Masyarakat Lokal Pasca Penutupan Prostitusi Dolly di Kota Surabaya (Studi Kasus Penutupan Lokalisasi Prostitusi di Gang Dolly Tahun 2017)*. Repository.ub.ac.id, pp.1–7.
- Tuba, S., Syaripudin, A., Chalim, A., Orba Manullang, S., & Leonardo Sari, A., 2023. Removing The Stigma and Discrimination for People with HIV/AIDS: The Main Role of Civil Society. *HIV Nursing*, 23(3), pp.47–56.
- Zhang, Y., Liang, B., Liu, D., Wei, G., Mo, S., Nong, A., Ning, C., Liao, Y., Jiang, J., Pan, P., Yang, Y., Zang, N., Vanphu, D., Van, N., Ye, L., Liang, H., & Huang, J., 2020. Migrant Female Sex Workers Working at the Sino-Vietnamese border for a Short Time Have a Higher Risk of HIV Transmission: a Consecutive Cross-Sectional Study. *AIDS Research and Therapy*, 17(1), pp.4.



KEMAS

JURNAL KESEHATAN MASYARAKAT

**Risk Factors and Predictive Model of Diarrhea in Kupang
Irian**

**The Analysis of School Health Development Index (SDHI)
Medo Agus Darmast**

**The Increase of Periodontal Tissue in Type 2 Diabetes Mellitus Patients Based on Index CPITN
Budiman and Ani Fitriana**

**The Sexual Behavior of Male Sexual Partner of Warts in the Prevention Efforts of HIV/AIDS Transmission
Muhammad Azwar, Aninggita Budi Mahardining**

**Effect of Aquarobic and Weight Training on Cortisol Levels in Obese Women
Siti Baital Mukartomah, Herihoro Susanto, Tedyo Ratoyo**

**Inorganic Waste Management in Decreasing Mays Index and Entomology Index of Mosquito Larvae
Lilik Zubriyah, Tri Bekoro Tunggal Setoto, Hari Kusuma**

**Comparison Between Taichi Chuan and Jacobson's Progressive Muscular Relaxation
in Decreasing Cortisol Concentration on Pre-Hypertension Patients
Tanti Ayu Ratomsa, Shola Chasmi, Rudy Handoyo**

**Absorption of Carbon Monoxide (CO) in a Room by Coconut Shell and Durian Skin Activated Carbons
Ufa Nurulita, Nibethuddin**

**The Determinants of Husband Behavior in The Care of Pregnant Women
Elvira Gemala, Sri Masfah, Israh Purnama Sari**

**The Role of Public Health Centers (Puskesmas) as the Gatekeeper of National Health Insurance
Beti Anita, Yenni Febriawati, Yendriat**

**Malaria Community Health Workers in Eliminating Malaria in Banyuwangi Regency
Dwi Setiawan Sri Rajeki, Sri Nurhasni, Dewi Octaviana, Hari Kusuma, E Elva Herdiana Murtandarwati**

**The Diagnosis of Filariasis Endemic Community of Pekalongan City in 2015
Anum Siwensdayanti, Eram T. Pawanang, Sofwan Kadarjo**

**Spatial Analysis of Leptospirosis Disease in Bantul Regency, Yogyakarta
Sulistiyowati, Trias Nirmalasari, Riodonna Nita Montama**

**The Relationship between Non-Communicable Diseases History and Health Quality of Life
Aping Tita Endang, Agus Handis**

**Transovarial Transmission and Dengue Virus Serotypes in Aedes Aegypti in Kupang
Wahid, Octovianus Sia, Irfan, Erni Sinaga**

**The Determinants of Infant Mortality in Neonatal Period
Indah Purnama Sari, Yuzeni Andiani, Tri Ayu Widyasari**

**The Implementation of Credentialing for First-Level Health Facilities of Badan Penyelenggara Jaminan Sosial (BPJS)
Kesehatan Denpasar Branch
Luh Putu Setiwa Ulendar, Putu Ayu Indrayanti**

**The Physical Indicators of Quality of Life for Hemodialysis Patients
Lily Irvan**

Jurnal
Kemas

Volume 12 | Number 1


Page
1-166

Semarang
July 2016

p-ISSN 1858 - 1196
e-ISSN 2355 - 3596



Published by Jurusan Ilmu Kesehatan Masyarakat, Fakultas Ilmu Keolahragaan
Universitas Negeri Semarang (UNNES) in collaboration with
Ikatan Ahli Kesehatan Masyarakat Indonesia (IAKMI)



Editorial Team

Editor-in-Chief

1. Prof. Dr. dr. Oktia Woro Kasmini Handayani, M.Kes, (SCOPUS ID : 57192428885) [Public Health Nutrition] Universitas Negeri Semarang, Indonesia

Editorial Advisory Regional America

1. Dr. Gina Samaan, (SCOPUS ID : 6602382950) [Epidemiology] US. Centers for Disease Control and Prevention, United States

Editorial Advisory Regional Asia

1. Prof. Kathirvelu Baskar, (SCOPUS ID : 55092286200) [Entomology] Loyola College India, Entomology Research Institute, India
2. Dr. Khalid M. Al Aboud, (SCOPUS ID : 7003345190) [Dermatology] King Faisal Specialist Hospital and Research Centre, Saudi Arabia
3. Prof. Dato'. Syed Mohamed Aljunid, (SCOPUS ID : 6504304159) [Health Economics, Policy and Management] Universiti Kebangsaan Malaysia, Malaysia
4. Dr. Dina Nur Anggraini Ningrum, (SCOPUS ID : 57195329470) [Health Information System] Taipei Medical University, Taiwan, Province of China
5. Dr. Mahalul Azam, (SCOPUS ID: 57194196255) [Medical] Universitas Negeri Semarang, Indonesia
6. Dr. Songpol Tornee, (SCOPUS ID : 6506180249) [Health Education] Shrinakharinwirot University, Thailand

Editorial Advisory Regional Australia

1. Prof. Doune Macdonald, PhD, (SCOPUS ID : 7401463393) [Health Education] University of Queensland, Australia

Editorial Advisory Regional Africa

1. Assoc. Prof. Dr. Henry Odhianosen Imhonde, (SCOPUS ID : 36069265600) [Psychology] Ambrose Alli University, Nigeria

Editorial Board

1. Muhammad Azinar, S.K.M, M.Kes, (SCOPUS ID : 57194193079) [Health Promotion] Universitas Negeri Semarang, Indonesia
2. Nur Siyam, S.K.M, M.PH, (SCOPUS ID : 57222668801) [Maternal and Child Health] Universitas Negeri Semarang, Indonesia
3. Efa Nugroho, S.K.M, M.Kes, (SCOPUS ID : 57192436111) [Reproduction Health] Universitas Negeri Semarang, Indonesia

Administration

1. Satria Adi Rachim, Universitas Negeri Semarang, Indonesia
2. Widiyanto Widiyanto, [Scopus ID: 57201671173] Universitas Terbuka, Indonesia

ISSN: 2355-3596

ABOUT THE JOURNAL

[Focus and Scope](#)

[Manuscript Submission](#)

[Guide for Authors](#)

[Editorial Board](#)

[Reviewer Team](#)

[Abstracting/Indexing](#)

[Ethics Statement](#)

[Policy of Screening for Plagiarism](#)

[Contact](#)

2,367,021

[View Visitor Stats](#)

USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

All

Browse

» [By Issue](#)

» [By Author](#)

» [By Title](#)

» [Other Journals](#)

Vol 19, No 1 (2023)

DOI: <https://doi.org/10.15294/kemas.v19i1>

Table of Contents

Articles

- | | |
|--|-------------------------------|
| <p>Social Construction of Defecation Behavior in Disadvantaged Villages</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.29422 Abstract 542 times PDF 43 times</p> <p>Edy Agustinus⁽¹⁾, Resky Nanda Pranaka⁽²⁾, Efriani Efrin⁽³⁾,
 (1) Badan Penelitian dan Pengembangan Provinsi Kalimantan Barat
 (2) Badan Penelitian dan Pengembangan Provinsi Kalimantan Barat
 (3) Prodi Antropologi Sosial, Universitas Tanjungpura</p> | <p>PDF
1-12</p> <p>✖</p> |
| <p>Predictor Factors of Multi-Drug Resistance Tuberclose on the Characteristics of Chest Radiographic Lesions</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.31728 Abstract 357 times PDF 23 times</p> <p>Ana Majdawat⁽¹⁾, Inayati Habib⁽²⁾,
 (1) Department of Radiology, Faculty of Medicine Health Sciences, Muhammadiyah University of Yogyakarta, Kasihan, Bantul, Yogyakarta 55183, Indonesia.
 (2) Department of Microbiology, Faculty of Medicine Health Sciences, Muhammadiyah University of Yogyakarta; Kasihan, Bantul, Yogyakarta 55183, Indonesia.</p> | <p>PDF
13-22</p> <p>✖</p> |
| <p>Physical Activity and Stress Levels on the Eating Behavior of Elementary School Amid the Covid-19 Pandemic</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.33347 Abstract 367 times PDF 20 times</p> <p>Ayu Mutiara Santanu⁽¹⁾, Syifa Fakhomah Syihab⁽²⁾, Muchamad Rizki Sentan⁽³⁾, Hurry Mega Insan⁽⁴⁾,
 (1) Program Studi Gizi, Universitas Pendidikan Indonesia
 (2) Program Studi Gizi Universitas Pendidikan Indonesia
 (3) Program Studi Gizi Universitas Pendidikan Indonesia
 (4) Program Studi Gizi Universitas Pendidikan Indonesia</p> | <p>PDF
23-30</p> <p>✖</p> |
| <p>The Spatial Pattern of the Spread of the COVID-19 Pandemic (Case Study: DKI Jakarta Province)</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.34015 Abstract 339 times PDF 15 times</p> <p>Dwi Arin⁽¹⁾, Agung Syetiawan⁽²⁾, Eliza Nanda Pitria⁽³⁾, Ilham Arm⁽⁴⁾,
 (1) Institut Teknologi Padang
 (2) Badan Informasi Geospasial
 (3) Institut Teknologi Padang
 (4) Institut Teknologi Padang</p> | <p>PDF
31-41</p> <p>✖</p> |
| <p>Reassuring The Prevalence of Cerebral Palsy in Asian Children and Adolescents</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.37540 Abstract 307 times PDF 21 times</p> <p>Andromeda Andromeda⁽¹⁾, Nurul Hartin⁽²⁾, Suryanto Suryanto⁽³⁾,
 (1) Fakultas Psikologi Universitas Airlangga, Fakultas Ilmu Pendidikan Universitas Negeri Semarang
 (2) Fakultas Psikologi Universitas Airlangga
 (3) Fakultas Psikologi Universitas Airlangga</p> | <p>PDF
42-52</p> <p>✖</p> |
| <p>Isolated Systolic Hypertension among Diabetes Mellitus Subjects; a national cross-sectional study in Indonesia</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.40548 Abstract 895 times PDF 12 times</p> <p>Mahalul Azam⁽¹⁾, Fetty Nur Hidayat⁽²⁾, Arulita Ika Fibriana⁽³⁾, Udin Bahrudin⁽⁴⁾, Syed Mohamed Aljunid⁽⁵⁾,
 (1) (SCOPUS ID: 57194196255) [Medical] Universitas Negeri Semarang
 (2) Universitas Negeri Semarang
 (3) Universitas Negeri Semarang
 (4) Universitas Diponegoro
 (5) Kuwait University</p> | <p>PDF
53-64</p> <p>✖</p> |
| <p>Compliance with the Covid-19 Protocol for Pregnant Women in Pagelaran</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.40768 Abstract 345 times PDF 20 times</p> <p>Parastika Anggun Fauzia⁽¹⁾, Leersia Yusi Ratnawati⁽²⁾, Rina Sutjiat⁽³⁾,
 (1) Universitas Jember
 (2) Universitas Jember
 (3) Universitas Jember</p> | <p>PDF
65-75</p> <p>✖</p> |
| <p>Outpatient Service Business Development in an Effort to Reduce Service Time</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.41120 Abstract 379 times PDF 15 times</p> <p>Nila Novita⁽¹⁾, Alita Dewi Percunda⁽²⁾, Djazuly Chalidyanto⁽³⁾,
 (1) Universitas Airlangga
 (2) Institut Ilmu Kesehatan Bhakti Wiyata Kediri
 (3) Universitas Airlangga</p> | <p>PDF
76-86</p> <p>✖</p> |
| <p>Analysis of Risk Factors for Commercial Sex Workers and the Prevalence of the Human Immunodeficiency Virus (HIV)</p> <p>Citations: 0 DOI 10.15294/kemas.v19i1.42036 Abstract 427 times PDF 22 times</p> <p>Sajuni Widjaja⁽¹⁾, Winnie Nirmala Santosa⁽²⁾, Dwi Martha Nur Aditya⁽³⁾,
 (1) Universitas Surabaya
 (2) Universitas Surabaya</p> | <p>PDF
87-92</p> <p>✖</p> |

ABOUT THE JOURNAL

- Focus and Scope
- Manuscript Submission
- Guide for Authors
- Editorial Board
- Reviewer Team
- Abstracting/Indexing
- Ethics Statement
- Policy of Screening for Plagiarism
- Contact
2,367,019
View Visitor Stats

USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

Browse

- » By Issue
- » By Author
- » By Title
- » Other Journals

(3) Universitas Surabaya

Mental Health Education for Pregnant Women during the COVID-19 Pandemic in Surakarta, Indonesia PDF
0 DOI 10.15294/kemas.v19i1.42211 Abstract 363 times PDF 16 times 93-101
Yuli Kusumawati⁽¹⁾, Widyawati Widyawati⁽²⁾, Fatwa Sari Tetra Dewi⁽³⁾,
(1) Universitas Muhammadiyah Surakarta
(2) Department of Paediatrics and Maternity Nursing, Faculty of Medicine, Public Health and Nursing Universitas Gadjah Mada
(3) Department of Health Behaviour, Environment and Social Medicine, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia

Angraini Model as Effort to Early Detection of Chronic Energy Deficiency in Pregnancy PDF
0 DOI 10.15294/kemas.v19i1.42212 Abstract 291 times PDF 13 times 102-112
Dian Isti Angraini⁽¹⁾, Delmi Sulastri⁽²⁾, Hardisman Hardisman⁽³⁾, Yusrawati Yusrawati⁽⁴⁾,
(1) Lampung University
(2) Andalas University
(3) Andalas University
(4) Andalas University

The Incidence of Hypertension in Internal Polyclinic in Latemmamala Hospital Soppeng PDF
0 DOI 10.15294/kemas.v19i1.42869 Abstract 337 times PDF 13 times 113-121
Ida Leida Maria⁽¹⁾, Maftur Al Rafiq⁽²⁾, Rismayanti Hafidz⁽³⁾, Firman Firman⁽⁴⁾,
(1) Faculty of Public Health, Hasanuddin University
(2) Faculty of Public Health, Hasanuddin University
(3) Faculty of Public Health, Hasanuddin University
(4)

Analysis of Nurse Work Stress Factors During the COVID-19 Pandemic PDF
0 DOI 10.15294/kemas.v19i1.42912 Abstract 357 times PDF 16 times 122-128
Umi Fatikhatul Luthfiyah⁽¹⁾, Chriswardani Suryawati⁽²⁾, Antono Suryoputra⁽³⁾,
(1) Diponegoro University
(2) Diponegoro University
(3) Diponegoro University

Impact of PM10 Exposure and Socio-Demographic Aspect With Lung Function Disorders PDF
0 DOI 10.15294/kemas.v19i1.42953 Abstract 299 times PDF 17 times 129-137
Siti Rachmawati⁽¹⁾, Iwan Suryadi⁽²⁾, Juherah Juherah⁽³⁾, Nurlaila Fitriani⁽⁴⁾, Fathoni Firmansyah⁽⁵⁾, Rina Zam Ratun⁽⁶⁾,
(1)
(2) Poltekkes Kemenkes Makassar
(3) Poltekkes Kemenkes Makassar
(4) Universitas Hasanuddin
(5) Stikes Mitra Husada
(6)

Meta-Analysis and Systematic Review: Risk Factors of Measles Incidence in Indonesia (2012 – 2021) PDF
0 DOI 10.15294/kemas.v19i1.43060 Abstract 379 times PDF 23 times 138-148
Fairuz Haniyah Ramadhani⁽¹⁾, R Azizah⁽²⁾, Juliana Jalaludin⁽³⁾, Santi Martin⁽⁴⁾, Lilis Sulistyorini⁽⁵⁾,
(1) Master of Environmental Health, Faculty of Public Health, Universitas Airlangga
(2) Departement of Environmental Health, Faculty of Public Health, Universitas Airlangga
(3) Departement of Environmental & Occupational Health, Faculty of Medicine & Health Sciences, Universiti Putra Malaysia
(4) Epidemiology Division, Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Faculty of Public Health, Universitas Airlangga
(5) Departement of Environmental Health, Faculty of Public Health, Universitas Airlangga

Spatial Analysis of Lymphatic Filariasis Case and Mosquito Resting Place in Rural Area of Brebes Regency, Indonesia PDF
0 DOI 10.15294/kemas.v18i3.40561 Abstract 444 times PDF 18 times 149-159
Arum Siwiendrayanti⁽¹⁾, Sutrisno Anggoro⁽²⁾, Nurjazuli Nurjazuli⁽³⁾,
(1) 1. Doctoral Programme of Environmental Science, Diponegoro University, Indonesia 2. Environmental Health Division, Public Health Department, Universitas Negeri Semarang, Indonesia
(2) Faculty of Fisheries and Marine Science, Diponegoro University, Indonesia
(3) Faculty of Public Health, Diponegoro University, Indonesia

Home Environment and Larva Indices: A Cross-Sectional Study in the Indonesian Transition to Endemic COVID-19 PDF
0 DOI 10.15294/kemas.v19i1.42605 Abstract 295 times PDF 17 times 160-166
Tri Wahyuni Sukes⁽¹⁾, Sulistyawati Sulistyawati⁽²⁾, Herman Yuliansyah⁽³⁾, Surahma Asti Mulasari⁽⁴⁾, Arfiani Nur Khusna⁽⁵⁾, Fatwa Tentama⁽⁶⁾, Bambang Sudarsono⁽⁷⁾, Fanani Arif Ghozali⁽⁸⁾,
(1) Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta
(2) Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta
(3) Department of Informatics, Faculty of Industrial Technology, Universitas Ahmad Dahlan, Yogyakarta
(4) Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta
(5) Department of Informatics, Faculty of Industrial Technology, Universitas Ahmad Dahlan, Yogyakarta
(6) Faculty of Psychology, Universitas Ahmad Dahlan, Yogyakarta
(7) Department of Automotive Technology Vocational Education, Faculty of Teacher Training and Education, Universitas Ahmad Dahlan, Yogyakarta
(8) Department of Electronics Engineering Vocational Education, Faculty of Teacher Training and Education, Universitas Ahmad Dahlan, Yogyakarta

Assessment of Self-Care Activities Using Diabetes Self-Management Questionnaire in Diabetes Patients PDF
0 DOI 10.15294/kemas.v19i1.40355 Abstract 304 times PDF 16 times 167-175
Balgis Balgis⁽¹⁾, Selfi Handayani⁽²⁾, Sumardiyono Sumardiyono⁽³⁾, Nur Kholifah Putri Taufan⁽⁴⁾,
(1) Sebelas Maret University
(2) Sebelas Maret University
(3) Sebelas Maret University
(4) Sebelas Maret University



JURNAL KESEHATAN MASYARAKAT

UNIVERSITAS NEGERI SEMARANG

P-ISSN : 18581196 <> E-ISSN : 23553596 Subject Area : Health

1.81579
Impact Factor

9037
Google Citations

Sinta 1
Current Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2017 2018 2019 2020 2021 2022 2023

Garuda Google Scholar

[Analysis of Maternal Predisposing Factors with The Incidence of LBW in Central Java](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 303-308](#)

2023 [DOI: 10.15294/kemas.v18i3.32644](#) [Accred : Sinta 1](#)

[COVID-19 Vaccination Status and Pregnant Women's Perceptions of Pandemic Omicron COVID-19 Wave in Indonesia](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 365-374](#)

2023 [DOI: 10.15294/kemas.v18i3.37946](#) [Accred : Sinta 1](#)

[The Utilization of Voluntary Counseling and Testing by Women of Reproductive Age in West Papua](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 316-324](#)

2023 [DOI: 10.15294/kemas.v18i3.34942](#) [Accred : Sinta 1](#)

[Determinants of Unplanned Pregnancy in Married Women in North Sumatra Province](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 383-391](#)

2023 [DOI: 10.15294/kemas.v18i3.39110](#) [Accred : Sinta 1](#)

[Level of Knowledge and Self Efficacy Improve Breast Self-Examination \(BSE\) Behaviors](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 309-315](#)

2023 [DOI: 10.15294/kemas.v18i3.32899](#) [Accred : Sinta 1](#)

[Knowledge and Calcium Intake to the Risk of Scoliosis at Boarding School Students](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 392-396](#)

2023 [DOI: 10.15294/kemas.v18i3.39231](#) [Accred : Sinta 1](#)

[Maternal Anxiety and Sleep Quality Affects of Neonatal Brain-Derived Neurotrophic Factor](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [Jurnal Kesehatan Masyarakat Vol 18, No 4 \(2023\) 565-573](#)

2023 [DOI: 10.15294/kemas.v18i4.40241](#) [Accred : Sinta 1](#)

[Directly Observed Treatment for Iron Tablet Supplements Consumption Among Female Senior High School Students](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 375-382](#)

2023 [DOI: 10.15294/kemas.v18i3.38594](#) [Accred : Sinta 1](#)

[Spatial Analysis of Lymphatic Filariasis Case and Mosquito Resting Place in Rural Area of Brebes Regency, Indonesia](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [Jurnal Kesehatan Masyarakat Vol 19, No 1 \(2023\)](#)

2023 [DOI: 10.15294/kemas.v18i3.40561](#) [Accred : Sinta 1](#)

[Decision Tree Prediction Model in Patient Mortality Rate based on Risk Factors](#)

Department of Public Health, Faculty of Sport Science, Universitas Negeri Semarang [KEMAS: Jurnal Kesehatan Masyarakat Vol 18, No 3 \(2023\) 334-340](#)

2023 [DOI: 10.15294/kemas.v18i3.36701](#) [Accred : Sinta 1](#)

[View more ...](#)