

EFFECT OF GIVING SPINACH LEAF PUDDING (AMARANTHUS HYBRIDUS) PREVENTING CALCIUM DEFICIENCY AND IRON DEFICIENCY ANEMIA

Ummy Maisarah Rasyidah¹, Anita Dahliana^{1*}, Winnie Nirmala Santosa¹

¹Faculty of Medicine, University of Surabaya, Surabaya, Jl Raya Kalirungkut, Kec. Rungkut, Surabaya, Jawa Timur 60293

*Corresponding author: Telp: +6281216402066, email: anitadahliana@staff.ubaya.ac.id

ABSTRACT

Background: Growing rapidly during adolescence increases a person's need for nutrients. Anemia is more common among adolescent girls. The dietary needs during adolescence are also very high due to the peak bone mass (PBM) that lasts throughout this period. This study aimed to determine whether adolescent girls who consumed spinach (Amaranthus Hybridus) would have increased levels of hemoglobin and blood calcium. **Methods:** Pre- and post-testing was used in one group of quantitative research employing a time series experiment in a quasi-experimental design to assess the intervention's effects. January 2022 study was conducted. 30 young ladies from Surabaya took part in the study. A method of deliberate sampling was used to collect samples. Data collection was done from primary sources and examined using the statistical paired sample t-test. **Result:** After consuming spinach pudding, blood calcium and hemoglobin levels increased. Shapiro-Wilk Test was normal and significantly different ($p<0.05$) hemoglobin and calcium levels before and after consuming spinach pudding from paired sample test results.

Conclusion: Before and after receiving spinach pudding, there is a considerable difference in the blood hemoglobin and calcium levels.

Keywords: Adolescents, anemia, calcium, vitamin C.

ABSTRAK

Latar belakang: Periode pertumbuhan cepat pada remaja meningkatkan kebutuhan akan zat gizi. Remaja putri merupakan kelompok yang berisiko sering terjadi anemia. Selain itu pada masa remaja terdapat puncak pertumbuhan masa tulang (peak bone mass/PBM) yang menyebabkan kebutuhan gizi pada masa ini sangat tinggi. Penelitian ini bertujuan untuk mengetahui pengaruh pemberian bayam (Amaranthus hybridus) terhadap peningkatan kadar hemoglobin dan kadar kalsium darah pada remaja putri. **Metode:** pre dan post test digunakan dalam penelitian kuantitatif ini menggunakan a time series experiment dalam desain quasi eksperimen kuantitatif untuk menilai efek intervensi. Penelitian dilakukan pada bulan Januari 2022. Populasi dalam penelitian adalah 30 remaja putri di Surabaya. Pengambilan sampel dilakukan secara purposive sampling. Pengumpulan data dilakukan dengan data primer dan analisis data dilakukan dengan menggunakan uji statistik paired sampel t-test. **Hasil:** Setelah mengkonsumsi puding bayam kadar kalsium darah dan hemoglobin meningkat. Hasil rerata hemoglobin dan kalsium diuji normalitas dengan Shapiro-Wilk Test . Hasil uji paired sample test didapatkan $p < 0,05$, terdapat perbedaan yang signifikan kadar hemoglobin dan kalsium, sebelum dan setelah makan puding bayam pada remaja putri. **Kesimpulan:** Ada perbedaan yang signifikan kadar hemoglobin dan kalsium darah, sebelum dan sesudah diberikan puding bayam.

Kata kunci : Remaja putri, anemia, kalsium

INTRODUCTION

Iron deficiency Anemia is among the main health issue in Indonesia, affects about

22.3% of urban teenagers aged 13 to 18 years.¹ Adolescents are a high-risk group for iron deficiency.² Anemia is more common

in adolescent girls than adolescent boys.³ This is because young women lose iron (Fe) during menstruation so they need more iron intake.⁴ The prevalence of anemia in adolescent girls is 26.4%.⁵ Iron Anemia is most frequently caused by deficiency, this is because the body has a limited ability to absorb iron while the condition of iron loss due to bleeding is common, in addition, in many developing countries, lack of food intake occurs from the period of childhood growth.⁶ Several previous studies reported that tea consumption can affect Hb levels, tea consumption habits cause low Hb levels in pregnant women and college students.⁷ Iron deficiency anemia is caused by low reticuloendothelial hemosiderin and ferritin stores. Significant iron deficiency can lead to irritability, poor cognitive function, and decreased psychomotor development.⁸

Mineral calcium is the most prevalent element in the body. The amount of 99% in the skeleton and 1% in other tissues and body fluids will be distributed throughout the body by approximately 1200 grams. Blood calcium reserves are stored in the bones. If the body is deficient in calcium, the more it is taken, the faster it will be deleted. Efforts to maintain normal conditions depend on the intake and excretion of calcium from the blood. The body's bones contain the majority of its calcium, which is necessary for bone formation and tooth structure and strength.⁹ Calcium in the blood or extracellular fluid (ECF) is crucial for physiological processes such as bone formation, blood clotting, the transmission of nerve impulses, and the contraction of skeletal, cardiac, and smooth muscles.¹⁰

Consuming iron-rich foods is one way to supplement your iron needs. Vegetables such as spinach (*Amaranthus* sp) contain iron. Nonheme iron can be found in green crops like spinach up to 8.3 milligrams of iron are present in 100 grams of cooked spinach. For the creation of hemoglobin in the blood, spinach's iron content is beneficial.¹¹⁻¹³ In this study, adolescent females in Surabaya's calcium and hemoglobin levels were monitored

concerning their consumption of spinach pudding, tea, and vitamin C. This study aimed to determine whether adolescent girls who consumed spinach (*Amaranthus Hybridus*) would have increased levels of hemoglobin and blood calcium.

METHODS

This study was a quantitative research, with quasi-experimental research design, the time series experiment, using one group pre-test and post-test by measuring before and after the intervention. The independent variable was spinach leaf pudding. Variables depend on blood hemoglobin levels and blood calcium levels. The population in this study was 30 young women in Surabaya. Sampling was done by purposive sampling. Data collection was carried out using primary data.

To find out the differences between groups, a post hoc test was conducted using the paired sample t-test. The results of the analysis of the paired sample t-test can be concluded that there is a significant difference in the pre-test and post-test groups ($p < 0.05$).

The University of Surabaya's Ethics Committee for the Implementation of Health Research has given the study approval, with the following approval number: 03 / KE / I / 2022.

RESULT

This research involved 30 young women who were divided into 6 groups of 5 people. The average results of hemoglobin with spinach pudding in groups were then tested for normality using the Shapiro-Wilk Test, which showed that groups K1 and P1 were normally distributed with a p -value > 0.05 .

The results of the normality test on the average hemoglobin yield with spinach tea and pudding showed normal data distribution ($p > 0.05$; Shapiro-Wilk test).

The results of the normality test on the average results of hemoglobin with vitamin C and spinach pudding showed that the data distribution was not normal ($p < 0.05$; Shapiro-Wilk test).

To find out the differences between groups, a post hoc test was conducted using the paired sample t-test. From the analysis of the paired sample t-test, it can be concluded that there is an insignificant difference in the pre-test and post-test groups ($p < 0.05$).

The results of the average calcium with spinach tea and pudding for all groups were then tested for normality using the Shapiro-Wilk Test, which showed that groups K5 and P5 were normally distributed with a p-value > 0.05 .

To find out the differences between groups, a post hoc test was conducted using the paired sample t-test. From the analysis of the paired sample t-test, it can be concluded that there is a significant difference in the pre-test and post-test groups ($p < 0.05$).

The results of the average calcium with vitamin C and spinach pudding for all groups were then tested for normality using the Shapiro-Wilk Test, which showed that groups K6 and P6 were not normally distributed with a p-value > 0.05 .

Table 1 Average of yield hemoglobin and calcium

		Paired.. 95% Confidence Interval of the Upper..	t	df	Sig.(2- tailed)
Pair 1	P_Hb_Pr	.05743	-1.978	9	.079
	P_Hb_Po				
Pair 2	P_Ca_Pr	-.05693	-3.162	9	.012
	P_Ca_Po				
Pair 3	T_Hb_Pr	-.13127	-6.034	9	.000
	T_Hb_Po				
Pair 4	T_Ca_Pr	-.74783	-6.808	9	.000
	T_Ca_Po				
Pair 5	C_Hb_Pr	-.12687	-3.748	9	.005
	C_Hb_Po				
Pair 6	C_Ca_Pr	-.17493	-3.172	9	.011
	C_Ca_Po				

Note:

- a) Group Pair 1 = Experimental group hemoglobin with spinach pudding

- b) Group Pair 2 = Experimental group of hemoglobin with tea and spinach pudding
- c) Group Pair 3 = Experimental group of hemoglobin with vitamin C and spinach pudding
- d) Group Pair 4 = Experimental group calcium with spinach pudding
- e) Group Pair 5 = Experimental group of calcium with tea and spinach pudding
- f) Group Pair 6 = Experimental group of calcium with vitamin C and spinach pudding

Paired sample t-test was utilized for the post hoc analysis with conclusion that there is a substantial variation in all groups between pre- and post-testing ($p < 0.05$), there is an effect of giving spinach on hemoglobin and calcium.

DISCUSSION

According to this study, spinach pudding effectively affects variations in hemoglobin levels. The study's results are in agreement with previous study, which found that there were variations in the effects of administering green spinach extract on alterations in hemoglobin levels.¹²

By consuming spinach, one can maintain normal hemoglobin levels and ward off anemia since spinach's iron concentration is helpful for the process of producing hemoglobin levels in the blood.¹² Hemoglobin levels after treatment were greater than before treatment.¹³ As a means of preventing anemia, spinach has a high iron concentration. Spinach's iron concentration aids in the formation of hemoglobin levels in the blood, allowing a person to maintain hemoglobin levels within normal ranges and preventing anemia by consuming spinach regularly. Spinach pudding contains iron which is needed by the body for the process of forming hemoglobin.¹⁴ On the inside, hemoglobin is like a wax (waxy), and on the outside like soap (soapy) which causes it to dissolve in water but cannot be penetrated by water (impermeable), so that iron that enters the body will be easily absorbed and can help in

the process of increasing a person's hemoglobin level.¹⁵

Foods or drinks containing iron and calcium will experience inhibition of iron absorption by 79-94% in these foods when consumed together with tea.¹⁶ This is due to the reaction between tea and iron that forms chelates, namely organic molecules from tea in the form of polyphenols that will bind iron so that the iron that will be absorbed by the body is reduced.¹⁷ Disruption of the absorption of iron in the body results in reduced production of hemoglobin in the body, so when an examination of hemoglobin levels is carried out, it shows a low increase in hemoglobin levels. Therefore, spinach pudding increases the production of hemoglobin.

One of the crucial components in addition to assisting the body's absorption of iron, particularly non-heme iron, for the formation of hemoglobin is vitamin C and converting ferrous form of the mineral into ferrous, which is easier for the body to absorb.¹⁸ The functions of vitamin C include collagen synthesis, iron absorption, calcium absorption, infection prevention, and increased infection resistance.¹⁹ Even while the specific kind of vitamin C aids in iron absorption.²⁰ Because vitamin C and iron combine to form a complex iron acrobat compound that is easier for the body to absorb, vitamin C consumption can increase non-heme iron absorption by four times. Vitamin C also facilitates the absorbency of converting ferric iron into ferrous iron, easily absorbed in the human digestion.²¹

Calcium is one of the many elements found in green spinach that is helpful for health.²² Tea tannins do not block calcium absorption, and the caffeine in tea does not cause the body to lose more calcium, additionally, nutritional and non-nutritional elements like vitamin K, calcium (Ca), mineral flour (F), magnesium (Mg), and flavonoids have a protective effect on bones.²³ Ascorbic acid increased calcium levels linked to membrane and cell wall permeability alterations.²⁴

CONCLUSION

In conclusion, there is a significant difference on the average hemoglobin and calcium levels before and after being given spinach pudding to 30 young women in Surabaya. It is recommended for further research to consider other factors, such as other consumptions that can affect the increase in hemoglobin and calcium during the study.

REFERENCES

1. Van Zutphen KG, Kraemer K, Melse-Boonstra A. Knowledge Gaps in Understanding the Etiology of Anemia in Indonesian Adolescents. *Food Nutr Bull.* 2021;42(1_suppl):S39–58.
2. Eiduson R, Heeney MM, Kao PC, London WB, Fleming MD, Shrier LA. Prevalence and Predictors of Iron Deficiency in Adolescent and Young Adult Outpatients: Implications for Screening. *Clin Pediatr (Phila).* 2022;61(1):66–75.
3. Chauhan S, Kumar P, Marbaniang SP, Srivastava S, Patel R. Prevalence and predictors of anaemia among adolescents in Bihar and Uttar Pradesh, India. *Sci Rep.* 2022;12(1):1–9.
4. Djunaid U, Hilamuhu F. Studi Literatur: Hubungan Pola Menstruasi dan Tingkat Konsumsi Zat Besi dengan Kejadian Anemia pada Remaja Putri. *J Komunitas Kesehat Masy.* 2021;3(2):1–10.
5. Indrawatiningsih Y, Hamid SA, Sari EP, Listiono H. Faktor-Faktor yang Mempengaruhi Terjadinya Anemia pada Remaja Putri. *J Ilm Univ Batanghari Jambi.* 2021;21(1):331.
6. Miller JL. Iron deficiency anemia: A common and curable disease. *Cold Spring Harb Perspect Med.* 2013;3(7):1–13.
7. Shah T, Warsi J, Laghari Z. Tea drinking and its co-occurrence with anemia in pregnant females. *Rawal Med J.* 2020;45(1):163–7.
8. Animasahun BA, Itiola AY. Iron deficiency and iron deficiency anaemia in children: Physiology, epidemiology,

- aetiology, clinical effects, laboratory diagnosis and treatment: Literature review. *J Xiangya Med.* 2021;1–14.
9. Vannucci L, Fossi C, Quattrini S, Guasti L, Pampaloni B, Gronchi G, et al. Calcium Intake in Bone Health: A Focus on Calcium-Rich Mineral Waters. *Nutrients.* 2018;10(12).
10. Prot-Bertoye C, Lievre L, Houillier P. The importance of kidney calcium handling in the homeostasis of extracellular fluid calcium. *Pflugers Arch.* 2022;474(8):885–900.
11. Rohmatika D, Umarianti T. Uji Laboratorium Pengukuran Kandungan Zat Besi (Fe) pada Ekstrak Bayam Hijau (*Amaranthus Hybridus* L). *Maternal.* 2017;2(2):154–9.
12. Suhada RI. Efektivitas Sayur Bayam Terhadap Perubahan Kadar Hemoglobin Remaja Putri Di Smp 3 Kalasan, Sleman, Yogyakarta. *J Pangan dan Gizi.* 2019;9(1):16.
13. Puspitasari AJ, Sppk K, Kes M, Revila G, Kes M. The Effect of Giving Edible Amaranth Extract (*Amaranthus tricolor*) and Moringa Leaves (*Moringa oleifera*) Extract on Experimental Pregnant Mice towards Hemoglobin Level. nama jurnalnya apa?. 2020;7:304–13.
14. Abbaspour N, Hurrell R, Kelishadi R. Review on iron and its importance for human health. *J Res Med Sci.* 2014;19(2):164–74.
15. Muliani RH, Soejoenoes A, Suherni T, Hadisaputro S, Mashoedi ID. Effect of Consuming Red Spinach (*Amaranthus Tricolor* L) Extract on Hemoglobin Level in Postpartum Mothers. *Belitung Nurs J.* 2017;3(4):432–7.
16. Milman NT. A Review of Nutrients and Compounds, Which Promote or Inhibit Intestinal Iron Absorption: Making a Platform for Dietary Measures That Can Reduce Iron Uptake in Patients with Genetic Haemochromatosis. *J Nutr Metab.* 2020;2020:7373498.
17. Lesjak M, K S Srai S. Role of Dietary Flavonoids in Iron Homeostasis. *Pharmaceuticals (Basel).* 2019;12(3):2–21
18. Li N, Zhao G, Wu W, Zhang M, Liu W, Chen Q, et al. The Efficacy and Safety of Vitamin C for Iron Supplementation in Adult Patients With Iron Deficiency Anemia: A Randomized Clinical Trial. *JAMA Netw open.* 2020;3(11):e2023644.
19. Paciolla C, Fortunato S, Dipierro N, Paradiso A, De Leonardi S, Mastropasqua L, et al. Vitamin C in Plants: From Functions to Biofortification. *Antioxidants (Basel, Switzerland).* 2019;8(11):page/ID article?.
20. He H, Qiao Y, Zhang Z, Wu Z, Liu D, Liao Z, et al. Dual action of vitamin C in iron supplement therapeutics for iron deficiency anemia: prevention of liver damage induced by iron overload. *Food Funct.* 2018;9(10):5390–401.
21. Li N, Zhao G, Wu W, Zhang M, Liu W, Chen Q, et al. The Efficacy and Safety of Vitamin C for Iron Supplementation in Adult Patients With Iron Deficiency Anemia: A Randomized Clinical Trial. *JAMA Netw open.* 2020;3(11):e2023644.
22. Babaali E, Rahmdel S, Berizi E, Akhlaghi M, Götz F, Mazloomi SM. Dietary Intakes of Zinc, Copper, Magnesium, Calcium, Phosphorus, and Sodium by the General Adult Population Aged 20–50 Years in Shiraz, Iran: A Total Diet Study Approach. *Nutrients.* 2020;12(11) :page/ID article?..
23. Capozzi A, Scambia G, Lello S. Calcium, vitamin D, vitamin K2, and magnesium supplementation and skeletal health. *Maturitas.* 2020;140:55–63.
24. Mauro MA, Dellarosa N, Tylewicz U, Tappi S, Laghi L, Rocculi P, et al. Calcium and ascorbic acid affect cellular structure and water mobility in apple tissue during osmotic dehydration in sucrose solutions. *Food Chem.* 2016;195:19–28.



Medika Alkhaira'at: Jurnal Penelitian Kedokteran dan Kesehatan

Vol. 5, No. 2, April 2023, pp 45-102

EFFECT OF GIVING SPINACH LEAF PUDDING (AMARANTHUS HYBRIDUS) PREVENTING CALCIUM DEFICIENCY AND IRON DEFICIENCY ANEMIA
(Ummy Maisarah Rasyidah, Anita Dahliana, Winnie Nirmala Santosa)

FAKTOR-FAKTOR YANG MEMPENGARUHI STATUS GIZI BALITA DI DESA SARONDA KECAMATAN BAJO BARAT
(Fitriana Ibrahim, Sumarni, Jumriana Ibriani, Nia Rahmadani)

GAGAL VENTRIKEL KANAN AKUT: PENEGAKAN DIAGNOSIS DAN MANAJEMEN TATA LAKSANA
(Sidhi Laksono Purwoowiyoto, Indira Khairunnisa Effendi)

PENGARUH PEMBERIAN ASAM KLOROGENAT PADA MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION
(Masita Muchtar, Nur Arfian, Junaedy Yunus)

GAMBARAN NYERI KEPALA PRIMER DAN INSOMNIA PADA SISWA-SISWI SMA AL-AZHAR MANDIRI PALU
(Nur Kartika Sari, Ruslan Ramdan Ramli, Marina Musyawwirina Desiprimayanti RR)

PENGARUH PEMBERIAN ASAM KLOROGENAT TERHADAP EKSPRESI mRNA TLR-4, mRNA MCP-1, JUMLAH MAKROFAG M1 DAN M2 PADA GINJAL MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION (UUO)
(Tiara Meirani Valeria Savista, Junaedy Yunus, Nur Arfian)

PERBANDINGAN JUMLAH TROMBOSIT PRIMIGRAVIDA DENGAN MULTIGRAVIDA PADA KEJADIAN PREEKLAMPSIA DI RUMAH SAKIT IBNU SINAS GRESIK PERIODE TAHUN 2019 – 2021
(Anita Dahliana, Ummy Maisarah Rasyidah, Arya Rizky Fernanda, Nita Damayanti)

PUBLISHED BY: FAKULTAS KEDOKTERAN
UNIVERSITAS ALKHAIRAAAT
JL. DIPONEGORO NO. 39 PALU

[Home](#) [Submissions](#) [Contact](#) [Current](#) [Archives](#) [Announcements](#)[Publication Ethics](#) [Author Guidelines](#) [Cover Issue](#) [Editorial Team ▾](#)[About the Journal ▾](#) [Home](#) / [Editorial Team](#)**Editor In Chief**

Dr. Misriyani, M.Sc (Medical Faculty, Alkhairaat University, Indonesia) ([Google Scholar](#)) ([SINTA](#)) ([Scopus](#))

Vice Editor In Chief

dr. Andi Handriyati, M.Kes, Sp.A (Medical Faculty, Alkhairaat University, Indonesia)

Editorial Board

dr. H.A Mukramin Amran, Sp. Rad (Medical Faculty, Alkhairaat University, Indonesia)

dr. Ruslan Ramlan Ramli, Sp. S (Medical Faculty, Alkhairaat University, Indonesia)

drg. Lutfiah Sahabuddin, M.KM (Medical Faculty, Alkhairaat University, Indonesia)

dr. Nur Faisah, M.Kes, Sp.S (Medical Faculty, Alkhairaat University, Indonesia)

drg. Nita Damayanti, M.Kes (Medical Faculty, Alkhairaat University, Indonesia)

dr. Wijoyo Halim, M.Kes, Sp.S (Medical Faculty, Alkhairaat University, Indonesia)

dr. Nur Meity, M.Med.Ed (Medical Faculty, Alkhairaat University, Indonesia)

dr. Mayalisa, Diantamaela, M.Sc (Medical Faculty, Alkhairaat University, Indonesia)

dr. Salmah Suciaty, M.Kes (Medical Faculty, Alkhairaat University, Indonesia)

Peer Reviewers

Dr. dr. Ilhamjaya Patellongi, M.Kes (Department of Physiology, Hasanuddin University, Makassar, Indonesia) ([Google Scholar](#)) ([SINTA](#))

I Made Wisnu Adhi Putra, M.Sc (Department of Biology, Dhyana Pura University, Bali, Indonesia) ([Scopus](#))

Prof. Dr. Ahyar Ahmad, Ph.D. (Department of Chemistry, Hasanuddin University, Makassar, Indonesia) ([Scopus](#))

dr. Rizalinda Sjahril, M.Sc, Ph.D. (Department of Microbiology, Medical Faculty, Hasanuddin University) ([Scopus](#))

dr. Isra Wahid, Ph.D. (Department of Parasitology, Medical Faculty, Hasanuddin University) ([Scopus](#))

Bohari, S.Gz., M.Kes (Department of Nutrition, Faculty of Public Health, Tadulako University, Indonesia) ([Scopus](#))

Dr. Mudyawati, S.Si, M.Kes (Midwifery Study Program, Tahirah Al Baeti Midwifery Academy Bulukumba, Indonesia) ([Google Scholar](#))

[Make a Submission](#)

Home Submissions Contact Current Archives Announcements

Publication Ethics Author Guidelines Cover Issue Editorial Team ▾

About the Journal ▾

Search

Call For Paper: Volume 5 Nomor 3 (2023)

2023-08-02

 **Medika Alkhaira'at :
Jurnal Penelitian Kedokteran dan Kesehatan**

Call for Paper

Volume 5, Nomor 3, Desember 2023
Submission Deadline: 20 November 2023

Dipublikasi Oleh:
Fakultas Kedokteran, Universitas Alkhaira'at Palu

Terakreditasi SINTA 5

<http://jurnal.fkunisa.ac.id/index.php/MA>
Email: medikaalkhiraat@gmail.com
Cp: 081334845084 (Misriyani)





[Read More >](#)

Current Issue

Vol 5 No 2 (2023): Agustus

 p-ISSN : 2657-179X, e-ISSN : 2656-7822
Medika Alkhaira'at:
Jurnal Penelitian Kedokteran dan Kesehatan

Vol. 5, No. 2, April 2023, pp 45-102

EFFECT OF GIVING SPINACH LEAF PUDDING (AMARANTHUS HYBRIDUS) PREVENTING CALCIUM DEFICIENCY AND IRON DEFICIENCY ANEMIA
(Ummy Maisarah Rasyidah, Anita Dahliana, Winnie Nirmala Santosa)

FAKTOR-FAKTOR YANG MEMPENGARUHI STATUS GIZI BALITA DI DESA SARONDA KECAMATAN BAJO BARAT
(Fitriana Ibrahim, Sumarni, Jumriana Iibriani, Nia Rahmadani)

GAGAL VENTRIKEL KANAN AKUT: PENEGAKAN DIAGNOSIS DAN MANAJEMEN TATALAKSANA
(Sidhi Laksono Purwowyoto, Indira Khairunnisa Effendi)

PENGARUH PEMBERIAN ASAM KLOROGENAT PADA MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION
(Masita Muchtar, Nur Arfian, Junaedy Yunus)

GAMBARAN NYERI KEPALA PRIMER DAN INSOMNIA PADA SISWA-SISWI SMA AL-AZHAR MANDIRI PALU
(Nur Kartika Sari, Ruslan Ramli Ramli, Marina Musyawwirina Desiprimayanti RR)

PENGARUH PEMBERIAN ASAM KLOROGENAT TERHADAP EKSPRESI mRNA TLR-4, mRNA MCP-1, JUMLAH MAKROFAG M1 DAN M2 PADA GINJAL MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION (UUO)
(Tiara Melrani Valeria Savista, Junaedy Yunus, Nur Arfian)

PERBANDINGAN JUMLAH TROMBOSIT PRIMIGRAVIDA DENGAN MULTIGRAVIDA PADA KEJADIAN PREEKLAMPSIA DI RUMAH SAKIT IBNU SINI GRESIK PERIODE TAHUN 2019 – 2021
(Anita Dahliana, Ummy Maisarah Rasyidah, Arya Rizky Fernanda, Nita Damayanti)

PUBLISHED BY: FAKULTAS KEDOKTERAN
UNIVERSITAS ALKHAIRAAT
JL. DIPONEGORO NO. 39 PALU

Cp: 081334845084

Published: 2023-08-02

Articles

The EFFECT OF GIVING SPINACH LEAF PUDDING (AMARANTHUS HYBRIDUS) PREVENTING CALCIUM DEFICIENCY AND IRON DEFICIENCY ANEMIA

Ummy Maisarah Rasyidah, Anita Dahliana, Winnie Nirmala Santosa
45-49

 PDF

FAKTOR-FAKTOR YANG MEMPENGARUHI STATUS GIZI BALITA DI DESA SARONDA KECAMATAN BAJO BARAT

Fitriana Ibrahim, Sumarni, Jumriana Ibriani, Nia Rahmadani
50-56

 PDF

GAGAL VENTRIKEL KANAN AKUT: PENEGAKAN DIAGNOSIS DAN MANAJEMEN TATALAKSANA

Sidhi Laksono, Indira Khairunnisa Effendi
57-70

 PDF

PENGARUH PEMBERIAN ASAM KLOROGENAT PADA MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION

Masita Muchtar, Nur Arfian, Junaedy Yunus
71-80

 PDF

GAMBARAN NYERI KEPALA PRIMER DAN INSOMNIA PADA SISWA-SISWI SMA AL-AZHAR MANDIRI PALU

Marina Musyawwirina Desiprimayanti, Nur Kartika Sari
81-87

 PDF

PENGARUH PEMBERIAN ASAM KLOROGENAT TERHADAP EKSPRESI mRNA TLR-4, mRNA MCP-1, JUMLAH MAKROFAG M1 DAN M2 PADA GINJAL MENCIT SWISS WEBSTER DENGAN MODEL UNILATERAL URETERAL OBSTRUCTION (UUO)

Tiara Meirani Valeria Savista, Junaedy Yunus, Nur Arfian
88-96

 PDF

PERBANDINGAN JUMLAH TROMBOSIT PRIMIGRAVIDA DENGAN MULTIGRAVIDA PADA KEJADIAN PREEKLAMPSIA DI RUMAH SAKIT IBNU SINAS GRESIK PERIODE TAHUN 2019 – 2021

Anita Dahliana, Ummy Maisarah Rasyidah, Arya Rizky Fernanda, Nita Damayanti
97-102

 PDF


[View All Issues >](#)

Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan ([p-ISSN: 2657-179X](#) & [e-ISSN: 2656-7822](#)) is a scientific journal published by the medical faculty of the alkhairaat university. This journal specializes in the study of medicine and health. The managers invite scientists, scholars, professionals, and researchers in the disciplines of medicine and health to publish their research results after the selection of manuscripts, review of partners, and editing process. This journal is published every April, August, and December.

Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan is a **peer-reviewed** and **open-access journal** that focuses on promoting medical sciences generated from **basic sciences, clinical, and community or public health research** to integrate research in all aspects of human health. This journal publishes **original articles, reviews, and also interesting case reports.**

The manuscript must be **original research**, written in **Bahasa (Indonesia) or English**, and not be simultaneously submitted to **another journal or conference**.

For the author interested in submitting the manuscript, kindly register yourself. The **author guidelines** can be viewed [here](#), and the manuscript template can be [downloaded here](#)



Journal Title	: Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan
Subjects	: Promoting medical sciences generated from basic sciences, clinical, and com: public health research to integrate research in all aspects of human health.
language	: English and Bahasa, The manuscript is written in Bahasa (Indonesia) or Engl
ISSN	: p-ISSN: 2657-179X e-ISSN: 2656-7822
Frequency	: 3 issues per year (April, August, and December)
DOI	: https://doi.org/10.31970/ma
Editor-In-Chief	: Misriyani (Google Scholar) (SINTA) (Scopus)

Publisher : Fakultas Kedokteran Universitas Alkhairaat

Citation Analysis : [Google Scholar](#) , [Garuda](#)

=====

Jurnal Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan has been accredited by the Indonesian Ministry of Research, Technology, and Higher Education (RISTEKDIKTI) number: 225/E/KPT/2022 since 07 December 2022, valid thru April 2024. Available in Sinta with Status : Terakreditasi Peringkat 5.



[Make a Submission](#)



MEDIKA ALKHAIRAAAT : JURNAL PENELITIAN KEDOKTERAN DAN KESEHATAN

📍 [FAKULTAS KEDOKTERAN UNIVERSITAS ALKHAIRAAAT](#)

✳️ [P-ISSN : 2657179X](#) ↔ [E-ISSN : 26567822](#)



0

Impact Factor



11

Google Citations



Sinta 5

Current Accreditation

👉 [Google Scholar](#)

👉 [Garuda](#)

🌐 [Website](#)

🌐 [Editor URL](#)

History Accreditation

2020

2021

2022

2023

2024

Garuda

[Google Scholar](#)

[GAMBARAN TINGKAT PENGETAHUAN, PENDIDIKAN DAN SOSIO- EKONOMI BUMIL KEK DI PUSKESMAS TALISE, PUSKESMAS SINGGANI DAN PUSKESMAS KAWATUNA 2021](#)

Fakultas Kedokteran Universitas Alkhairaat [📘 Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 \(2023\): April 13-18](#)

📅 2023 [DOI: 10.31970/ma.v5i1.112](#) [🕒 Accred : Sinta 5](#)

IDENTIFIKASI FAKTOR RISIKO GIZI KURANG PADA ANAK BALITA

Fakultas Kedokteran Universitas Alkhairaat [📘 Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 \(2023\): April 7-12](#)

📅 2023 [DOI: 10.31970/ma.v5i1.113](#) [🕒 Accred : Sinta 5](#)

HUBUNGAN ANTARA LAMA HIPERTENSI DENGAN FUNGSI KOGNITIF PADA PASIEN LANSIA DI RSUD SANJIWANI GIANYAR

Fakultas Kedokteran Universitas Alkhairaat [📘 Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 \(2023\): April 33-39](#)

📅 2023 [DOI: 10.31970/ma.v5i1.114](#) [🕒 Accred : Sinta 5](#)

KORELASI PEMANFAATAN APLIKASI WHATSAPP SEBAGAI MEDIA KIE TENTANG KB TERHADAP MINAT KB PADA PUS DI BULUKUMBA

Fakultas Kedokteran Universitas Alkhairaat [📘 Medika Alkhairaat : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 \(2023\): April 25-32](#)

📅 2023 [DOI: 10.31970/ma.v5i1.115](#) [🕒 Accred : Sinta 5](#)

KEPUASAN PASIEN RAWAT INAP DI RUMAH SAKIT SIS ALJUFRI PALU TAHUN 2022

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 (2023): April 19-24

□ 2023  DOI: 10.31970/ma.v5i1.116  Accred : Sinta 5

PEMBERIAN ASI EKSKLUSIF TERHADAP KEJADIAN STUNTING PADA BALITA DI WILAYAH KERJA PUSKESMAS KAYAMANYA KECAMATAN POSO KOTA KABUPATEN POSO TAHUN 2022

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 (2023): April 1-6

□ 2023  DOI: 10.31970/ma.v5i1.117  Accred : Sinta 5

KARAKTERISTIK DEMOGRAFI PENDERITA HIPERTENSI DI WILAYAH KERJA PUSKESMAS KAWATUNA PALU TAHUN 2022

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 5 No 1 (2023): April 40-44

□ 2023  DOI: 10.31970/ma.v5i1.118  Accred : Sinta 5

GAMBARAN FAKTOR RISIKO TERjadinya KATARAK DI RUMAH SAKIT UMUM ANUTAPURA PALU DAN KLINIK SPESIALIS MATA MITRA

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 4 No 1 (2022): April 19-24

□ 2022  DOI: 10.31970/ma.v4i1.92  Accred : Sinta 5

KARAKTERISTIK PENGGUNA NARKOBA DI POLI JIWA RSU MADANI PALU PERIODE OKTOBER-DESEMBER TAHUN 2021

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 4 No 1 (2022): April 1-7

□ 2022  DOI: 10.31970/ma.v4i1.89  Accred : Sinta 5

HUBUNGAN ANTARA LAMA MENDERITA UULKUS DIABETIKUM DENGAN TINGKAT DEPRESI TAHUN 2021

Fakultas Kedokteran Universitas Alkhairaat  Medika Alkhaira : Jurnal Penelitian Kedokteran dan Kesehatan Vol 4 No 1 (2022): April 8-13

□ 2022  DOI: 10.31970/ma.v4i1.90  Accred : Sinta 5

[View more ...](#)