

Effectivity of Patch Herbal Mixture Composed of Mangosteen Peel Extract and Bacterial Cellulose for Wound Healing

Marisca Evalina Gondokesumo^{1,*}, Yulanda Antonius², Yuana Elly Agustin³

Marisca Evalina Gondokesumo^{1,*}, Yulanda Antonius², Yuana Elly Agustin³

¹Faculty of Pharmacy, University of Surabaya, Surabaya, INDONESIA.

²Faculty of Biotechnology, University of Surabaya, Surabaya, INDONESIA.

³Departement of Chemical Engineering, Faculty of Engineering, University of Surabaya, Surabaya, INDONESIA.

Correspondence

Marisca Evalina Gondokesumo

Faculty of Pharmacy, University of Surabaya, Surabaya, INDONESIA.

E-mail: marisca@staff.ubaya.ac.id

History

- Submission Date: 25-04-2023;
- Review completed: 02-06-2023;
- Accepted Date: 07-06-2023.

DOI : 10.5530/pj.2023.15.102

Article Available online

<http://www.phcogj.com/v15/i6>

Copyright

© 2023 Phcogj.Com. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International license.

ABSTRACT

Indonesia has a very abundant production of mangosteen, which places at the 14th largest mangosteen production in the world. High mangosteen production affects the amount of mangosteen peel waste. On the other hand, mangosteen peel has been identified as a rich source in health benefits and has proven to be antibacterial, antifungal, antioxidant, anti-inflammatory, antitumor, and anti-carcinogenic. Traditionally, one of the conventional medicines used in wound dressings or infection medicine. It can be a possibility for patch wound healing development, especially for diabetic ulcers with an open wound, wetness, chronic infections, and high inflammation. This research aims to innovate wound dressings (patch) that contain active compounds from mangosteen peel as herbs with many active compounds to enhance the wound healing process with low toxic side effects. The patch developed from organic material from bacterial cellulose. The research was carried out with the initial process of making patches from bacterial cellulose (BC), then adding mangosteen peel extract as patch dressing with different concentrations (0%, 1%, 2%, 5%, and 10% v/v). Furthermore, the patch was applied to the injured Wistar rat, for 15 days. The wound area was measured using Image-J. The results of measuring the wound area showed significant wound improvement every day at each dose of the mangosteen patch compared with the control group. The optimum dose that appears to be different from the control is 10% v/v mangosteen peel extract which has been able to leave 3% of the wound area on the 15th day.

Key words: Bacterial cellulose, Mangosteen peel extract, Herbal compound, Patch dressing, Wound treatment.

INTRODUCTION

Indonesia is known as the second one of the biggest biodiversity countries centers, especially in tropical fruit.¹ This biodiversity as biological resources are included in agriculture, plantation, forestry, livestock, and fisheries sectors. The plantation sector relates to a wide range of plants that could be advantageous as raw materials in the traditional medicine industry. One of the native Indonesian plantations is mangosteen (*Garcinia mangostana* Linn.).² Based on Indonesia Central Statistics Agency in 2019, mangosteen production in 2018 increased by 41.05% from 2017 and ranked 14th highest production at 228,155 tons.³ The high mangosteen production affects the amount of mangosteen peel waste, while it has been identified as rich beneficial values for the health. Mangosteen peels have been proven in antibacterial, antifungal, antioxidant, anti-inflammatory, antitumor, anticarcinogenic, and other effects involved in traditional medicine utilization around Southeast Asia region.^{4,5} One of the conventional medicines used in applications in wound dressings or infectious drugs.⁶

The mangosteen peel power is related to its bioactive compounds such as xanthenes, flavonoids, triterpenoids, and benzophenones. Xanthenes being the main mangosteen's secondary metabolites have been found in as many as 68 types in a different part of mangosteen fruit, indeed 50 types being present in the mangosteen peels as the higher composition than the edible part portion.^{6,7} This compound plays an essential role

in the wound healing process due to inhibiting the enzyme cyclooxygenase (COX) production which is responsible for the inflammation process.^{8,9}

In addition, Wound healing is a natural physiological process to recover the wound which is related to the contribution of various cells around the wound site. It consists of several stages including hemostasis, inflammation, proliferation, and maturation.^{9,10} Those stages could overlap over time which depends on the wound condition.¹¹ In brief, upon tissue damage, platelets are activated and released growth factors to promote the fibroblasts to produce a fibrin matrix. This fibrin contributed to supporting blood clotting.¹² Furthermore, wounds proceed to the inflammation stage by recruiting macrophages and neutrophils to degrade the pathogens. Then, within the proliferation stage, several processes, including fibroblast migration, angiogenesis, and granulation tissue become the main process.¹³ Moreover, at the maturation stage, the process focuses on matrix remodeling and collagen deposition. Finally, wounds are healed which is followed by scar formation.¹⁴

However, the wound-healing process could be impaired and prolonged in elderly people. Recent research showed that chronic wounds in the elderly remained in the inflammatory stage for a long time and progress for the proliferation and remodeling stage was impaired. It was considered an imbalance of cytokines and growth factors for the healing process.¹⁵ Moreover, age and multimorbidity in older people are also known for having an influence on the effectiveness of the wound-healing process.¹⁶ However, the treatment approaches for chronic wounds in the elderly remain unknown. In addition,

Cite this article: Gondokesumo ME, Antonius Y, Agustin YE. Effectivity of Patch Herbal Mixture Composed of Mangosteen Peel Extract and Bacterial Cellulose for Wound Healing. Pharmacogn J. 2023;15(3): 461-466.

the healing process will rapidly through all the stages with the additional antioxidant and antimicrobial agent which is necessary to prevent the severity of wounds, especially in open and chronic injury,¹⁷ while additional synthetic drugs such as antiseptics possess toxicity effects such as hypersensitivity to the skin and hyperthyroidism.¹⁸

Therefore, this study aims to make innovations in wound dressing (patch) containing active compounds from mangosteen peels as herbal with plenty of active compounds possessed to increase the wound healing process engaged with low toxic side effects.^{19,20} This innovation can certainly be a choice of wound dressing that is affordable and environmentally friendly since the utilization of mangosteen peel waste as well as natural polymers of bacterial cellulose.

MATERIAL AND METHODS

Preparation of Mangosteen extract

Mangosteen peels with maturity level 6 were stored and chopped into smaller parts before drying under sunlight then ground to powder and screened with 65 mesh. The mangosteen powder was macerated using 96% ethanol with 1%, 2%, 5%, and 10% w/v in 100 mL volume and was agitated using a magnetic stirrer for 1 hour then placed for 1 day before being filtered. The solution was allowed to evaporated until 50 mL volume on water bath with temperature of 55°C. The product was stored in the refrigerator for further use.

Animals

Twelve-weeks-old male Wistar rats were housed under standard condition in an animal facility with free access to food and water. All experiment was approved by the guideline of the Ethics Committee of the University of Surabaya. The rats divide into 5 groups; one group for control treatment and wound healing treatment by mangosteen peel extract for the rest of group within 4 different doses (1%, 2%, 5%, and 10%).

Bacterial culture

A strain of *Acetobacter xylinum* was provided by BIOTECHNO, Banten, West java, Indonesia. Coconut water was used as a fermentation media in this research. Fresh coconut water was obtained from Sopooyo Traditional Market, Surabaya, East Java, Indonesia. To minimize contamination, at first coconut water was sterilized using autoclave at 121°C for 15 minutes and filtered before being used to eliminate dirt. All glass bottles for inoculum culture and fermentation process were sterilized with autoclave at 121°C for 15 minutes before being used. As much as 900 mL of substrate, were added to 100 mL of starter *Acetobacter xylinum* to make it 1L working volume solution, 25 g of sugar and 4-5 g ZA fertilizer were added to increase fermentation nutrient and at the end 10 mL of acetic acid 30% was added into the solution to adjust the pH. For bacterial cellulose (BC) production, static incubations were performed in flasks for 7 days before harvest.

Synthesis of Bacterial Cellulose (BC)

To purify BC production, BC pellicles were rinsed with hot water to remove the culture medium, and then boiled in a 1N sodium hydroxide (NaOH) solution at 90°C for 10 minutes in order to eliminate bacteria cells from the cellulose matrix. Repeated these procedures three times and then washed BC pellicles with distilled water until the pH was neutral. This BC pellicles is fabricated for a wound healing patch that will be applied to rats with a wound model. Before usage, BC pellicles were cut into rectangular pieces 3 x 3 cm with a thickness around 2-3 mm and then dipped overnight into ethanol extract of mangosteen peel with 1%, 2%, 5% and 10%w/v variations. Finally, the BC pellicles with mangosteen peel extract werw dried overnight at room temperate.

Wound model and treatment

Rats were anesthetized with chloroform and a punch wound was generated in the dorsal skin. Punch wounds excision was manually made with average 1.5 cm in diameter, that was shaved, by using scissors cleaned with 70% ethanol before. After wounding, wounds were covered with a cellulose patch (3 x 3 cm²) which was enriched with various dosages of mangosteen peel extract. Patches were changed every two days and wounds were observed for 15 days. All the treated rats were separated to be feed with sufficient water and feed. The area of wounds was measured by using Image-J.

Statistical analysis

All data of the wound area was collected and analyzed by using ANOVA. Data is presented as mean ± standard deviation (SD) for all comparison. The P-value <0.05 was considered as statistically significant.

RESULTS AND DISCUSSION

Mangosteen peel extraction

The extraction used in this study is by maceration. Maceration is a sample-soaking process using 96% ethanol as an organic solvent at room temperature. During the soaking process, the cell wall and membrane will break down due to the pressure difference between the inside and outside of the cell. Therefore, the secondary metabolites present in the cytoplasm of the plant will dissolve in organic solvents. The extraction result is shown in Figure 1. The higher concentration of mangosteen peel, the browner of liquid color.

However, the solvent of the extraction process can affect the amount of yield and the type of phytochemical extracted, depending on the polarity of the substance.^{21,22} The 96% ethanol solvent is a polar solvent that can attract more plant secondary metabolites during extraction because ethanol can break down plant cell walls more effectively.^{23,24} In addition, ethanol has a boiling point of 79 degrees C which requires less heat than other organic solvents. Actually, water solvents have the greatest dielectric constant, yet they can extract other cell components that may mask or interfere with potential active substances.²⁵ Accordingly, water solvents are less frequently used due to the low purity of the active substance extraction, easy contamination (extracts break down quickly due to overgrowth of fungi), and excessive cell turgidity.

Fabrication of patch

Bacterial cellulose is a heterofermentative product produced by fermentation of coconut water using the starter *Acetobacter xylinum*. The physical appearance of the wet pellicle of bacterial cellulose is




Figure 1: Mangosteen peel extraction result




Figure 2: Patch fabrication from bacterial cellulose (a) Bacterial cellulose pellicle: white and almost thin, (b) Patch from BC, (c) Patch with mangosteen peel extract that brownish changed color

	Days					
	0	3	6	9	12	15
Control						
Treatment 1%						
Treatment 2%						
Treatment 5%						
Treatment 10%						

Figure 3: Observation of wound closure in mice with various concentration of mangosteen patch




Figure 4: Percentage of wound closure area in mice with various mangosteen patch concentration

shown in Figure 2. Bacterial cellulose pellicle has a white color and a smooth surface of 10 cm in diameter and 1cm thickness, respectively. BC has been widely used in biomedical applications such as wound healing patches, and skin or tissue artificial.

BC, like other cellulose polymers, possesses numerous hydroxyl bonds that form individual cellulose chains. These chains then interconnect to create microfibrils and ribbon fibrils. BC is synthesized through a liquid culture process, wherein a pellicle is formed during a network of fibrils combines to form a mat at the interface of the liquid and air.^{26,27} The hydroxyl group serves as the active site for both physical and chemical reactions, which contribute to the exceptional strength of BC materials when they are wet.²⁸ Bacterial cellulose has better nanostructure cellulose than plant cellulose product due to it has better physicochemical and mechanical properties, outstanding biocompatibility, and biodegradability.²⁹⁻³¹

Hence, BC is employed as a wound healing material due to its distinct attributes, encompassing remarkable tensile strength, excellent flexibility, high water retention capacity, notable gas and liquid permeability, and strong compatibility with living tissues, especially human skin tissues. In terms of biocompatibility, BC exhibits non-cytotoxicity both in its natural state and throughout the production process, thereby avoiding the introduction of any toxic substances.³² Furthermore, BC does not elicit any adverse reactions when in contact with the human body, whether in the short or long term. These exceptional properties of BC are intricately linked to its origin, structure, and functional characteristics, and they play a significant role in promoting wound healing.³³

To improve the biological properties, especially in an antibacterial activity that would be beneficial for medical treatment in the wound healing process, bacterial cellulose pellicle was immersed with ethanol extract of mangosteen peel at various concentrations (1%, 2%, 5%, and 10% w/v). After 24 hours, the bacterial cellulose pellicle exhibited a brownish color due to the mangosteen extract. Increasing mangosteen extract concentrations were added to bacterial cellulose pellicle, resulting in an increase in brownish color as shown in Figure 2.

The effectivity of patch

Observation of the wound healing process was conducted every three days for 15 days. In brief, observations conducted from day 0, 3, 6, 9,

12, and 15 demonstrated a repairing process within 0 days as an open wound then epitalization occurred, especially in 10% mangosteen peel extract at day 15th the wound almost close and heal (Figure 3).

Moreover, the results showed that compared to the control, both wounds treated with patch 5% mangosteen peel extract and patch 10% mangosteen peel extract promoted wound healing in 15 days. Of note, the comparison percentage of the wound area, patch 5% mangosteen peel extract: 10.93% and patch 10% mangosteen peel extract 3.12% (Figure 4) The effectivity within all treatments was not differed significantly ($p > 0.05$), while 10% extract showed more improvement in wound area healing and epitalization process. According to those data, it suggested that patches with mangosteen peel extract possess the healing function which could be considered as a new approach for wound healing treatment, then 10% is the suit concentration applied.

The improvement of wound showed that patch from bacterial cellulose is able not only bind with active compound from mangosteen peel extract, but also adequate for transform the active compound into skin. It relates with study by Lin, *et al.*, (2013) that fabricated wound dressing from bacterial cellulose with chitosan. The research revealed that bacterial cellulose with chitosan affect the high of epitalization and regenerate skin wound on rat compared with bacterial cellulose and commercial patch.³¹ Moreover, physical structure of bacterial cellulose has improve within the strength and humidity followed with additional dressing compound which more suitable for wound dressing material.³⁴ Beside that, this material confirmed for its ability on high loading drug within 90% at 24 hours.³⁵

In addition, the wound healing process consists of the hemostasis, inflammation, proliferation and remodeling stages which last for three weeks.³⁶ In our previous research, we discovered that all stages of maturing mangosteen fruit contain various compounds such as γ -mangostin, garcinone-E, gartanin, and smeathxanthone-A. Among these compounds, maturity level 6 exhibited the highest concentration of xanthenes, particularly in mangosteen peel extract.³⁷ Furthermore, our recent computational study investigating wound healing using mangosteen peel for burn injuries, we identified the most potent compounds for promoting burn wound healing, namely smeaxanthone A, Garcinone E, γ -mangosteen, and Gartanin, which all belong to the xanthone family. Computational predictions indicated that these four compounds have potential targets associated with interleukin 6, epidermal growth factor, and transforming growth factor beta 1, which

are involved in regulating epithelial cell proliferation, a crucial process in skin wound healing.^{17,38}

It is plausible that mangosteen peel extracts affect the expression of IL6 through TGFβ2, as IL6 levels were higher compared to fibroblast growth factor 2 (FGF2). The primary mechanisms that impacted the body involve two areas of regulation: epithelial cell proliferation (FGF2, TGFβ1, IL6, TGFβ2) and leukocyte homeostasis (TGFβ1, IL6). These pathways are strongly associated with wound healing, including epithelial cell proliferation and the elimination of antigens by leukocytes at the wound site.^{39,40}

The previous studies by Cui *et al.* (2010) demonstrated that α-mangostin and γ-mangostin, compounds isolated from mangosteen, exhibit potent scavenging abilities against reactive oxygen species (ROS) in a dose-dependent manner.⁴¹ Additionally, α-mangostin has been shown to neutralize superoxide anion (O₂⁻), singlet oxygen (1O₂), and peroxy nitrite anion (ONOO⁻) in a concentration-dependent manner, as observed in Pedraza-chaverri *et al.*'s (2009) study.⁴² These antioxidant properties of mangosteen peel extract likely contribute to the control of inflammation on the wounded skin, leading to accelerated reepithelization of the epidermis.²⁸ Moreover, Sivaranjani *et al.* (2017) demonstrated the effective antimicrobial properties of α-mangostin against *S. epidermidis in vitro*. These antimicrobial effects of mangosteen extracts are crucial in preventing microbial infections in the wound area.⁴³

However, the wound healing process could be impaired by the age of patients. Elderly patients are considered to have an impaired wound healing process so the healing progress has failed to progress. It relates not only time wound healing needed,⁴⁴ but also the chronic wound might be advance.^{16,45} The patch from bacterial cellulose with mangosteen peel extract which has been evaluate in this research could be promising for wound healing treatment, especially for elderly patients. Indeed, the patch also potential for diabetic ulcer treatment which known chronic inflammation and infection.⁴⁶

CONCLUSION


Patches of mangosteen peel extract have been made from bacterial cellulose with flexibility and thickness qualified of being used as wound dressings. In addition, patches of bacterial cellulose can bind to active substances from mangosteen peel extract, which can be used as additives to accelerate wound healing. Mangosteen peel extract in the patch is proven to increase the wound healing process after 15 days that showed in improving significantly in wound healing by days. Moreover, the optimal concentration of mangosteen peel extract as patch dressing is 10%. This could be the basis for the development of patches for the treatment of diabetic ulcers.

REFERENCES

- Kusmana C, Hikmat A. The Biodiversity of Flora in Indonesia. *J Nat Resour Environ Manag.* 2015;5(2):18-98.
- Kunti Sri Panca Dewi IGA, Putra Manuaba IB, Sutirta Yasa IWP, Satriyasa BK. Methanol extract of mangosteen peel (*Garcinia mangostana* L.) increase activity acetylcholinesterase and glutathione peroxidase and reduce MDA in diazinon exposed rat. *Bali Med J.* 2018;7(3).
- Statistik BP. Statistik Statistics of Annual Fruit and Vegetable Plants Indonesia. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis.* 2018;53:60-2.
- Shafy GM, Jassim AMN, Mohammed MT. Study of phytochemical, antioxidant and anti-inflammatory of mangosteen (*G. Mangostana*) and its ability to wound healing. *Plant Arch.* 2019;19(1):665-73.
- Marzaimi IN, Aizat WM. Current Review on Mangosteen Usages in Antiinflammation and Other Related Disorders, 2nd ed, *Bioactive Food as Dietary Interventions for Arthritis and Related Inflammatory Diseases.* Elsevier Inc. 2019;273-89.
- Carmona-Gutierrez D, Zimmermann A, Kainz K, Pietrocola F, Chen G, Maglioni S, *et al.* The flavonoid 4,4'-dimethoxychalcone promotes autophagy-dependent longevity across species. *Nat Commun.* 2019;10(1):651.
- Widowati W, Darsono L, Suherman J, Fauziah N, Maesaroh M, Erawijantari PP. Anti-inflammatory Effect of Mangosteen (*Garcinia mangostana* L.) Peel Extract and its Compounds in LPS-induced RAW264.7 Cells. *Nat Prod Sci.* 2016;22(3):147-53.
- Putri K, Darsono L, Mandalas H. Anti-inflammatory properties of mangosteen peel extract on the mice gingival inflammation healing process. *Padjadjaran J Dent.* 2017;29(3):190-5.
- Hendrijantini N, Sitalaksmi RM, Ari MDA, Hidayat TJ, Putri PAN, Sukandar D. The expression of TNF- α , IL-1 β , and IL-10 in the diabetes mellitus condition induced by the combination of spirulina and chitosan. *Bali Med J.* 2020;9(1):22-6.
- Eming SA, Martin P, Tomic-Canic M. Wound repair and regeneration: mechanisms, signaling, and translation. *Sci Transl Med.* 2014;6(265):265sr6.
- Gonzalez AC, Costa TF, Andrade ZA, Medrado AR. Wound healing - A literature review. *An Bras Dermatol.* 2016;91(5):614-20.
- Versteeg HH, Heemskerk JWM, Levi M, Reitsma Ph. *New Fundamentals In Coagulation.* 2023;93(2):327-58.
- Reinke JM, Sorg H. Wound repair and regeneration. *Eur Surg Res.* 2012;49(1):35-43.
- Marshall CD, Hu MS, Leavitt T, Barnes LA, Lorenz HP, Longaker MT. Cutaneous Scarring: Basic Science, Current Treatments, and Future Directions. *Adv Wound Care (New Rochelle).* 2018;7(2):29-45.
- Makrantonaki E, Wlaschek M, Scharffetter-Kochanek K. Pathogenesis of wound healing disorders in the elderly. *J Dtsch Dermatol Ges.* 2017;15(3):255-75.
- Gould L, Abadir P, Brem H, Carter M, Conner-Kerr T, Davidson J, *et al.* Chronic Wound Repair and Healing in Older Adults: Current Status and Future Research. *J Am Geriatr Soc.* 2015;63(3):427-38.
- Gondokesumo ME, Sumitro SB, Handono K, Pardjianto B, Widowati W, Utomo DH. A Computational Study to Predict Wound Healing Agents from the Peel of the Mangosteen (*Garcinia mangostana* L.) Extract. *Int J Bioautomation.* 2020;24(3):265-76.
- Syakri S. Uji Farmakologi Sediaan Plester Patch Dari Limbah Kulit Pisang Kepok (*Musa Acuminata*) Untuk Penyembuhan Luka Bakar. *J Kesehat.* 2019;12(1):58-62.
- Purnawati S, Wrasiasi LP, Jaya Lesmana CB, Sandra Megantara, Lesmana RA. Study of molecular docking of I-tryptophan ligand as a compound in pineapples and bananas binding with the human serotonin transporter (SERT). *Bali Med J.* 2022;11(3):1243-9.
- Kerta Besung IN, Mantik Astawa N, Suatha IK H. Centella Asiatica Extract Increased on The Level of Interleukin 6 (IL-6) in Mice. *Indonesia J Biomed Sci.* 2012;5(1).
- Cieniak C, Walshe-Roussel B, Liu R, Muhammad A, Saleem A, Haddad PS, *et al.* Phytochemical Comparison of the Water and Ethanol Leaf Extracts of the Cree medicinal plant, *Sarracenia purpurea* L. (Sarraceniaceae). *J Pharm Pharm Sci.* 2015;18(4):484-93.
- Kennas A, Amellal-chibane H. Comparison of five solvents in the extraction of phenolic anti-oxidants from pomegranate (*Punica granatum* L.) peel. *North African J Food Nutr Res.* 2019;3(5):140-7.
- Pramana TY, Wasita B, Widyaningsih V, Cilmiaty R, Suroto S, Mudigdo A, *et al.* The ethanol extract of *Garcinia mangostana* L peel reduces the isoniazid-induced liver damage in rats. *Bali Med J.* 2021;10(1):156-9.
- Muhammad A, Haddad PS, Durst T, Thor J. Phytochemistry: Phytochemical constituents of *Sarracenia purpurea* L. (pitcher plant). *Phytochemistry.* 2013;94:238-42.

25. Adedapo A, Jimoh F, Afolayan A. Comparison of the nutritive value and biological activities of the acetone, methanol and water extracts of the leaves of *Bidens pilosa* and *Chenopodium album*. *Acta Pol Pharm*. 2011;68(1):83-92.
26. Torres FG, Commeaux S, Troncoso OP. Functional Biomaterials Biocompatibility of Bacterial Cellulose Based Biomaterials. 2012;3(4):864-78.
27. Wang J, Tavakoli J, Tang Y. Bacterial cellulose production, properties and applications with different culture methods - A review. *Carbohydr Polym*. 2019;219:63-76.
28. Pirzada T, Ashrafi Z, Xie W, Khan SA. Cellulose Silica Hybrid Nanofiber Aerogels : From Sol – Gel Electrospun Nanofibers to Multifunctional Aerogels. *Adv Funct Mater*. 2020;30(5):2070031.
29. Zheng L, Li S, Luo J, Wang X. Latest Advances on Bacterial Cellulose-Based Antibacterial Materials as Wound Dressings. *Front Bioeng Biotechnol*. 2020;8:593768.
30. Meng E, Chen CL, Liu CC, Liu CC, Chang SJ, Cherng JH, *et al*. Bioapplications of Bacterial Cellulose Polymers Conjugated with Resveratrol for Epithelial Defect Regeneration. *Polymers (Basel)*. 2019;11(6):1048.
31. Lin WC, Lien CC, Yeh HJ, Yu CM, Hsu SH. Bacterial cellulose and bacterial cellulose-chitosan membranes for wound dressing applications. *Carbohydr Polym*. 2013;94(1):603-11.
32. Gilmour KA, Aljannat M, Markwell C, James P, Scott J, Jiang Y, *et al*. Biofilm inspired fabrication of functional bacterial cellulose through ex-situ and in-situ approaches. *Carbohydr Polym*. 2023;304:120482.
33. Muhammad MH, Idris AL, Fan X, Guo Y, Yu Y, Jin X, *et al*. Beyond Risk: Bacterial Biofilms and Their Regulating Approaches. *Front Microbiol*. 2020;11:928.
34. Portela R, Leal CR, Almeida PL, Sobral RG. Bacterial cellulose: a versatile biopolymer for wound dressing applications. *Microb Biotechnol*. 2019;12(4):586-610.
35. Mohite BV, Suryawanshi RK, Patil SV. Study on the Drug Loading and Release Potential of Bacterial Cellulose. *Cellul Chem Technol*. 2016;50(2):219-23.
36. Amutha K, Selvakumari U. Wound healing activity of methanolic stem extract of *Musa paradisiaca* Linn. (Banana) in Wistar albino rats. *Int Wound J*. 2016;13(5):763-7.
37. Gondokesumo ME, Pardjianto B, Sumitro SB, Widowati W, Handono K. Xanthones analysis and antioxidant activity analysis (Applying ESR) of six different maturity levels of mangosteen rind extract (*Garcinia mangostana* Linn.). *Pharmacogn J*. 2019;11(2):369-73.
38. Gulo CIH, Puruhito, Novida H. The effectiveness of topical hyaluronic acid on decreasing Interleukin-6 and acceleration of wound healing (Push Score) in Wagner II-III diabetic foot ulcer in Dr. Soetomo Hospital Surabaya. *Bali Med J*. 2022;11(3):1049-53.
39. Gondokesumo ME, Surabaya U, Sumitro S. *Garcinia Mangostana* Extract Enhances Skin Epithelialization in Rat Induced Burn Injury. 2019;39(3):365-70.
40. Gorinstein S, Poovarodom S, Leontowicz H, Leontowicz M, Namiesnik J, Vearasilp S, *et al*. Antioxidant properties and bioactive constituents of some rare exotic Thai fruits and comparison with conventional fruits. In vitro and in vivo studies. *Food Res Int*. 2011;44(7):2222-32.
41. Cui J, Hu W, Cai Z, Liu Y, Li S, Tao W, *et al*. New medicinal properties of mangostins: analgesic activity and pharmacological characterization of active ingredients from the fruit hull of *Garcinia mangostana* L. *Pharmacol Biochem Behav*. 2010;95(2):166-72.
42. Colín-González AL, Ortiz-Plata A, Villeda-Hernández J, Barrera D, Molina-Jijón E, Pedraza-Chaverri J, *et al*. Aged Garlic Extract Attenuates Cerebral Damage and Cyclooxygenase-2 Induction after Ischemia and Reperfusion in Rats. *Plant Foods Hum Nutr*. 2011;66(4):348-54.
43. Sivaranjani M, Prakash M, Gowrishankar S, Rathna J, Pandian SK, Ravi AV. In vitro activity of alpha-mangostin in killing and eradicating *Staphylococcus epidermidis* RP62A biofilms. *Appl Microbiol Biotechnol*. 2017;101(8):3349-59.
44. Espauella-Ferrer M, Espauella-Panicot J, Noell-Boix R, Casals-Zorita M, Ferrer-Sola M, Puigoriol-Juvanteny E, *et al*. Assessment of frailty in elderly patients attending a multidisciplinary wound care centre: a cohort study. *BMC Geriatr*. 2021;21(1):727.
45. Andini A, Prayekti E, Kamaliyah NI, Halimah N. Effectivity of UV-light exposure on bacterial and fungal growth in *Channa striata* collagen-chitosan composite dressing for wound healing. *Bali Medical Journal*. 2022;11(3):1130-35.
46. Everett E, Mathioudakis N. Update on management of diabetic foot ulcers. *Ann NY Acad Sci*. 2018;1411(1):153-65.

GRAPHICAL ABSTRACT



Cite this article: Gondokesumo ME, Antonius Y, Agustin YE. Effectivity of Patch Herbal Mixture Composed of Mangosteen Peel Extract and Bacterial Cellulose for Wound Healing. *Pharmacogn J*. 2023;15(3): 461-466.

Pharmacognosy Journal

An Open Access, Peer Reviewed Journal in the field of
Pharmacognosy

[Articles In Press](#)[Current Issue](#)[Archives](#)[RSS Feeds](#)[Submit Article](#)

Editorial Board | Pharmacognosy Journal

Editors & Editorial Board Members (2021)

Dr. Djemli Samir

Department of Biology , Applied Neuroendocrinology Laboratory
Badji Mokhtar Annaba University
Algeria

Dr. Raghava Naidu, Ph.D

Department of Human Oncology,
University of Wisconsin,
1111, Highland Ave, Madison,
Wisconsin 53705, USA

Dr. Karim Raafat

Associate Professor of Pharmacognosy and Phytochemistry,
Pharmaceutical Sciences Department,
Faculty of Pharmacy,
Beirut Arab University (BAU),
Beirut 115020, Lebanon

Ourlad Alzeus Tantengco, MD-PhD Molecular Medicine

College of Medicine, University of the Philippines Manila
Pedro Gil Street, Ermita, Manila, Philippines, 1000

Janib Achmad

Lecturer of Faculty of Fisheries and Marine Science,
University of Khairun Ternate
Kampus 2 Jalan Pertamina, Kelurahan Gambesi,
Ternate Selatan

Muammar Fawwaz, Ph.D

Department of Pharmaceutical Chemistry
Faculty of Pharmacy
Universitas Muslim Indonesia
Makassar 90231, South Sulawesi, Indonesia

Hany Ezzat Khalil

Associate Professor,
College of Clinical Pharmacy,
King Faisal University,

KSA

Emad Yousif

Department of Chemistry

College of Science

Al-Nahrain University

Baghdad, Iraq

Sughosh Upasani

R.C Patel Institute of pharmacy,

Shirpur, Dist-Dhule, Maharashtra,

India.

Gurusiddaiah suresh kumar

Scientist

Dept of biochemistry

CSIR-CFTRI

Mysore, Karnataka, INDIA

Arjun Patra

Assistant Professor

School of Pharmaceutical Sciences

Guru Ghasidas Central University

Koni, Bilaspur - 495 009

Chattisgarh, India

Francis O. Atanu, Ph.D

Department of Biochemistry

Faculty of Natural Sciences

Kogi State University

Anyigba, Nigeria.

Vijay Kumar Chattu

Faculty of Medical Sciences

University of the West Indies

St. Augustine, Trinidad & Tobago.

Dr.Kunle Okaiyeto, PhD

Applied and Environmental Microbiology Research Group (AEMREG)

Department of Biochemistry and Microbiology

University of Fort Hare

Alice campus

5700, Alice

South Africa.

Dr. Srisailam Keshetti, Ph.D

Principal, University College of Pharmaceutical Sciences, Satavahana University
Karimnagar 505001

Telangana

INDIA

Dr. Gayathri M Rao

Associate Professor

Department of Biochemistry

Kasturba Medical College, Mangaluru.

Shuge Tian

Experimental Teaching Demonstration Center of TCM in Xinjiang Medical University

Department of traditional medicine, TCM

Xinjiang Medical University

Xinjiang CHINA 830054

Dr. Ramachandra Setty Siddamsetty,

Professor, Govt College of Pharmacy,

Mission Road, Bengaluru, INDIA

Dr. (Mrs.) Sayyada Khatoon

HOD, Pharmacognosy Division

CSIR-National Botanical Research Institute,

Rana Pratap Marg, Post Box 436,

Lucknow-226001 (U.P.) India

Dr. A. Sajeli Begum

Department of Pharmacy

Birla Institute of Technology & Science

Hyderabad, India

Olga Silva

Department of Pharmacological Sciences,

Faculdade de Farmácia,

Universidade de Lisboa, Portugal

Xinwen Wang

Department of Clinical Pharmacy

University of Michigan

USA

Roman Lysiuk

Department of Pharmacognosy and Botany,

Danylo Halytsky Lviv National Medical University,

Pekarska,69., Lviv 79010, Ukraine

Arif Nur Muhammad Ansori

Universitas Airlangga

Indonesia

Prabhu Manickam Natarajan

Specialist in Periodontics, College of Dentistry

Ajman University of Science and Technology, UAE

Neeta Mahesh Deshpande

Rural Institute of Ayurved Research Centre And Hospital

Mayani, Satara, Maharashtra, India

Pharmacognosy Journal (/)

An Open Access, Peer Reviewed Journal in the field of
Pharmacognosy


Enter terms then hit Search...

[Articles In Press \(/inpress\)](#)[Current Issue \(/v15/i6\)](#)[Archives \(/archives\)](#)[RSS Feeds \(/rss.xml\)](#)[Submit Article \(https://www.phcogj.info\)](https://www.phcogj.info)

HOME (/) / PHARMACOGNOSY JOURNAL,
VOL 15, ISSUE 3, MAY-JUN, 2023

Pharmacognosy Journal, Vol 15, Issue 3, May-Jun, 2023

RECENT ARTICLES



Original Article

Effects of Magnesium Supplementation on Kidney Function and Phosphate Levels in Children with Chronic Kidney Disease and Hyperphosphatemia: A Double-blind Randomized Clinical Trial (/article/2027)

Glabela Christiana Pandango, Bambang Purwanto, Risky Vitria Prasetyo

Pharmacognosy Journal, 15(3):253-257

DOI: 10.5530/pj.2023.15.71

Published: Mon, 14-Aug-2023

[Read More \(/article/2027\)](#)



Original Article

Optimization of Xanthine Oxidase Activity, Phytochemical Screening, Toxicity Assay, and Antigout Activity of *Spatholobus littoralis* Hassk. Extract (/article/2028)

Min Rahminiwati, Rut Novalia Ra Sianipar, Komar Sutriah, Dyah Iswantini, Suminar Setiati Achmadi, Ibnu Hari Sulistyawan

Pharmacognosy Journal, 15(3):258-269

DOI: 10.5530/pj.2023.15.72

Published: Mon, 26-Jun-2023

[Read More \(/article/2028\)](#)



(/article/2028)

Original Article

The Effect Supplementation of Microbiota Inoculant in the Early Laying Hens Feed on High Density Lipoprotein (HDL) and Low-Density Lipoprotein (LDL) in Egg Yolk (/article /2029)


Bodhi Agustono, Rini Apriliawati, Sunaryo Hadi Warsito, Maya Nurwartant Yunita, Widya Paramita Lokapirnasari, Sri Hidanah, Emy Koestanti Sabdoningrum, Mohammad Anam Al-Arif, Mirni Lamid, Gandul Atik Yuliani, Shekhar Chhetri, Sarasati Windria

Pharmacognosy Journal, 15(3):270-273

DOI: 10.5530/pj.2023.15.73

Published: Mon, 26-Jun-2023

[Read More \(/article/2029\)](#)




(/article/2029)

Original Article

Mechanism of High Dosage Vitamin D Supplementation on The Lung Function and Quality of Life of Stable COPD Patients (/article /2030)

Adyan Donastin, Muhammad Amin,



(/article/2030)

Pharmacognosy Journal, 15(3):274-278

DOI: 10.5530/pj.2023.15.74

Published: Mon, 26-Jun-2023



[Read More \(/article/2030\)](#)

Original Article

Preliminary Exploration of Traditional Medicine Formulas as A Basis of Effort and Support Toward Traditional Medicines Developing Use and Implementation in The Government Healthcare Program (/article/2031)

Diah Dhianawaty, Resti Gradia Dwiwina, Wulan Mayasari,

Pharmacognosy Journal, 15(3):279-284

DOI: 10.5530/pj.2023.15.75

Published: Mon, 26-Jun-2023

[Read More \(/article/2031\)](#)



Original Article

Analysis of Performance Determinants of Health Laboratory Officers in Health Laboratory Centers and Medical Device Calibration in Maluku Province (/article/2032)

Herlyn De Fretes, Muhammad Alwy Arifin, Amran Razak, Lalu Muhammad Saleh, Ummu Salmah, Anwar Mallongi

Pharmacognosy Journal, 15(3):285-289

DOI: 10.5530/pj.2023.15.76

Published: Mon, 26-Jun-2023

[Read More \(/article/2032\)](#)

Variable	Performance		Total	p-value
	Good	Less		
Good knowledge	Count	18	13	31
	% within knowledge	58,1%	41,9%	100,0%
	Count	13	12	25
Less knowledge	% within knowledge	52,0%	48,0%	100,0%
	Count	31	25	56
	% within knowledge	55,4%	44,6%	100,0%

(/article/2032)

Original Article


Habitat Characteristics of Aedes Sp Larval Containers and Density of Container Index (CI) In the Area Endemic and Non-Endemic to DHF In Makassar City (/article/2033)

Muh Ichsan, Hasanuddin Ishak, Erniwati Ibrahim, Hasnawati Amqam, Isra Wahid, Rusdiyah Sudirman, Anwar Mallongi

Pharmacognosy Journal, 15(3):290-295

DOI: 10.5530/pj.2023.15.77

Published: Mon, 26-Jun-2023



[Read More \(/article/2033\)](#)

Original Article

Effect of Single-Bulb Garlic (*Allium sativum* Var. Solo Garlic) Extract on The Hematological Profile In E-Cigarette-Induced Male Sprague Dawley Rats (/article/2034)

Maya Nurwartant Yunita, Julia Calvin Fauzi, Zahra Defitra Rahmania, Bella Safinda, Tridiganita Intan Sholikhah, Bodhi Agustono, Gandul Atik Yuliani, Shekhar Chhetri, Reina Puspita Rahmaniar

Pharmacognosy Journal, 15(3):296-300

DOI: 10.5530/pj.2023.15.78

Published: Tue, 27-Jun-2023

[Read More \(/article/2034\)](#)



Original Article

Community Compliance Regarding No-Smoking Area Policy: Belief Control Analysis and Tobacco Use Habits in Society the Bugis Tribe (Pare-Pare City & Sidrap Regency) and the Makassar Tribe (Gowa-Takalar Regency) in South Sulawesi (/article/2035)

Achmad R. Muttaqi Al-Madin, Amran Razak, , HM Alimin Maidin, Pupin Astuti, Mutia Nur Rahmah, Nur Indah Sari

Pharmacognosy Journal, 15(3):301-306

DOI: 10.5530/pj.2023.15.79

Published: Tue, 27-Jun-2023

[Read More \(/article/2035\)](#)




Original Article

Novel Point Mutations of the ace-1 Gene of *Aedes aegypti* Larva Treated with Methanolic Extract of *Citrus hystrix* (/article/2036)

Hebert Adrianto, Heny Arwati, Sri Subekti, Etik Ainun Rohmah, Reviany Vibrianita Nidom, Setyarina Indrasari

Pharmacognosy Journal, 15(3):307-315



[\(/article/2036\)](#)

DOI: 10.5530/pj.2023.15.80

Published: Tue, 27-Jun-2023

[Read More \(/article/2036\)](#)

Original Article

Nonmotoric Symptoms Scale (NMSS) Validity and Reliability Test in Patients with Parkinson's Disease in Dr. Soetomo General Hospital, Surabaya, Indonesia: A Questioner Validation Study ([/article/2037](#))


Muhammad Hamdan, Priya Nugraha, Pramitha Nayana Librata, Cindy Cecilia

Pharmacognosy Journal, 15(3):316-320

DOI: 10.5530/pj.2023.15.81

Published: Tue, 27-Jun-2023

[Read More \(/article/2037\)](#)



Research Article

Metabolite Profiling of Compounds from Sargassum polycystum using UPLC-QToF-MS/MS ([/article/2038](#))


Pramudita Riwanti, Intan Kris Prasetyanti, Burhan Ma'arif

Pharmacognosy Journal, 15(3):321-333

DOI: 10.5530/pj.2023.15.82

Published: Tue, 27-Jun-2023

[Read More \(/article/2038\)](#)



Research Article

Identification of Family Adaptive Behavior in The Dayak Tribe in An Effort to Prevent Stroke ([/article/2039](#))

,Muhammad Syafar, Sukri Palutturi, Agus Bintara Birawida, Anwar Mallongi, Oedojo Soedirham, Pawennari Hijang

Pharmacognosy Journal, 15(3):334-338

DOI: 10.5530/pj.2023.15.83



Published: Tue, 27-Jun-2023

[Read More \(/article/2039\)](#)

Research Article

Antidiabetic and Hypoglycaemic Activities of Commonly Used African Traditional Vegetables (/article/2040)


Nolitha Nkobole, Lavhelesani R. Managa, Gerhard Prinsloo

Pharmacognosy Journal, 15(3):339-356

DOI: 10.5530/pj.2023.15.84

Published: Tue, 27-Jun-2023

[Read More \(/article/2040\)](#)



Research Article

Description of Ciplukan Toxicity (Physalis angulata L.) (/article/2041)


Ruqiah Ganda Putr Panjaitan, Yohanes Gatot Suta Yuliana

Pharmacognosy Journal, 15(3):357-367

DOI: 10.5530/pj.2023.15.85

Published: Tue, 27-Jun-2023

[Read More \(/article/2041\)](#)



Research Article

Hand Hygiene Awareness and Knowledge Among Healthcare Personnel in The Dawadmi Region of Saudi Arabia: A Cross- Sectional Survey Study (/article/2042)

Prasanna Mohana Bhaskaran, Mohammed Nawar Alotaibi, Inbaraj Susai Domnic, Bhaskaran Ashokan, Sudharshan Reddy Dachani, Semmal Syed Meerasa, Osama Mohammed Alruways

Pharmacognosy Journal, 15(3):368-371

DOI: 10.5530/pj.2023.15.86

Published: Tue, 27-Jun-2023

[Read More \(/article/2042\)](#)

Variable	Frequency n (%)
Age group	21-30 years 100 (33.33)
	31-40 years 120 (40)
	41-50 years 80 (26.67)
Gender	Male 170 (56.67)
	Female 130 (43.33)
Profession	Residents 100 (33.33)
	Nurse 140 (46.67)
	Nursing assistant 60 (20)
Years of experience	≤ 5 123 (41)
	6-10 80 (26.67)
	11-20 77 (25.67)
Previous training program	≥ 30 20 (6.67)
	No 70 (23.33)
Routinely use alcohol-based hand	Yes 230 (76.67)
	No 50 (16.67)


(/article/2042)



Research Article

Evaluation of Neuroprotective Efficacy of Indian Shankpushpi Varieties in Alzheimer's disease – North Vs South (/article/2043)

Sharada L. Deore, Anjali A. Kide, Bhushan A. Baviskar, Somshekhar S. Khadabadi, Bhavana A. Shende



Pharmacognosy Journal, 15(3):372-377

DOI: 10.5530/pj.2023.15.87


Published: Tue, 27-Jun-2023

[Read More \(/article/2043\)](#)

Research Article

Anti-Gastritis Activity of Cloves (Eugenia caryophyllata Thunberg) and Lime (Citrus aurantifolia) Leaf Extracts Combination in Absolute Alcohol Induced-Gastric Injury Mice (/article/2044)

Herra Studiawan, Indana Lazulfa, Rosita Handayani



Pharmacognosy Journal, 15(3):378-384

DOI: 10.5530/pj.2023.15.88

Published: Tue, 27-Jun-2023

[Read More \(/article/2044\)](#)

Research Article

Factors Affecting the Long-Term Protection Against Hepatitis B Immunization in Infancy: A Meta-Analysis (/article/2045)

Aldila Pratiwi, Bagus Setyoboedi, Citrawati D.K. Wungu



Pharmacognosy Journal, 15(3):385-394

DOI: 10.5530/pj.2023.15.89

Published: Tue, 27-Jun-2023

[Read More \(/article/2045\)](#)


Research Article

Analysis of The Influence of The Marketing Mix on The Satisfaction of Patients with Type 2 (/article/2046)



Diabetes Miletus Installation at Hajj General Hospital, Makassar (/article/2046)

Suci Safwa Salsabila, , Amran Razak, Syamsuar Manyullei, Lalu Muhammad Saleh, Anwar Mallongi



(/article/2046)

Pharmacognosy Journal, 15(3):395-399

DOI: 10.5530/pj.2023.15.90


Published: Tue, 27-Jun-2023

[Read More \(/article/2046\)](#)

Research Article

Model Prediction of Potential Disease Effects from PM2.5 Emission Among School Children in Coming 30 years in South Tangerang (/article/2047)

,Anwar Mallongi, Anwar Daud, Sukri Palutturi, ,Razak Thaha, Erniwaty Ibrahim, Wesam Al Moudhun



Pharmacognosy Journal, 15(3):400-404

DOI: 10.5530/pj.2023.15.91

Published: Tue, 27-Jun-2023

[Read More \(/article/2047\)](#)

Research Article

Analysis of Policy Implementation of The First 1000 Days of Life Program in Overcoming Stunting in Maros District (/article/2048)

Andi Sri Fifi W. Azis, , Amran Razak, Alwy Arifin, Muh Syafar, Anwar Mallongi



Pharmacognosy Journal, 15(3):405-410


DOI: 10.5530/pj.2023.15.92

Published: Tue, 27-Jun-2023

[Read More \(/article/2048\)](#)

Research Article

The Effect of Safety Climate on Safety Behavior with Safety Motivation as An Intervening Variable on Contractor Workers in PT X (/article



/2049)


Darius Tandiang,Syamsiar S. Russeng,Lalu Muhammad Saleh,Atjo Wahyu,Yahya Thamrin,Anwar Mallongi

Pharmacognosy Journal,15(3):411-416

DOI: 10.5530/pj.2023.15.93

Published: Tue, 27-Jun-2023

[Read More \(/article/2049\)](#)



Research Article

Effectiveness of Ketapang (*Terminalia cattapa* L.) Extract Against Avian Pathogenic Escherichia coli (APEC) Infections in Layer Performance (/article/2050)


Kadek Rachmawati,Rochmah Kurnijasanti,Emy Koestanti Sabdoningrum,Sin War Naw

Pharmacognosy Journal,15(3):417-422

DOI: 10.5530/pj.2023.15.94

Published: Tue, 27-Jun-2023

[Read More \(/article/2050\)](#)



Research Article

Evaluation of Electronic Medical Record System in Outpatient Dr. Wahidin Sudirohusodo Makassar Central General Hospital in 2022 (/article/2051)


Asriani Usman, ,Noer Bahry Noor,Alimin Maidin,Fridawaty Rivai, ,Anwar Mallongi

Pharmacognosy Journal,15(3):423-427

DOI: 10.5530/pj.2023.15.95

Published: Tue, 27-Jun-2023

[Read More \(/article/2051\)](#)



Research Article

The Effect of Family-Based Empowerment in Preventing Overweight and Obesity in Elementary School Children in Kupang (/article



/2052)

(/article/2052)

Fransiskus Geroda Mado, Nurhaedar Jafar, Masyta Muis, Ida Leida Maria, Muhammad Syafar, Muhammad Alwi Arifin, Anwar Mallongi, Toto Sudargo,

Pharmacognosy Journal, 15(3):428-434

DOI: 10.5530/pj.2023.15.96


Published: Tue, 27-Jun-2023

[Read More \(/article/2052\)](#)

Research Article

Tanacetum Parthenium (L.) Sch Bip From Peru: Antioxidant Profile and The Antinociceptive Effect in An Experimental Model (/article/2053)

Oscar Herrera-Calderon, Wilfredo Bulege-Gutiérrez, Luz Alexandra Javier-Silva, Melva Iparraguir Meza, Victor Guillermo Sanchez-Araujo, Elizabeth Julia Melgar-Merino, Johnny Aldo Tinco-Jayo, José Santiago Almeida-Galindo, Josefa Bertha Pari-Olarte



(/article/2053)

Pharmacognosy Journal, 15(3):435-437

DOI: 10.5530/pj.2023.15.97

Published: Tue, 27-Jun-2023

[Read More \(/article/2053\)](#)

Research Article

Health Behavior and Social Support in Postpartum Mothers Treatment in Ba'ukup Tradition in Maluku (/article/2054)

Andi Asrina, Rizal Payapo, Fairus Concerned Idris, Sukri Palutturi, Anwar Mallongi



(/article/2054)

Pharmacognosy Journal, 15(3):438-442

DOI: 10.5530/pj.2023.15.98

Published: Tue, 27-Jun-2023

[Read More \(/article/2054\)](#)


Research Article

The Effect of Service Quality and Patient Satisfaction Toward Patient Loyalty in Special



Regional Hospitals of South Sulawesi (/article/2055)

Rara Armita Arman, Syahrir A. Pasinringi, Fridawaty Rivai, Andi Indahwaty Sidin, ,Lalu Muhammad Saleh, Anwar Mallongi



Pharmacognosy Journal, 15(3):443-449

DOI: 10.5530/pj.2023.15.99

Published: Tue, 27-Jun-2023

[Read More \(/article/2055\)](#)

Research Article

Correlation of Apo E Gene Polymorphism with Recurrent Acute Coronary Syndrome (/article/2056)

Muhamad Robiul Fuadi, Jusak Nugraha, Gde Rurus Suryawan, Hartono Kahar, ,Gwenny Ichsan Prabowo, Budi Utomo, Reny I'tishom



Pharmacognosy Journal, 15(3):450-453

DOI: 10.5530/pj.2023.15.100

Published: Tue, 27-Jun-2023

[Read More \(/article/2056\)](#)

[1](#)

[2 \(/v15/i3?page=1\)](#)

[next › \(/v15/i3?page=1\)](#)

[last » \(/v15/i3?page=1\)](#)



Submit your Next Article

- Online submission
- Highly indexed and abstracted
- 10 years of successful publishing
- Wider visibility though open access
- Higher impact with wider visibility
- Prompt review

Submit your next article to Phcog J

and be a part of many successful authors.

Create free account (<http://phcogj.info/>) / Login (<https://www.phcogj.com/submissions/index.php/phcogj/index>)

About

Pharmacognosy Journal (Phcog J.) covers different topics in natural product drug discovery, and also publishes manuscripts that describe pharmacognostic investigations, evaluation reports, methods, techniques and applications of all forms of medicinal plant research

Distinctions: The most widely read, cited, and known Pharmacognosy journal and website is well browsed with all the articles published. More than 50,000 readers in nearly every country in the world each month

ISSN : 0975-3575 ; Frequency : Rapid at a time publication (6 issues/year)

Indexed and Abstracted in : SCOPUS, Scimago Journal Ranking, Chemical Abstracts, Excerpta Medica / EMBASE, Google Scholar, CABI Full Text, Index Copernicus, Ulrich's International Periodical Directory, ProQuest, Journalseek & Genamics, PhcogBase, EBSCOHost, Academic Search Complete, Open J-Gate, SciACCESS.

Rapid publication: Average time from submission to first decision is 30 days and from acceptance to In Press online publication is 45 days.

Open Access Journal: Pharmacognosy Journal is an open access journal, which allows authors to fund their article to be open access from publication.

Submit your Next Article

- Online submission



- Highly indexed and abstracted
- 10 years of successful publishing
- Wider visibility through open access
- Higher impact with wider visibility
- Prompt review

Submit your next article to Phcog J

and be a part of many successful authors.

Create free account (<http://phcogj.info>) / Login (<https://www.phcogj.com/submissions/index.php/phcogj/index>)

Copyright © 2020 Pharmacogn J. All rights reserved.

Pharmacognosy Journal and its contents are licensed under a Creative Commons Attribution-Non Commercial-No Derivs 4.0 License. Permissions beyond the scope of this license may be available with editor@phcogj.com (<mailto:editor@phcogj.com>)

[Home \(/\)](#)

[Advertise with us \(/\)](#)

[Privacy Statement \(/\)](#)



Pharmacognosy Journal

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<p>India</p> <p> Universities and research institutions in India</p> <p> Media Ranking in India</p>	<p>Pharmacology, Toxicology and Pharmaceutics</p> <p>Drug Discovery</p> <p>Pharmacology</p>	<p>EManuscript Technologies</p>	<p>30</p>
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
<p>Journals</p>	<p>09753575</p>	<p>2009-2022</p>	<p>Homepage</p> <p>How to publish in this journal</p> <p>editor@phcogj.com</p>

SCOPE

Pharmacognosy Journal (Phcog J.) covers different topics in natural product drug discovery, and also publishes manuscripts that describe pharmacognostic investigations, evaluation reports, methods, techniques and applications of all forms of medicinal plant research

Join the conversation about this journal

Quartiles

FIND SIMILAR JOURNALS

options

<p>1</p> <p>Oriental Pharmacy and Experimental Medicine</p> <p>USA</p> <p>82% similarity</p>	<p>2</p> <p>Pharmacognosy Research</p> <p>IND</p> <p>81% similarity</p>	<p>3</p> <p>Indian Journal of Natural Products and Resources</p> <p>IND</p> <p>77% similarity</p>	<p>4</p> <p>Journal of Herbs, Spices and Medicinal Plants</p> <p>USA</p> <p>76% similarity</p>	<p>5</p> <p>Pharmacognosy Magazine</p> <p>IND</p> <p>76% similarity</p>
--	---	---	--	---



Pharmacognosy Journal

← Show this widget in your own website

Q3 Pharmacology
best quartile

SJR 2022
0.23

powered by scimagojr.com

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" data-bbox="193 433 296 442">
```

SCImago Graphica

Explore, visually communicate and make sense of data with our new data visualization tool.



Metrics based on Scopus® data as of April 2023

C Candle 2 months ago
Expensive publication fee!
reply



Melanie Ortiz 2 months ago

Dear Candle, thanks for your participation! Best Regards, SCImago Team

SCImago Team



Ravens Genesis 3 months ago

Be careful with this journal, they publish articles that are inappropriate and very different from the scope of the journal. They even publish several articles at the same time in one issue by the same author!

reply

E edi utomo 1 year ago

I want to get information about drug poison crimes, is there a journal about this?

reply



Melanie Ortiz 1 year ago

Dear Edi,
Thank you for contacting us.
We suggest you use the Journal Rankings' Search Tool shown on our website, as the journals can be filtered by Subject Area/ Category.

SCImago Team

K **Kori Yati** 2 years ago

I want to submit an article, can I send a link?

reply

SCImago Team



Melanie Ortiz 2 years ago

Dear Kori, thank you very much for your comment, we suggest you look for the author's instructions/submission guidelines in the journal's website. Best Regards, SCImago Team

N **Najib** 3 years ago

Is this journal still indexed by scopus or have been discontinued?

reply

SCImago Team



Melanie Ortiz 3 years ago

Dear Najib,

Thank you very much for your comment.

All the metadata have been provided by Scopus /Elsevier in their last update sent to SCImago, including the Coverage's period data. The SJR for 2020 has been released on 17 May 2021. We suggest you consult the Scopus database directly to see the current index status as SJR is a static image of Scopus, which is changing every day.

Best Regards, SCImago Team

P **Prena Sharma** 3 years ago

Dear sir/Mam,

I just want to know that is these journals are the SCI E and Whats the publication charges of research article.

kindly suggest

Regards

reply

A **Ali** 3 years ago

What about the pharmacognosy journal? Is it indexed journal

SCImago Team



Melanie Ortiz 3 years ago

Dear Prena,

Thank you for contacting us.

SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.

Unfortunately, we cannot help you with your request referring to the index status. We

suggest you consult Scopus database (see the current status of the journal) or the

mentioned database. For further information about this journal, please visit the journal's

website or contact directly with the editorial staff.

Best Regards, SCImago Team

T **Tushar** 4 years ago

Dear sir/Mam,

I just want to know that is these journals in the UGC care list because I didn't get the updated list of UGC.

kindly do needful

reply

SCImago Team



Melanie Ortiz 4 years ago

Dear Tushar,

Thank you for contacting us. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request referring

the index status. We suggest you to consult Scopus database (see the current status of the journal) or other databases (like WoS) for further information. You can also check that information in the journal's website or contact directly with the editorial staff. Best Regards, SCImago Team

A **aditi** 5 years ago

Respected Sir,

I wish to know if while writing manuscript got Pharmacognosy journal, Can the results and discussion be combined?

reply



Elena Corera 5 years ago

SCImago Team

Dear Aditi,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you check author's instructions in journal website. You can find that information in SJR website <https://www.scimagojr.com>

Best Regards,
SCImago Team

Leave a comment

Name

Email

(will not be published)



Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS
Journal Rank 1.1. 2022

[Cookie settings](#)

[Cookie policy](#)



Source details

Pharmacognosy Journal

Scopus coverage years: from 2009 to 2023

Publisher: EManuscript Technologies

ISSN: 0975-3575

Subject area: [Pharmacology, Toxicology and Pharmaceutics: Pharmacology](#)

[Pharmacology, Toxicology and Pharmaceutics: Drug Discovery](#)

Source type: Journal

CiteScore 2022

1.9



SJR 2022

0.229



SNIP 2022

0.484



[View all documents >](#)

[Set document alert](#)

[Save to source list](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

CiteScore 2022

$$1.9 = \frac{1,691 \text{ Citations 2019 - 2022}}{878 \text{ Documents 2019 - 2022}}$$

Calculated on 05 May, 2023

CiteScoreTracker 2023

$$2.2 = \frac{1,855 \text{ Citations to date}}{851 \text{ Documents to date}}$$

Last updated on 05 January, 2024 • Updated monthly

CiteScore rank 2022

Category	Rank	Percentile
Pharmacology, Toxicology and Pharmaceutics	#219/301	27th
└ Pharmacology		
Pharmacology, Toxicology and Pharmaceutics	#121/156	22nd
└ Drug Discovery		

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

All content on this site: Copyright © 2024 Elsevier B.V. ↗, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.

