

Taibah University

### Journal of Taibah University Medical Sciences

www.sciencedirect.com

Original Article

### hWJMSCs inhibit inflammation and apoptosis in an ARDS cell model

Wahyu Widowati, M.Si<sup>a,\*</sup>, Teresa L. Wargasetia, M.Kes<sup>b</sup>, Fanny Rahardja, M.Si<sup>c</sup>, Rimonta F. Gunanegara, M.Pd.Ked<sup>d</sup>, Didik Priyandoko, Ph.D<sup>e</sup>, Marisca E. Gondokesumo, M.Farm-Kl<sup>f</sup>, Agung Novianto, M.Biotek<sup>g</sup>, Afif Yati, S.Si<sup>g</sup> and Rizal Rizal, M.Biotech<sup>g,h</sup>

<sup>a</sup> Department of Pharmacology, Faculty of Medicine, Maranatha Christian University, Bandung 40164, Indonesia

<sup>b</sup> Master Program in Skin Ageing and Aesthetic Medicine, Faculty of Medicine, Maranatha Christian University, Bandung 40164, Indonesia

<sup>c</sup> Microbiology Department, Faculty of Medicine, Maranatha Christian University, Bandung 40164, Indonesia

<sup>d</sup> Obstetrics and Gynecology Division, Faculty of Medicine, Maranatha Christian University, Bandung 40164, Indonesia

<sup>e</sup>Biology Study Program, Universitas Pendidikan Indonesia, Bandung 40154, Indonesia

<sup>f</sup> Department Biology Pharmacy, Faculty of Pharmacy, University of Surabaya, Universitas Surabaya, Surabaya 60293, Indonesia

<sup>g</sup> Biomolecular and Biomedical Research Center, Aretha Medika Utama, Bandung 40163, Indonesia

<sup>h</sup> Biomedical Engineering, Department of Electrical Engineering, Faculty of Engineering, Universitas Indonesia, Depok 16426, Indonesia

Received 5 January 2023; revised 20 April 2023; accepted 26 June 2023; Available online 7 July 2023

النتائج: زاد هلام وارتون للخلايا الجذعية الوسيطة البشرية من إنزيم تحويل الأنجيوتنسين -2 وخفضت سي-اكس-سي عنصر كيموكين ليجيند-9، والعامل النووي كابا ب، ومستقبلات المنتجات النهائية المتقدمة للجليكيشن. كما أدى العلاج أيضا إلى تثبيط البروتين التفاعلي سي، و انترلوكين-12 وعامل نخر الورم ألفا وزيادة نسبة الخلايا الحية، ولكنه قلل من نسبة الخلايا الميتة والخلايا المبرمجة في خلايا رنة الفنران الالتهابية كنموذج خلايا متلازمة الضائقة التنفسية الحادة.

الاستنتاجات: خففت الثقافة المشتركة لخلايا هلام وارتون للخلايا الجذعية الوسيطة البشرية و "إل 2" من الالتهاب من خلال زيادة التعبير الجيني للإنزيم المحول للأنجيوتنسين-2 مع تقليل تعبيرات الجين سي-اكس-سي عنصر كيموكين ليجيند-9 والعامل النووي كابا ب ومستقبلات المنتجات النهائية المتقدمة للجليكيشن؛ تقليل مستويات بروتين عامل نخر الورم ألفا والبروتين التفاعلي سي؛ وتقليل النخر والاستماتة المبكرة والمتأخرة بشكل أكثر فاعلية بنسبة 1: 1.

الكلمات المفتاحية: متلازمة الضائقة التنفسية الحادة؛ موت الخلايا المبرمج؛ الالتهاب؛ هلام وارتون للخلايا الجذعية الوسيطة البشرية؛ العامل النووي كابا ب

### Abstract

Acute respiratory distress syndrome (ARDS) is a type of lung failure caused by fluids and hypoxemia. Mesenchymal stem cells (MSCs) have been shown to decrease levels of pro-inflammatory mediators and inflammatory cells. These cells have anti-inflammatory, anti-apoptotic, and anti-microbial activity, and protect against lung injury.

### الملخص

أهداف البحث: متلازمة الضائقة التنفسية الحادة هي قصور رئوي ناتج عن السوائل ونقص الأكسجة في الدم. أظهرت الخلايا الجذعية الوسيطة القدرة على خفض مستويات الوسيط المؤيد للالتهابات والخلايا الالتهابية. لديهم أنشطة مضادة للالتهابات ومضادة للاستماتة ومضادة للميكروبات، فضلا عن القدرة على تجنب إصابات الرئة. قيم هذا البحث إمكانات هلام وارتون للخلايا الجذعية الوسيطة البشرية لتثبيط الالتهاب وموت الخلايا المبرمج في خلايا رئة الفنران التي يسببها عديد السكاريد الدهني.

**طريقة البحث:** استخدم علاج هلام وارتون للخلايا الجذعية الوسيطة البشرية في خلايا الرئة الناتجة عن عديد السكاريد الدهني نسبا مختلفة من خلايا هلام وارتون للخلايا الجذعية الوسيطة البشرية و "إل 2"- ، وهي 1:- 1- ، 1:- 5- ، 10:1 ، و 25:1. تم قياس التعبيرات الجينية للإنزيم المحول للأنجيوتنسين -2، ومستقبل المنتجات النهائية المتقدمة للجليكيشن، والعامل النووي كابا ب، و سي-اكس-سي عنصر كيموكين ليجيند - 9 باستخدام النسخ العكسي من تفاعل البوليميراز المتسلسل و تم قياس مستويات البروتين التفاعلي سي و انترلوكين-12 و عامل نخر الورم ألفا باستخدام طريقة تقنية الإليزا.

\* Corresponding address: Faculty of Medicine, Maranatha Christian University, Bandung 40164, Indonesia.

E-mail: wahyu.widowati@maranatha.edu (W. Widowati) Peer review under responsibility of Taibah University.

ELSEVIER Production and hosting by Elsevier

1658-3612 © 2023 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/). https://doi.org/10.1016/j.jtumed.2023.06.007





**Objective:** This research evaluated the potential of human Wharton's jelly MSCs (hWJMSCs) to inhibit inflammation and apoptosis in lipopolysaccharide (LPS)-induced rat lung cells (L2).

**Methods:** hWJMSC treatment in LPS-induced rat lung cells was performed with 1:1, 1:5, 1:10, or 1:25 ratios of hWJMSCs to L2 cells. The gene expression of angiotensin-converting enzyme-2 (ACE-2), receptor for advanced glycation end products (RAGE), nuclear factor kappa B (NF $\kappa$ B), and C-X-C motif chemokine ligand-9 (CXCL-9) was quantified with RT-PCR, and the levels of C-reactive protein (CRP), interleukin-12 (IL-12), and tumor necrosis factor-alpha (TNF- $\alpha$ ) were measured with ELISA.

**Results:** hWJMSCs increased ACE-2 gene expression, and decreased CXCL-9, NF $\kappa$ B, and RAGE gene expression. The treatment also suppressed CRP, TNF- $\alpha$ , and IL-12 levels, and increased the percentage of live cells, but decreased the percentages of necrotic cells and apoptotic cells in inflammatory rat lung cells, which served as an ARDS cell model.

**Conclusion:** Co-culture of hWJMSCs and L2 cells mitigated inflammation through increasing ACE-2 gene expression, and decreasing CXCL-9, NF $\kappa$ B, and RAGE gene expression; decreasing TNF- $\alpha$  and CRP protein levels; and decreasing necrosis, and early and late apoptosis. A co-culture ratio of 1:1 was most effective.

Keywords: Apoptosis; ARDS; hWJMSCs; Inflammation; NF $\kappa$ B

© 2023 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/).

### Introduction

Acute respiratory distress syndrome (ARDS) is a type of lung failure characterized by the presence of fluid and hypoxemia.<sup>1</sup> It is the main symptom of coronavirus disease 2019 (COVID-19), which was recently responsible for a highly fatal pandemic.<sup>2</sup> To date, the World Health Organization has confirmed 763,740,140 global cases and 6,908,554 deaths,<sup>3</sup> including 6,759,513 cases and 161,140 deaths in Indonesia.<sup>4</sup> Edema in the lungs promotes lung inflammation and epithelial cell destruction.<sup>5,6</sup> Cytokines and chemokines are abundantly released in the initial phase of infection. The pathophysiology becomes complicated, owing to inflammatory mediators including tumor necrosis factor- $\alpha$  (TNF- $\alpha$ ); interleukin-1 $\beta$  (IL-1 $\beta$ ), IL-4, IL-6, IL-8, IL-19, IL-12, and IL-13; and chemokines (C-X-C motif ligand (CXCL-8, CXCL-9, and CXCL-10) and C-C motif ligand (CCL-2, CCL-3, and CCL-5)).

ARDS is also characterized by angiotensin-converting enzyme-2 (ACE-2) downregulation, which results in multiple organ injuries in patients with COVID-19.<sup>8–10</sup> In homeostasis, ACE-2 neutralizes severe effects on the reninangiotensin system and decreases inflammatory mediators, such as IL-12 and TNF- $\alpha$ .<sup>10</sup> Furthermore, ARDS pathology appears to be consistent with changes in C-reactive protein (CRP) levels. CRP levels in systemic inflammation are frequently used for some diagnoses, although the link between CRP and ARDS has been poorly explained.<sup>11</sup>

One critical mechanism in ARDS pathology is the nuclear factor kappa B (NF $\kappa$ B) signaling pathway.<sup>12,13</sup> NF $\kappa$ B hyperactivity exacerbates ARDS symptoms.<sup>12,13</sup> The activity of NF $\kappa$ B is influenced by the receptor for advanced glycation end products (RAGE).<sup>14</sup>

Mesenchymal stem cells (MSCs) have many benefits in mitigating inflammation through regulating inflammatory mediators.<sup>15,16</sup> In ARDS models, MSCs therapy has been reported to suppress pro-inflammatory cytokines and decrease inflammatory cell numbers. MSCs also have activity against apoptosis, microbial infections, cellular damage, and other lung injuries, as indicated by a growing number of in vivo and pre-clinical investigations.<sup>17</sup> In contrast, studying ARDS requires a model of cytokine storms. Inflamed lung cells are a feasible ARDS model.<sup>18</sup> Therefore, this study evaluated the effects of human Wharton's jelly MSCs (hWJMSCs) in suppressing inflammation in lipopolysaccharide (LPS)induced rat lung cells, as an ARDS cell model. ACE-2, CXCL-9, NFKB, and RAGE gene expression, as well as CRP, TNF-a, and IL-12 levels, and apoptosis percentages were measured.

### **Materials and Methods**

### L2 and hWJMSC cultures

Rat lung cells (L2 cells) (ATCC®CCL-149) and primary cells of characterized hWJMSCs were obtained from the Biomolecular and Biomedical Research Center, Aretha Medika Utama, Bandung, Indonesia. L2 cell culture was performed in Dulbecco's modified Eagle's medium, high glucose (Biowest, L0103-500), whereas hWJMSC culture was performed in minimum essential medium- $\alpha$  (Biowest, L-475-500). Each basal medium was supplemented with 10% fetal bovine serum (Biowest, S181B-500), 1% antibiotic-antimycotic agent (ABAM) (Biowest, L0010-100), 1% amphotericin B (Biowest, L0009-050), 1% minimum essential medium vitamins, 100 × without L-glutamine (Biowest, X0556-100), 1% glutamine, stable, 100×, 200 mM (Biowest, X0551-100), and 0.1% gentamicin (Biowest, L0012-100).<sup>19</sup>

#### LPS induction and co-culture treatment

L2 cells that had reached 80-90% confluence were harvested and seeded at  $1 \times 10^6$  cells per T25 flask. After reaching 80% confluence, the cells were treated with 1 µg/mL LPS for 18 h to establish the ARDS cell model<sup>20</sup> and were then co-cultured with hWJMSCs for 24 h at 37 °C in a 5% CO<sub>2</sub> incubator. The treatment was performed with co-culture ratios of 1:1, 1:5, 1:10, and 1:25 hWJMSCs:L2 cells. A transwell plate with 3 µm pores was used with ARDS model cells (LPS-induced L2 cells) in the lower chamber and hWJMSCs in the upper chamber. The cell supernatants were sampled for ELISA, and the pellets were sampled for gene expression analysis.<sup>21</sup>

### Quantification of gene expression

The gene expression of ACE-2, NF $\kappa$ B, RAGE, and CXCL-9 was quantified with RT-PCR. RNAs were isolated with a Direct-zol RNA Miniprep Plus Kit (Zymo, R2073), then processed for cDNA synthesis with iScript Reverse Transcription Supermix (Bio-Rad, 170-8841). The obtained cDNA was subsequently mixed with primers (Macrogen), nuclease free water (Zymo, R2073), and SsoFast Evagreen Supermix (Bio-Rad, 172-5200). Reactions were run on an AriaMx RT-PCR system (Agilent). Primer designs, RNA purity and concentration are shown in Tables 1 and 2 respectively.<sup>21–23</sup>

### Measurement of TNF-a, IL-12, and CRP levels

TNF- $\alpha$ , IL-12, and CRP were measured with rat TNF- $\alpha$ , rat IL-12, and rat CRP ELISA kits (Elabscience, E-EL-R2856, E-EL-R0064, and E-EL-R0506, respectively). The results were read at 450 nm in a microplate reader (Multiskan Go, Thermo Scientific, 1510-00778C).<sup>24</sup>

#### Quantification of live and dead cells

Apoptotic, live, and necrotic cells were quantified with flow cytometry. The treated cells were sampled and then washed twice with 500  $\mu$ L FACS buffer. Cell pellets were prepared with an Annexin V-FITC/PI Apoptosis Detection Kit (Elabscience, E-CK-A211). Subsequently, the cells were measured with MACSQuant Analyser 10 (Miltenyi Biotec).<sup>20</sup>

### Statistical analysis

The data were processed in IBM SPSS 20. After a normality test was performed, normal data were analyzed with analysis of variance followed by Tukey's HSD post hoc test, with a significance threshold of  $p \le 0.05$ .

### Results

### ACE-2, CXCL-9, NFKB, and RAGE gene expression

The expression of the ACE-2, CXCL-9, NFκB, and RAGE genes was determined (Figure 1). LPS induction significantly

Table 1: Annealing of GAPDH: 57.





Figure 1: Effects of hWJMSCs treatment on ACE-2, CXCL-9, NFKB, and RAGE gene expression in LPS-induced L2 cells, as an ARDS cell model. Data are shown as averages with standard deviations. Treatment I: negative control; II: positive control (LPS-induced rat lung cells), as an ARDS cell model; III: hWJMSCs with ARDS cell co-culture (1:1); IV: hWJMSCs with ARDS cell co-culture (1:5); V: hWJMSCs with ARDS cell co-culture (1:25). Different letters (a, b, c, and d in 1A-B; a, b, and c in 1C; and a, ab, bc, and c in 1D) indicate statistical differences, according to Tukey's HSD post hoc test at  $p \leq 0.05$ .

decreased ACE-2 gene expression, and increased CXCL-9, NF $\kappa$ B, and RAGE gene expression. hWJMSC co-cultures with LPS-induced L2 cells showed upregulated ACE-2 gene expression, and downregulated CXCL-9, NF $\kappa$ B, and RAGE

Table 1	: Annealing of GAPDH: 57.				
Gene	Forward $(5'-3')$	Reverse $(5'-3')$	Product Size	Annealing	Reference
Symbol	_		(bp)	(°C)	
ACE-2	AACAAGCACAGACTACAATCGT	ACGGTTTGATCTCTTTGAAGGT	248	58	NM_001012006.2
RAGE	CGAGTCTACCAGATTCCTG	CTTTGCCATCAGGAATCAG	163	56	NM_053336.2
NFκB	GGACTATGACTTGAATGCGG	ACACCTCAATGTCTTCTTCTG	230	57	NM_199267.2
CXCL-9	ACTGAAATCATCGCTACACTG	GTGTATTAAAGGGAAGGCGT	278	54	NM_145672.4
GAPDE	H TCA AGA TGG TGA AGCAG	ATGTAGGCCATGAGGTCCAC	217		NM_001289726.1

Table 2: RNA purity and concentration.					
Group	Treatment	Concentration (ng/mL)	Purity ( $\lambda 260/\lambda 280 \text{ nm}$ )		
I	Negative Control (untreated L2 cells, normal L2 cells)	168.04	2.162		
II	Positive Control (LPS-induced L2 cells, ARDS cells model)	315.80	2.217		
III	WJMSCs 1:1 (hWJMSCs:ARDS cells)	312.00	2.188		
IV	WJMSCs 1:5 (hWJMSCs:ARDS cells)	564.72	2.329		
V	WJMSCs 1:10 (hWJMSCs:ARDS cells)	370.76	2.177		
VI	WJMSCs 1:25 (hWJMSCs:ARDS cells)	435.80	2.163		



**Figure 2:** Effects of hWJMSCs on TNF- $\alpha$ , CRP, and IL-12 protein levels in LPS-induced rat lung cells, as an ARDS cell model. Data are shown as averages with standard deviations. Treatment I: negative control, II: positive control (LPS-induced rat lung cells), as an ARDS cell model, III: hWJMSCs with ARDS cell co-culture (1:1), IV: hWJMSCs with ARDS cell co-culture (1:5), V: hWJMSCs with ARDS cell co-culture (1:10), VI: hWJMSCs with ARDS cell co-culture (1:25). Different letters (a, ab, bc, c, and d in A-B; a, b, c, and d in 2C; a, b, c, d, and e in Figure 1D; a, b, c, cd, de, and e in 2E; and a and b in 2F) indicate statistical differences, according to Tukey's HSD post hoc test at  $p \le 0.05$ .

gene expression. The highest ACE-2 gene upregulation was induced by hWJMSC-L2 co-culture with L2 cells at a ratio of 1:5, whereas the highest CXCL-9, NF $\kappa$ B, and RAGE gene downregulation was induced at a co-culture ratio of 1:1. In general, hWJMSC and L2 co-culture at a ratio of 1:1 showed the greatest therapeutic effects.


### Protein levels

The protein levels of TNF- $\alpha$ , CRP, and IL-12 were determined (Figure 2). LPS induction increased the release of those proteins in L2 cells. hWJMSC-L2 co-culture decreased the levels of these proteins, except IL-12. Co-

culture at a ratio of 1:1 resulted in the greatest decreases in TNF- $\alpha$  and CRP protein.

### Live, necrotic, and apoptotic cells

Apoptotic cell assays indicated the percentages of live, necrotic, early apoptotic, and late apoptotic cells (Figures 3 and 4). The co-culture of hWJMSCs with LPS-susceptible L2 cells did not influence the percentage of live cells but did influence the percentage of dead cells. The co-culture of hWJMSCs and L2 cells resulted in significantly less necrosis, early apoptosis, and late apoptosis than observed in the positive control. Co-culture at a ratio of 1:5 hWJMSCs to L2



**Figure 3:** Plots of apoptosis assays, determined by flow cytometry. Treatment I: negative control; II: positive control (LPS-induced rat lung cells), as an ARDS cell model; III: hWJMSCs with ARDS cell co-culture (1:1); IV: hWJMSCs with ARDS cell co-culture (1:5); V: hWJMSCs with ARDS cell co-culture (1:10); VI: hWJMSCs with ARDS cell co-culture (1:25).





Figure 4: Effects of hWJMSCs on live cells, necrosis, early apoptosis, and late apoptosis in LPS-induced rat lung cells, as an ARDS cell model. Data are shown as averages with standard deviations. Treatment I: negative control; II: positive control (LPS-induced rat lung cells); as an ARDS cell model; III: hWJMSCs with ARDS cell co-culture (1:1); IV: hWJMSCs with ARDS cell co-culture (1:5); V: hWJMSCs with ARDS cell co-culture (1:10); VI: hWJMSCs with ARDS cell co-culture (1:25). Different letters (a, b, c, d, and e in 4A; a, ab, bc, and c in 4B; a, ab, bc, and c, in 4C; and a, ab, bc, c and d in 4D) indicate statistical differences, according to Tukey's HSD post hoc test at  $p \le 0.05$ .



**Figure 5:** Proposed anti-inflammation and anti-apoptotic pathways of hWJMSCs in lung cell inflammation. LPS: lipopolysaccharide; hWJMSCs: human Wharton's jelly mesenchymal stem cells; TLR-4: Toll-like receptor-4; ACE-2: angiotensin converting enzyme-2; RAGE: receptor for advanced glycation end products; ERK1/2: extracellular signal-regulated kinase; NFkB: nuclear factor kappa B; CXCL-9: C-X-C motif chemokine ligand-9; CRP: C-reactive protein; IL-8: interleukin-8; TNF- $\alpha$ : tumor necrosis factor-alpha. Red arrow: decrease; black arrow: increase. The inflammatory effect of LPS induction is inhibited by hWJMSCs treatment. This inhibition upregulates ACE-2 production, thereby decreasing TNF- $\alpha$ ; downregulates RAGE, thereby decreasing NFkB cascade activity; and decreases CRP and CXCL-9 production. The anti-inflammatory effects of hWJMSCs inhibit apoptosis in lung cells.

cells generated the highest decrease in necrosis and early apoptosis, and a ratio of 1:1 generated the highest decrease in late apoptosis among the treatments.

### Discussion

This research investigated the effects of hWJMSCs-L2 coculture on L2 cells that had been exposed to LPS. LPS enters cells via CD14 and Myeloid Differentiation factor-2 (MD-2) binding to Toll-like receptor-4 (TLR)-4. This binding inhibits ACE- $2^{25,26}$  and stimulates the activation of mitogenactivated protein kinase, extracellular signal-regulated kinase (ERK1/2), and p38. This activation causes NFKB to stimulate the release pro-inflammatory cytokines, such as TNF- $\alpha$ , thereby resulting in inflammation (Figure 5).<sup>27–29</sup>

In this study, LPS induction successfully induced ARDS in L2 cells, as evidenced by increased NF $\kappa$ B, CXCL-9, and RAGE gene expression, and decreased ACE-2 gene expression (Figure 1), as well as increased TNF- $\alpha$  and CRP protein expression (Figure 2A–B) in all positive controls. These findings were consistent with those from previous research showing that LPS-induced L2 cells express inflammatory genes, such as CXCL-9, IL-12, and CCL-2.<sup>29</sup>

Some studies have confirmed that ACE-2 is a counterregulatory protein in ARDS.<sup>13</sup> Recent research has suggested that ACE-2 might regulate the release of cytokines, such as TNF- $\alpha$  and IL-12.<sup>9</sup> Evidence has also indicated that ACE-2 functions as an anti-inflammatory protein.<sup>30,31</sup> In a recent study, ACE-2 levels have been found to be lower in LPS-induced ARDS in mice.<sup>32</sup> hWJMSC therapy has been widely studied in the treatment of lung inflammation due to COVID-19. Immunoregulatory, angiogenic, antiapoptotic, and cell migration factors are all paracrine factors secreted by MSCs. MSCs migration and targeting to injured areas for healing are facilitated by these cytokines. MSCs promote macrophage M2 phenotype differentiation, increase release of anti-inflammatory cytokines, and decrease levels of pro-inflammatory molecules TNF- $\alpha$ , IL-6, and IL-1, thus facilitating healing and protecting tissue against cytokine storms.<sup>33</sup>

Our results indicated that hWJMSCs ameliorated ARDS in lung cells, as indicated by lower expression of the NF $\kappa$ B, RAGE, and CXCL-9 genes (Figure 1) and higher expression of ACE-2 than observed in the positive control. Likewise, the ELISA data indicated that hWJMSCs decreased the levels of CRP and TNF- $\alpha$ , but increased the levels of IL-12 proteins (Figure 2). The most effective hWJMSCs-L2 co-culture ratio was 1:1 (treatment III). hWJMSCs have been shown to alleviate cytokine storms.<sup>33–35</sup> Our previous study has reported that starved hWJMSCs secrete anti-inflammatory proteins, such as Interleukin 1 receptor antagonist (IL-1ra), Fibroblast Growth Factor-7 (FGF-7), and antibacterial protein LL-37.<sup>27</sup> We also reported that hWJMSCs secrete indolamine 2,3 dioxygenase (IDO), an anti-inflammatory protein that regulates TNF-stimulated gene-6 (TSG-6) expression and consequently ameliorates inflammation.<sup>34</sup> However an absence of IL-12 suppression suggested that IL-12 was not the ultimate inflammatory mediator. In our previous study, hWJMSCs were found to decrease lung inflammation in ARDS rats through decreasing IL-18 and IL-1 $\beta$ , and consequently suppressing the NF $\kappa$ B cascade.<sup>18</sup>

Flow cytometry analysis demonstrated that LPS induction caused cell death (Figure 4), which was associated with an increase in TNF- $\alpha$  levels. The binding of TNF- $\alpha$  to its receptors (e.g., p75, CD120B, or TNFRSF1B) results in recruitment of TNF receptor associated death domain (TNFRADD) and Fas-associated death domain (FADD). The resultant complex then activates caspase-8 (CASP-8), followed by CASP-3, and promotes apoptosis.<sup>36</sup> hWJMSCs treatment decreased cell death. On the basis of our results, treatment III (1:1) elicited the least late apoptosis, whereas treatment IV (hWJMSCs-L2 co-culture at a ratio of 1:5) resulted in more live cells, less necrosis, and less early apoptosis than the other treatments. These data demonstrated hWJMSCs' anti-apoptotic effects in lung cells, owing to less TNF- $\alpha$  release after treatment. Moreover, a previous study has indicated that hWJMSCs treatment in animals lungs upregulates FGF-7, thereby inhibiting apoptosis.1,18,33

In summary, this study elucidated how hWJMSCs mitigate ARDS through decreasing inflammation and apoptosis in LPS-induced L2 cells. At a co-culture ratio of 1:1 with L2 cells, hWJMSCs generated the best amelioration of ARDS. Inflammatory mediators, such as CXCL, NF $\kappa$ B, RAGE, CRP, and TNF- $\alpha$ , were downregulated, and apoptosis was inhibited. The proposed pathway of ARDS mitigation by hWJMSCs is shown in Figure 5.

### Conclusions

hWJMSCs treatment in LPS-induced lung cells mitigated inflammation by increasing ACE-2 gene expression, while decreasing CXCL-9, NF $\kappa$ B, and RAGE gene expression; decreasing TNF- $\alpha$  and CRP levels; and decreasing necrosis, early, and late apoptosis. A ratio of 1:1 of hWJMSCs to lung cells was the most effective.

### Source of funding

This study was funded by the 2021 research grant *Penelitian Terapan Unggulan Perguruan Tinggi* from the Ministry of Education Culture Research and Technology of Indonesia, under grant numbers 1868/EA/AK.04/2021 and 005/SP2H/RT-MONO/LL4/2021.

### **Conflict of interest**

The authors have no conflict of interest to declare.

#### Ethical approval

The donors of hWJMSCs provided signed informed consent issued by Maranatha Christian University and Immanuel Hospital, Bandung, Indonesia, with certification number 097/KEP/VII/2020 dated on July 25, 2020.

### Author's contributions

WW, TLW, FR, RFG, MEG: Conceptualization, writing/reviewing, and editing. WW, DP, and RR:

Supervision, data curation, and validation. WW, AY and AN: Methodology, investigation, and original draft preparation. All authors have critically reviewed and approved the final draft and are responsible for the content and similarity index of the manuscript.

### Acknowledgments

We thank Aretha Medika Utama, Biomolecular and Biomedical Research Center, Bandung, Indonesia, for technical and facility support. We also extend our gratitude to Viranda Andria Yuninda, Anis Syabani Muthmainnah, and Nindia Salsabila Mia Dewi for their assistance.

### References

- Li Z, Niu S, Guo B, Gao T, Wang L, Wang Y, et al. Stem cell therapy for COVID-19 ARDS and pulmonary fibrosis. Cell Prolif 2020; 53:12939. https://doi.org/10.1111/cpr.1293.
- Gibson PG, Qin L, Puah SH. COVID-19 acute respiratory distress syndrome (ARDS): clinical features and differences from typical pre-COVID-19 ARDS. Med J Aust 2020; 213: 54– 56. <u>https://doi.org/10.5694/mja2.50674</u>.
- World Health Organization. WHO Coronavirus (COVID-19) dashboard. https://covid19.who.int/?adgroupsurvey={adgroupsurvey}&gclid=CjwKCAjwov6hBhBsEiwAvrvN6KMxmBa-FYoUGX5cR9jhtk-v6NoVwZZ5u4XtHLnap3oo0AyqZjzpK1 RoCnqMQAvD\_BwE; 2023. [Accessed 20 April 2023].
- World Health Organization. Indonesia situation. <u>https://</u> <u>covid19.who.int/region/searo/country/id</u> 2023. [Accessed 20 April 2023].
- Mendes RdS, Pelosi P, Schultz MJ, Rocco PRM, Silwa PL. Fluids in ARDS: more pros than cons. Int Care Med Exp 2020; 8(32): 1–11. https://doi.org/10.1186/s40635-020-00319-x.
- Coperchini F, Chiovato L, Croce L, Magri F, Rotondi M. The cytokine storm in COVID-19: an overview of the involvement of the chemokine/chemokine-receptor system. Cytokine Growth Factor Rev 2020; 53: 25–32. <u>https://doi.org/10.1016/j.cytogfr.2020.05.003</u>.
- Ni W, Yang X, Yang D, Bao J, Li R, Xiao Y, et al. Role of angiotensin-converting enzyme 2 (ACE2) in COVID-19. Crit Care 2020; 24(1): 1–10. <u>https://doi.org/10.1186/s13054-020-03120-0</u>. 422.
- Silhol F, Sarlon G, Deharo JC, Va'isse B. Downregulation of ACE2 induces overstimulation of the renin–angiotensin system in COVID-19: should we block the renin–angiotensin system? Hypertens Res 2020; 43: 854–856. <u>https://doi.org/10.1038/</u> s41440-020-0476-3.
- Zhang X, Li S, Niu S. ACE2 and COVID-19 and the resulting ARDS. Postgrad Med J 2020; 96(1137): 403–407.
- Gonzalez-Villalobos RA, Shen XZ, Bernstein EA, Janjulia T, Taylor B, Giani JF, et al. Rediscovering ACE: novel insights into the many roles of the angiotensin-converting enzyme. J Mol Med 2013; 91(10): 1143–1154. <u>https://doi.org/10.1007/</u> s00109-013-1051-z.
- Mahrous AA, Hassanien AA, Atta MS. Predictive value of Creactive protein in critically ill patients who develop acute lung injury. **Tuberculosis 2015**; 64(1): 225–236. <u>https://doi.org/ 10.1016/j.ejcdt.2014.10.006</u>.
- Kircheis R, Haasbach E, Lueftenegger D, Heyken WT, Ocker M, Planz O. NFkB pathway as a potential target for treatment of critical stage COVID-19 patients. Front Immunol 2020; 11:598444. <u>https://doi.org/10.3389/fimmu.2020.598444</u>.
- Hirano T, Murakami M. COVID-19: a new virus, but a familiar receptor and cytokine release syndrome. Immunity 2020; 52: 731–733. <u>https://doi.org/10.1016/j.immuni.2020.04.003</u>.

- Guo WA, Knight PR, Raghavendran K. The receptor for advanced glycation end products and acute lung injury/acute respiratory distress syndrome. Int Care Med 2012; 38(10): 1588–1598. <u>https://doi.org/10.1007/s00134-012-2624-y</u>.
- Wang F, Fang B, Qiang X, Shao J, Zhou L. The efficacy of mesenchymal stromal cell-derived therapies for acute respiratory distress syndrome-a meta-analysis of preclinical trials. Respir Res 2020; 21:307. https://doi.org/10.1186/s12931-020-01574-y.
- Qin H, Zhao A. Mesenchymal stem cell therapy for acute respiratory distress syndrome: from basic to clinics. Protein Cell 2020; 11(10): 707–722. <u>https://doi.org/10.1007/s13238-020-00738-2</u>.
- Shevtsova YA, Goryunov KV, Babenko VA, Pevzner IB, Vtorushina VV, Inviyaeva EV, et al. Development of an in vitro model of SARS-CoV-induced acute lung injury for studying new therapeutic approaches. Antioxidants 2022 27; 11(10): 1910. https://doi.org/10.3390/antiox11101910.
- Widowati W, Wargasetia TL, Rahardja F, Gunanegara RF, Priyandoko D, Gondokesumo ME, et al. Human Wharton's jelly mesenchymal stem cells inhibit cytokine storm in acute respiratory distress syndrome in a rat model. Asian Pac J Tropical Med 2022; 12(8): 343–350.
- 19. Widowati W, Noverina R, Ayuningtyas W, Kurniawan D, Kusuma HSW, Arumwardana S, et al. Proliferation, characterization and differentiation potency of adipose tissue-derived mesenchymal stem cells (AT-MSCs) cultured in fresh frozen and non-fresh frozen plasma. Int J Mol Cell Med 2019; 8(4): 283–294.
- 20. Widowati W, Jasaputra DK, Onggowidjaja P, Sumitro SB, Widodo MA, Afifah E, et al. Effects of conditioned medium of Co-culture IL-2 induced NK cells and human Wharton's jelly mesenchymal stem cells (hWJMSCs) on apoptotic gene expression in a breast cancer cell line (MCF-7). J Math Fund Sci 2019; 51(3): 205–224.
- Pujimulyani D, Suryani CL, Setyowati A, Handayani RAS, Arumwardana S, Widowati W, et al. Cosmeceutical potentials of *Curcuma mangga* val. extract in human BJ fibroblasts against MMP1, MMP3, and MMP13. Heliyon 2022; 6:204921. <u>https://</u> doi.org/10.1016/j.heliyon.2020.e04921.
- Widowati W, Jasaputra DK, Sumitro SB, Widodo MA, Afifah E, Rizal R, et al. Direct and indirect effect of TNFα and IFNγ toward apoptosis in breast cancer cells. Mol Cell Biomed Sci 2018; 2(2): 60–69. <u>https://doi.org/10.21705/mcbs.v2i2.21</u>.
- 23. Novilla A, Djamhuri DS, Nurhayati B, Rihibiha DD, Afifah E, Widowati W. Anti-inflammatory properties of oolong tea (*Camellia sinensis*) ethanol extract and epigallocatechin gallate in LPS-induced RAW 264.7 cells. Asian Pac J Tropical Med 2017; 7(11): 1005–1009.
- Girsang E, Ginting CN, Lister INE, Gunawan KY, Widowati W. Anti-inflammatory and antiaging properties of chlorogenic acid on UV-induced fibroblast cell. PeerJ 2021; 9: e11419. https://doi.org/10.7717/peerj.11419.
- 25. Yu G, Jiao Y, Huang J-J, Fan M-D, Hao Y-C, Han J-Z, et al. Acidic preconditioning reduces lipopolysaccharide-induced acute lung injury by upregulating the expression of

angiotensin-converting enzyme 2. **Exp Ther Med 2021**; 21(5): 1–8. https://doi.org/10.3892/etm.2021.9879.

- Domscheit H, Hegeman MA, Carvalho N, Spieth PM. Molecular dynamics of lipopolysaccharide-induced lung injury in rodents. Front Physiol 2020; 11(36): 1–8. <u>https://doi.org/</u> 10.3389/fphys.2020.00036.
- Widowati W, Wargasetia TL, Rahardja F, Gunanegara RF, Handayani T, Kusuma HS, et al. Potential of human Wharton's Jelly Mesenchymal Stem cells (hWJMSCs) secretome for COVID-19 adjuvant therapy candidate. InHeNce 2021: 1–6. https://doi.org/10.1109/InHeNce52833.2021.9537290.
- Laksmitawati DR, Prasanti AP, Larasinta N, Syauta GA, Hilda R, Ramadaniati HU, et al. Anti-inflammatory potential of gandarusa (*Gendarussa vulgaris* nees) and soursoup (*Annona muricata* L) extracts in LPS stimulated-macrophage cell (RAW264.7). J Nat Remedies 2016; 16(2): 73–81.
- Rentzsch I, Santos CL, Huhle R, Ferreira J, Koch T, Schnabel C, et al. Variable stretch reduces the proinflammatory response of alveolar epithelial cells. PLoS One 2017; 12(8):e0182369. <u>https://doi.org/10.1371/journal.pone.</u> 0182369.
- Passos DG, Verano T, Santos RA. Angiotensin-(1-7): beyond the cardio-renal actions. Clin Sci 2013; 7: 443–456. <u>https:// doi.org/10.1042/CS20120461</u>.
- Freeman TL, Swartz TH. Targeting the NLRP3 inflammasome in severe COVID-19. Front Immnunol 2020; 11(1518): 1–12. https://doi.org/10.3389/fimmu.2020.01518.
- Xiao K, Hou F, Huang X, Li B, Qian ZR, Xie L. Mesenchymal stem cells: current clinical progress in ARDS and COVID-19. Stem Cell Res Ther 2020; 11(305): 1–7. <u>https://doi.org/10.1186/</u> s13287-020-01804-6.
- **33.** Widowati W, Faried A, Kusuma HSW, Hermanto Y, Harsono AB, Djuwantono T. Allogeneic mesenchymal stem cells and its conditioned medium as a potential adjuvant therapy for covid-19. **Mol Cell Biomed 2022**: 1–9.
- Widowati W, Wargasetia TL, Rahardja F, Gunanegara RF, Kusuma HSW, Arumwardana S, et al. Wharton's jelly mesenchymal stem cells-secreted Ido as candidate of antiinflammation therapy. ICE Trans 2021: 271–275. <u>https://</u> doi.org/10.5220/0010749700003113.
- Patel BJ, Wilson MR, O'Dea K, Takata M. TNF-induced death signaling triggers alveolar epithelial dysfunction in acute lung injury. J Immunol 2013; 190(8): 4274–4282. <u>https://doi.org/</u> 10.4049/jimmunol.1202437.
- **36.** Kavianpour M, Saleh M, Verdi J. The role of mesenchymal stromal cells in immune modulation of COVID-19: focus on cytokine storm. **Stem Cell Res Ther 2020**; 11(404): 1–6.

**How to cite this article:** Widowati W, Wargasetia TL, Rahardja F, Gunanegara RF, Priyandoko D, Gondokesumo ME, Novianto A, Yati A, Rizal R. hWJMSCs inhibit inflammation and apoptosis in an ARDS cell model. J Taibah Univ Med Sc 2023;18(6):1519–1526.

In case of the life

- Boopen, what of Briances, Publish Cartoni-and
- Theodore of Access Assesses Storage
- A 54 memory of Concession on Palate Street \$124



Open access

			3.4 CiteScore	1.5 Impact Factor
	Submit your article 🤊	Guide for	r authors	
🛨 Menu	Q Search in this journal			

### Editorial board

### Editorial board by country/region

20 editors and editorial board members in 7 countries/regions

1 Saudi Arabia (13) 2 United Kingdom (2)

3 Canada (1)

> See more editors by country/region

### Editor-in-Chief

Professor Abdulmohsen Hamdan Al-Zalabani, MD, ABCM, MHPE

Taibah University, College of Medicine Department of Family and Community Medicine, Al Madinah Al Munawwarah, Saudi Arabia Epidemiology, Preventive Medicine

### Deputy Editors-in-Chief

Assoc. Professor Anwar Abdulfattah A Sayed, MSc, MPH, PhD Taibah University, College of Medicine, Department of Basic Medical Sciences, Madinah, Saudi Arabia Medical Microbiology and Immunology, Public Health, Infectious Diseases, Medical Education

Assoc. Professor Walaa Abdullah Mumena, PhD Taibah University, Faculty of Applied Medical Sciences, Department of Clinical Nutrition, Madinah, Saudi Arabia Human Nutrition, Nutritional Epidemiology

### Associate Editors

### Professor Ayat R. Abdallah, MD, MPH

Taibah University, College of Medicine Department of Family and Community Medicine, Al Madinah Al Munawwarah, Saudi Arabia Preventive Medicine and Public Health

### Dr. Roaa Ahmad Aljohani, MD

Taibah University, College of Medicine Department of Medicine, Al Madinah Al Munawwarah, Saudi Arabia Medicine, Rheumatology

### Assoc. Professor Abdulraheem M. A. Alshareef, PhD

Taibah University, College of Applied Medical Sciences, Department of Medical Laboratory Technology, Madinah, Saudi Arabia Hematology and Blood Bank

### Professor Dina Saad El-Agamy, PhD

Mansoura University Department of Pharmacology and Toxicology, Mansoura, Egypt Pharmacology and Toxicology

### Professor Tarek El-Gohary, PT, PhD

Taibah University, Department of Physical Therapy, College of Medical Rehabilitation, Madinah, Saudi Arabia

### Professor Fawzia Ahmed Habib, MD

Taibah University, College of Medicine, Department of Obstetrics and Gynecology, Madinah, Saudi Arabia Obstetrics and Gynecology

### Professor Farah Mansuri, MD

Taibah University, College of Medicine Department of Family and Community Medicine, Al Madinah Al Munawwarah, Saudi Arabia

### Professor Muhammad Sohail Zafar, PhD (UK), PGCert DentEd (Dundee)

### Taibah University, College of Dentistry, Department of Restorative Dental Sciences, Madinah, Saudi Arabia

Dentistry, Regenerative Medicine, Dental Biomaterials, Restorative Dentistry, Dental Education, Tissue engineering, Nanomaterials

### Assistant Editors

### Dr. Ahmad Mahroos Al Ghabban, MBBS, SBEM

Taibah University, College of Medicine, Madinah, Saudi Arabia Adult Emergency Medicine Consultant

### Dr. Faris Alzahrani, MD, SBPM

General Directorate of Health Affairs in Aseer Region, Abha, Saudi Arabia Preventive medicine and Public Health

### Editorial Board

### Professor Abdelgalil Abdel Gader, MD, PhD, FRCP

King Saud Bin Abdulaziz University for Health Sciences (KSAU-HS), Department of Basic Medical Sciences, Riyadh, Saudi Arabia Physiology

### Professor Elizabeth Susan Anderson, PhD

University of Leicester, School of Medicine, Department of Medical Education, Leicester, United Kingdom Medical Education, Interprofessional Education

Professor Hugh Barr, PhD

University of Westminster, Department of Interprofessional Education, London, United Kingdom

Medical Education, Interprofessional Education

### Assoc. Professor James G. Jarvis, MD, FRCSC

University of Ottawa, Department Orthopedic Surgery,, Ottawa, Ontario, Canada Orthopaedic Surgery

### Professor Omar F. Khabour, PhD

Jordan University of Science and Technology Department of Medical Laboratory Sciences, Irbid, Jordan Molecular Biology

### Professor Rayaz Malik, MBChB, PhD

Weill Cornell Medicine - Qatar, Doha, Qatar Diabetic neuropathy, Diabetes, neurodeg

### Assoc. Professor Muhamad Saiful Bahri Yusoff, PhD

Universiti Sains Malaysia, Department of Medical Education, Kelantan, Malaysia Medical education, Wellbeing, Psychometrics

All members of the Editorial Board have identified their affiliated institutions or organizations, along with the corresponding country or geographic region. Elsevier remains neutral with regard to any jurisdictional claims.



All content on this site: Copyright © 2025 Elsevier B.V., its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the relevant licensing terms apply.

*RELX*<sup>™</sup>

Journal of Taibah University Medical Sciences				
		Submit your article 🤊		
∃ Menu	Q	Search in this journal		

### Volume 18, Issue 6

Pages 1189-1672 (December 2023)

🛃 Download full issue

Previous vol/issue

Next vol/issue 💙

Receive an update when the latest issues in this journal are published

🗘 Sign in to set up alerts

Allied health sciences

Research article 

Open access

Synergistic effects of combined cisplatin and *Clinacanthus nutans* extract on triple negative breast cancer cells Nur Fitriyani Afiqah Binti Abu Bakar, Zhin Leng Yeo, Faisal Hussin, Priya Madhavan, ... Praseetha Prabhakaran Pages 1220-1236



Research article • Open access Effect of intrathoracic oscillations on pulmonary functions in children with cerebral palsy Alaa M. El-Moatasem, Mai E. Abbass Pages 1254-1260



Research article • Open access Trends in food consumption by adults in a Brazilian northeastern state Guilherme J. Ribeiro, Ana Erbênia P. Mendes, Eveline de Alencar Costa, Diana V. Carvalho Pages 1261-1267

[] View PDF 🛛 Article preview 🗸

Correspondence 

Open access

XBB.1.16 Omicron subvariant rise to a variant of interest: Implications for global alertness and preparedness Okesanya Olalekan John, Olaleke Noah Olabode, Don Eliseo Lucero-Prisno III, Oso Tolutope Adebimpe, Amandeep Singh Pages 1285-1287

Open access

Submit your article a Menu Q Correspondence • Open access A call to establish HLA registry in Iraq Mahmood D. Al-Mendalawi

Pages 1507-1508

📜 View PDF

Research article • Open access hWJMSCs inhibit inflammation and apoptosis in an ARDS cell model Wahyu Widowati, Teresa L. Wargasetia, Fanny Rahardja, Rimonta F. Gunanegara, ... Rizal Rizal Pages 1519-1526

📜 View PDF

Research article • Open access Characterization of uropathogenic E.coli from various geographical locations in India Gulshan Kumar, Yashwant Kumar, Gaurav Kumar, Ajay K. Tahlan Pages 1527-1535

🚺 View PDF

Research article 

Open access

Knowledge of and behaviors toward a gluten-free diet among women at a health sciences university Fatima M. Alkhalifa, Fatima A. Abu Deeb, Wafa M. Al-Saleh, Samar S. Al Hamad, Caashifa Adams Pages 1567-1576

### 📜 View PDF

Research article • Open access Identification of optimal value of magnetic resonance planimetry and the parkinsonism index for the diagnosis of Parkinson's disease and progressive supranuclear palsy Nikhitha Shetty, Prakashini Koteshwar, Priyanka Pages 1577-1585

🚺 View PDF

### Clinical Medicine

Research article • Open access The prevalence of diabetes distress among patients with type 2 diabetes in Jordan Duaa A. Hiasat, Maryam B. Salih, Aseel H. Abu Jaber, Obada F. Abubaker, ... Dana Hyassat Pages 1237-1243

[ View PDF

Research article 

Open access

New drug-like small molecule antagonizes phosphatidylinositol (3,4,5)-trisphosphate (PIP3) in patients with conotruncal heart defects Alaaeldin G. Fayez, Nora N. Esmaiel, Engy A. Ashaat, Miral M. Refeat, ... Mona O. El Ruby Pages 1244-1253



Open access

Submit your article 🤊

### <u></u> Menu

Q

Visualizing breast cancer research trends in KSA: A bibliometric analysis Reem Al-kahtani, Nosheen Mahmood, Saima Aamir, Zahida Anjum Pages 1472-1479

### 🔁 View PDF

Correspondence • Open access Effect of intrathoracic oscillations on pulmonary functions in children with cerebral palsy Mahmood D. Al-Mendalawi Pages 1509-1510

🚺 View PDF

Research article 

Open access

Anti-inflammatory effects of banana (*Musa balbisiana*) peel extract on acne vulgaris: *Invivo* and *in silico* study Dwiana Savitri, Sitti Wahyuni, Agussalim Bukhari, Khairuddin Djawad, ... Yusnita Rifai Pages 1586-1598

🔁 View PDF

### Research article Open access

Diagnostic performance of 128-slice computed tomography angiography in patients with suspected coronary artery disease An Viet Tran, Nguyet Minh Nguyen, Toan Hoang Ngo, Bao Lam Thai Tran, ... Phuong Minh Nguyen Pages 1599-1607

### 🚺 View PDF

Dentistry

Research article • Open access Success of replantation of avulsed teeth using human colostrum as an interim storage medium Athraa Y. Al-hijazi, Lobna K. Al-khafaji, Ammar H. Shaalan, Mohammed F. Jabaz Pages 1189-1194

### 📜 View PDF

Correspondence • Open access Rules of selection for a safe local anesthetic in dentistry Giath Gazal, Esam Omar, Wael Elmalky Pages 1195-1196

### 📜 View PDF

Review article • Open access Applications of Metformin in Dentistry—A review Muhammad Khawaja Hammad Uddin, Muhammad Shahrukh Khan Sadiq, Ashfaq Ahmed, Mariam Khan, ... Muhammad Sohail Zafar Pages 1299-1310

🔀 View PDF 🛛 Article preview 🗸

Research article • Open access Increasing fibroblasts and gingival collagen density in periodontitis rats by using cassava leaf extract

### Journal of Taibah University Medical Sciences Open access Submit your article 🤊 Menu Q Pages 1342-1349 View PDF Research article Open access Interleukin 1 beta and its association with the periodontal health of pregnant women Nawal K.B. El Hassan, AbdelRahman M. Ramadan Pages 1376-1383 📜 View PDF Article preview 🗸 Editorial Open access Bi-axial flexure testing method for dental composites requires standardization Naresh Kumar, Sehrish Rahman, Muhammad Hassan Khoso, Muhammad S. Zafar Pages 1384-1385 📜 View PDF Research article Open access Age estimation from mandibles in Malay: A 2D geometric morphometric analysis Nur Ariessa Farhana Zulkifli, Nur Aliya Syuhada Mohd Saaid, Aspalilah Alias, Nurjehan Mohamed Ibrahim, ... Beshlina Fitri Widayanti Roosyanto Prakoeswa Pages 1435-1445 🚺 View PDF Article preview 🗸 Research article Open access Evaluation of the level of integration of the dental curriculum in Umm Al-Qura University Waad F. Khayat, Majed A. Almalki, Mashael S. Alqahtani, Sara W. Taher Pages 1449-1458 📜 View PDF Research article Open access Antibacterial and smear layer removal efficacy of moringa (Moringa oleifera): An invitro study Nurhayaty Natsir, Yonathan Yonathan, Juni J. Nugroho, Aries C. Trilaksana, ... Lukman Muslimin Pages 1493-1499 📜 View PDF Research article Open access Fluoride levels in Almadinah Almunawwarah bottled water May O. Gamar Elanbya, AbdelRahman M. Ramadan Pages 1500-1506 📜 View PDF

Research article • Open access Viewing of clinical cases on social media by dentists: A cause of motivation or dissatisfaction? Tazeen Zehra, Juzer Shabbir, Naheed Najmi, Arshad Hasan, ... Zohaib Khurshid Pages 1608-1615



Open access Submit your article 🤊 Q Health professions education Correspondence • Open access Statistics in medical research: Common mistakes Yousif AbdulRaheem Pages 1197-1199 📜 View PDF Research article 

Open access Healthcare workers' acceptance of the integrated tuberculosis-COVID-19 screening in central Java Private Hospitals, Indonesia Bugar Wijiseno, Merita Arini, Ekorini Listiowati Pages 1311-1320 🕅 View PDF Research article 
Open access Prevalence and predictors of bullying among in-school adolescents in Nigeria Isabella G. Ighaede-Edwards, Xiaoqun Liu, David B. Olawade, Jonathan Ling, ... Aanuoluwapo C. David-Olawade Pages 1329-1341 🕅 View PDF Correspondence 

Open access Multiple burden of infectious disease outbreaks: Implications for Africa healthcare system Pius Omoruyi Omosigho, Olalekan John Okesanya, Noah Olabode Olaleke, Gilbert Eshun, Don Eliseo Lucero-Prisno Pages 1446-1448 📜 View PDF Review article 


Open access Clinical reasoning training sessions for health educators-A scoping review Siti N. Mohd Tambeh, Mohamad N. Yaman Pages 1480-1492 🕅 View PDF Research article 

Open access Realistic simulation case scenario as a vertical integration teaching tool for medical students: A mixed methods study Sara K. Mattout, Beenish M. Shah, Moizuddin M. Khan, Noha A. Mitwally, ... Einas M. Yousef Pages 1536-1544 📜 View PDF Editorial 

Open access Use of artificial intelligence in medical education: A strength or an infirmity Shaur Sarfaraz, Zohaib Khurshid, Muhammad S. Zafar

### Pages 1553-1554

🔁 View PDF



View PDF

Open access

Submit your article 🤊

Q

treatment of ureteral stones Massoud Sokouti, Mohsen Sokouti, Babak Sokouti Pages 1459-1471

### 📜 View PDF

Research article • Open access Protective effect of moringa seed extract on kidney damage in rats fed a high-fat and high-fructose diet Indah S. Putri, Gita N. Siwi, Dyah R. Budiani, Bastomy E. Rezkita Pages 1545-1552

### 📜 View PDF

Correspondence • Open access Status of malaria infection in KSA during 2017–2021 Amjad F. Alfaleh, Abdullah N. Alkattan, Abrar A. Alzaher, Khlood H. Sagor, Mona H. Ibrahim Pages 1555-1556

### 📜 View PDF

Research article 

Open access

Phytochemical analysis, antioxidant, and antihyperlipidemic activities of *Teucrium takoumitense* Otman El-Guourrami, Hamza Elbouny, Abdessamad Ait Benlabchir, Soufiane Drioua, ... Hanane Benzeid Pages 1557-1566

### [] View PDF

Research article 

Open access

Transmission dynamics, responses, and clinical features for the first 1100 COVID-19 cases in South Batinah, Oman: Major lessons from a provincial perspective

Zayid K. Almayahi, Sami M. Al Mujaini, Nasser Al Shaqsi, Noaman Al Hattali, ... Rashid Al Malki

### Pages 1627-1645

📜 View PDF

### Pharmacy

Research article 

Open access

Homology modeling, docking, and ADMET studies of benzoheterocyclic 4-aminoquinolines analogs as inhibitors of *Plasmodium falciparum* 

Zakari Y. Ibrahim, Adamu Uzairu, Gideon A. Shallangwa, Stephen E. Abechi, Sulaiman Isyaku


### Pages 1200-1216

🔁 View PDF

### Research article Open access

Molecular docking-based virtual screening, drug-likeness, and pharmacokinetic profiling of some anti-*Salmonella typhimurium* cephalosporin derivatives

Philip John Ameji, Adamu Uzairu, Gideon Adamu Shallangwa, Sani Uba Pages 1417-1431



Previous vol/issue

Next vol/issue >

### ISSN: 1658-3612

Copyright © 2024 Taibah University. Published by Elsevier Ltd. All rights are reserved, including those for text and data mining, AI training, and similar technologies.



All content on this site: Copyright © 2025 Elsevier B.V., its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the relevant licensing terms apply.





	sjr 🂻 🔰 S	I & G	EPI					💐 SCImago	
SJR	Scimago Journal & Count	ry Rank						Enter Journal Title, ISSN or Publisher Name	Q,
		Home	Journal Rankings	Journal Value	Country Rankings	Viz Tools	Help	About Us	

COUNTRY Netherlands  Universities and research institutions in Netherlands  Media Ranking in Netherlands	SUBJECT AREA AND CATEGORY Medicine — Medicine (miscellaneous)	PUBLISHER Elsevier B.V.	sjr 2024 <b>0.480 Q3</b> H-INDEX <b>37</b>
PUBLICATION TYPE Journals	ISSN 16583612	COVERAGE 2009-2025	INFORMATION Homepage How to publish in this journal Contact

#### SCOPE

The Journal of Taibah University Medical Sciences is a bi-monthly peer reviewed publication. Authors are invited to submit articles for publication, reporting original work in clinical and basic medical sciences covering topics from Medicine, Dentistry, Nursing, Pharmacy, and Applied Medical Sciences. Review and Editorial articles are by invitation only. However, those received and found to be of an outstanding nature will be considered for publication. Other regular features within the journal include, Case Reports, Letters to the Editor, and Updates which detail symposia, conferences and workshops located primarily in the Kingdom of Saudi Arabia and the Gulf countries. The Journal has recently devoted a new Students' Section where the research projects written by the students shall be entertained. All students from the medical, dental, and allied science faculties are invited to participate in this educational and research activity. The peer review shall be performed by senior academicians with a view to guide and supervise the students in medical research and publications.

 $\ensuremath{\bigcirc}$  Join the conversation about this journal

Quartiles



#### SCImago Team

Dear Islamy,

nv

Melanie Ortiz 3 months ago

Thank you for contacting us.

As you probably already know, our data come from Scopus, they annually send us an update of the data. This update is sent to us around April / May every year. The calculation of the indicators is performed with the copy of the Scopus database

provided to us annually. Regarding your inquiry about the Copy of the Scopus database provided to us annually. Regarding your inquiry about the Quartile distribution process at SCImago, the journals are ranked and distributed in 4 equal groups based on their SJR value, unlike Scopus, who ranks the publications by percentiles based on the journal's CiteScore.

The Quartile methodology, like others that are used to group results such as percentiles, can be applied to any indicator. Currently, Scopus offers information on the journals ranking and the percentile they occupy according to the CiteScore indicator (https:// service.elsevier.com/app/answers/detail/a\_id/14880/supporthub/scopus/), which is perceived as an impact indicator, but that is different from the SJR, as the latter is also a normalized impact indicator (https://www.scimagojr.com/files/SJR2.pdf). Both Scopus and SCImago Journal and Country Rank offer information on the SJR indicator for every journal, although the position of each of the publications and the quartile in which it is located according to the SJR can be consulted at https:// www.scimagoir.com.

According to the above, the difference in the information consulted on the Scopus journal's profile and in Scimagoji.com lies in the fact that they represent the position of the journal based on two different indicators, which are not directly comparable because they measure two different dimensions: Impact (CiteScore) and Normalized Impact (SJR). Additionally, it is important to keep in mind that, although the quartiles in SJR tend to be distributed in 4 groups of equal size and that the journals appear sorted by the highest SJR to the lowest SJR, it is not always possible due to ties in SJR values and, therefore, journals with the same SJR must be distributed within the same quartile, which may lead to differences in the number of journals within that quartile. Best Reaards.


SCImago Team



#### Citrawati Wungu 2 years ago

The process of review in this journal is so slow. It is hard for them to find any reviewers. My manuscript was rejected after they had contacted 26 or more reviewers and no one agreed to review

📥 reply



SCImago Team

Dear Citrawati, thanks for your participation! Best Regards, SCImago Team



#### Triyana Puspa Dewi 2 years ago

Dear schimago admin,

i would like to ask, is this journal coverage by scopus?

🦛 reply



#### Melanie Ortiz 2 years ago

SCImago Team

Dear Triyana, thank you very much for your comment. We suggest you consult the Scopus database directly. Keep in mind that the SJR is a static image (the update is made one time per year) of a database (Scopus) which is changing every day. The Scopus' update list can also be consulted here: https://www.elsevier.com/solutions/scopus/how-scopus-works/content Best Regards, SCImago Team



Close

Maram Ahmed 4 years ago

Hi

I would like to know if this journal is an ISI journal or not?

ヘ reply

Ads by clickio



#### Melanie Ortiz 4 years ago

SC	mago	Team

Dear Maram,

Thank you for contacting us.

SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request referring to the index status. We suggest you consult Scopus database (see the current status of the journal) or the mentioned database for further information. Best Regards, SCImago Team

Fatimah 4 years ago

Hello,

I just wanted to ask, will research in medical engineering applications be acceptable in the journal?

### Thank you.

📥 reply



### Melanie Ortiz 4 years ago

SCImago Team

#### Dear Fatimah,

thank you for contacting us. Unfortunately, we cannot help you with your request, we suggest you visit the journal's homepage (See scope and submission/author guidelines) or contact the journal's editorial staff, so they could inform you more deeply. Best Regards, SCImago Team

Leave a comment	
Name	
Email (will not be published)	
Submit	
The users of Scimago Journal & Country Rank have the possibility to dialogue through specific journal. The purpose is to have a forum in which general doubts about the proc journal, experiences and other issues derived from the publication of papers are resolv articles, maintain the dialogue through the usual channels with your editor.	cesses of publication in the



### Ads by clickio

Legal Notice



# Source details

Journal of Taibah University Medical Sciences	CiteScore 2023 <b>3.4</b>	Û
Years currently covered by Scopus: from 2009 to 2025		
Publisher: Elsevier	SJR 2023	(i)
ISSN: 1658-3612	0.449	Ū
Subject area: (Medicine: General Medicine)		
Source type: Journal	SNIP 2023	0
View all documents > Set document alert	0.809	()

CiteScore CiteScore rank & trend Scopus content coverage



### CiteScore rank 2023 🛈

Category	Rank	Percentile
Medicine General Medicine	#155/636	75th

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site  $c^{\circ}$ 

Q

=

### About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

### Language

日本語版を表示する

查看简体中文版本

查看繁體中文版本

Просмотр версии на русском языке

### **Customer Service**

Help

Tutorials

Contact us

### ELSEVIER

Terms and conditions  $\urcorner \quad$  Privacy policy  $\urcorner \quad$  Cookies settings

All content on this site: Copyright © 2025 Elsevier B.V. 7, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the relevant licensing terms apply. We use cookies to help provide and enhance our service and tailor content.By continuing, you agree to the use of cookies 7.

*C***RELX**<sup>™</sup>