

Analysis of antibiotic use in diabetic ulcer patients at a private hospital in Surabaya

Fauna Herawati¹, Nadila Suleman¹, Rika Yulia^{1*}, Heru Wijono²

¹Departement of Clinical and Community Pharmacy, Faculty of Pharmacy, Universitas Surabaya,

²Faculty of Medicine, Universitas Surabaya, Surabaya, East Java

<https://doi.org/10.22146/inajbcs.v56i4.18422>

ABSTRACT

Submitted: 2023-01-09

Accepted : 2024-10-01

Diabetic ulcer is one of the complications of diabetes mellitus in the form of chronic wounds due to neuropathy and peripheral arterial disease. Bacteria enter in a wound and cause a skin infection. Appropriate antibiotic therapy is needed to prevent antibiotic resistance. The purpose of this study was to evaluate the quantity profile of antibiotic use using the prescribed daily dose (PDD) and days of therapy (DOT) methods compared with the therapeutic guidelines (PPAB) in diabetic ulcer patients for the period January 2020 - June 2022 at a private hospital in Surabaya, Indonesia. This observational study with the retrospective data collection using medical records was analysed descriptively. The results showed that the total PDD value was 20.44 g/day. The highest antibiotic prescriptions were ceftriaxone (2.39 g/day) and metronidazole (1.46 g/day), respectively. The total days of therapy was 12.13 DOT; the DOT more than 4.00 were metronidazole (4.15 DOT) and ceftriaxone (4.09 DOT). This study reported a high PDD and DOT that will cause antibiotic resistance in the future.

ABSTRAK

Ulkus diabetikum merupakan salah satu komplikasi diabetes melitus berupa luka kronis akibat adanya neuropati dan penyakit arteri perifer. Adanya luka memudahkan bakteri berkembang hingga risiko terinfeksi. Terapi antibiotik yang sesuai diperlukan untuk mencegah resistensi antibiotik. Tujuan penelitian ini mengevaluasi profil kuantitas penggunaan antibiotik dengan metode *prescribed daily dose* (PDD) dan *days of therapy* (DOT) dibandingkan dengan pedoman terapi (PPAB) pada pasien ulkus diabetikum periode Januari 2020 – Juni 2022 di sebuah rumah sakit swasta di Surabaya. Penelitian ini merupakan penelitian observasional dengan arah pengambilan data retrospektif menggunakan rekam medis yang dianalisis secara deskriptif. Hasil penelitian menunjukkan bahwa total nilai PDD sebesar 20,44 g/hari dengan peresepan antibiotik paling tinggi, yaitu seftriakson (2,39 g/hari) dan metronidazol (1,46 g/hari). Total nilai DOT sebesar 12,13 DOT dengan nilai DOT yang paling tinggi pada antibiotik metronidazol (4,15 DOT) diikuti seftriakson (4,09 DOT). Hal ini menunjukkan bahwa tingginya nilai PDD dan DOT berpotensi menyebabkan resistensi antibiotik.

Keywords:

diabetic ulcers;
prescribed daily dose;
days of therapy;
antibiotic resistance;
therapeutic guide line

INTRODUCTION

The International Diabetes Federation (IDF) predicted that the number of people with diabetes mellitus (DM) will continue to increase to reach 642 million in 2040 globally.¹ The Indonesia Basic Health Research 2018 (*Riset Kesehatan Dasar 2018/Riskesdas 2018*), the prevalence of diabetes mellitus in Indonesia based on diagnosis

at the age of 15 yr increased by 1.5 to 2%.² Uncontrolled DM can cause various kinds of complications, both acute and chronic. One of the chronic complications of DM is ulcers or gangrene.³ More than 50% of ulcer patients can experience diabetic foot infections.⁴ In Indonesia, the incidence of amputation is 31% and the mortality rate caused by diabetic foot infections is 17-32%.⁵

Diabetic foot infections are caused

*corresponding author: rika_y@staff.ubaya.ac.id

by several microorganisms.⁶ The most common bacteria found in the diabetic foot infections in the world are *Staphylococcus aureus*, *Pseudomonas* spp, and *Enterobacter* spp.⁷ In Indonesia, the most common pathogenic bacteria in diabetic foot infection are the Gram-negative bacteria *Enterobacter* spp and *Staphylococcus* spp.³ Antibiotics are used for the diabetic foot with osteomyelitis (need long-term antibiotics up to 3 months), critical limb ischemia (given before revascularization), and cellulitis (caused by Gram positive and anaerobic cocci germs empirically).⁸

AMRIN-Study reported that 781 patients treated at the hospital found that 81% of *Escherichia coli* resistant to several antibiotics such as ampicillin, cotrimoxazole, chloramphenicol, and gentamicin.⁹ Agistia *et al.*¹⁰ reported that antibiotics is effective on 78.94% of diabetic patients with ulcer infections, only 21.05% is not effective and resistant to some types of antibiotics. The existence of antibiotic resistance in hospitals requires efforts to prevent antibiotic resistance. The CDC and the Global Antibiotic Resistance Partnership (GARP) recommend a strategy, one of which is the Antibiotic Stewardship Programs (ASP).¹¹

Since 2015, the Ministry of Health of the Republic of Indonesia has launched the Antibiotic Resistance Control Program (PPRA) to control antibiotic resistance in hospitals.⁹ One of the activities of the PPRA is conducting surveillance of antibiotic use patterns in hospitals in Indonesia. This study

aimed to evaluate antibiotic use patterns on diabetic ulcer patients at a private hospital in Surabaya.

MATERIAL AND METHODS

Subject and design

It was a descriptive observational study with a cross-sectional design with a retrospective approach. The data of antibiotic use patterns from medical records of diabetic ulcer patients who were hospitalized at the Husada Utama Private Hospital, Surabaya for the period of January 2020 to June 2022. Total sampling was used to collected the data.

Data collection

The inclusion criteria of subject were patients with a diagnosis of diabetic ulcer with or without comorbidities, diabetic ulcer patients receiving antibiotic therapy, and type 2 DM patients with complications of peripheral vascular circulation with ICD-10 code E11.5. Patients transferred to other hospitals and unwilling to continue treatment (discharged without physician consent) were excluded from this study. Samples that met the inclusion and exclusion criteria, the quantity profile of antibiotic use was recorded. The antibiotic use in this study was analysed quantitatively utilizing the PDD and DOT methods. The PDD and DOT values were then calculated with the following equation:

$$\text{Prescribed daily dose (PDD)} = \frac{\text{Number of drugs prescribed} \times \text{Medicinal power}}{\text{Total duration of antibiotic}} \quad (1)$$

$$\text{Days of therapy (DOT)} = \text{Duration of antibiotics (d)} \times 1 \text{ DOT} \quad (2)$$

Data analysis

The data were presented as frequency and analysed descriptively. The assessment of the suitability of antibiotic therapy will be described descriptively and presented in the form of a table that explains the percentage of conformity in the form of appropriate

and inappropriate. The suitability of the use of antibiotics can be calculated based on 4 aspects, namely the exact type of antibiotic, dose, an interval of administration, and duration of administration. Then the calculated data is presented in tabular form. The calculation of the suitability of the use of antibiotics as follows:

$$\text{The right antibiotic} = \frac{\text{the number of cases with the right drug}}{\text{total cases}} \times 100\% \quad (3)$$

$$\text{The right dose} = \frac{\text{the number of cases with the right dose}}{\text{total cases}} \times 100\% \quad (4)$$

$$\text{Exact dosing interval} = \frac{\text{the number of cases with the right interval}}{\text{total cases}} \times 100\% \quad (5)$$

$$\text{The duration of administration} = \frac{\text{the number of cases with the right duration of administration}}{\text{total cases}} \times 100\% \quad (6)$$

$$\% 4 = \frac{\text{the number of cases with the right drug,dose,interval,duration of administration}}{\text{total cases}} \times 100\% \quad (7)$$

RESULTS

A total of 47 patients with diabetic ulcer at Husada Utama Private Hospital who met the inclusion and exclusion criteria from January 2020 to June 2022 were involved in this study (TABLE 1). Among 47 patients, the age group 46-55 yr was the highest (15 patients or 31.91%), followed by the age group >65 yr (15 patients or 31.91%), and 56-65 yr (13 patients or 27.66%). The male patients (25 patients or 53.19%) were higher than the female patients (22 patients or 46.81%). The hospitalization for diabetic ulcer patients for 3-7 d was 72.34%, for 8-12 d was 14.89%, and for 11-21 d was 6.38%. The highest comorbidities in diabetic ulcer patients were anemia (9 patients or 19.15%) followed by hypertension (9 patients or 19.15%), and sepsis (8 patients or 17.02%).

The highest PDD value is the antibiotic ceftriaxone at 2.39 g/day, then the second order is the antibiotic meropenem at 2.28 g/day, and the third is the antibiotic cefepime at 1.86 and metronidazole at 1.46 g/day (TABLE 2). In addition, the highest DOT value was with metronidazole antibiotics at 4.15 DOT, then the second was ceftriaxone at 4.09 DOT, and the third was meropenem at 1.62 DOT (TABLE 2).

TABLE 3 shows that ceftriaxone and metronidazole have a PDD value that exceeds the dose limit set by the therapy guidelines, while ciprofloxacin has a PDD value that is less than the dose set by the therapy guidelines. The DOT values of ceftriaxone, metronidazole, and ciprofloxacin for the duration of antibiotic administration were less than those established by therapy guidelines.

TABEL 1. Diabetic ulcer patients demographic data

Category	Frequency [n (%)]
Age (y.o.)	
• 36-45	5 (10.64)
• 46-55	15 (31.91)
• 56-65	13 (27.66)
• >65	14 (29.79)
Gender	
• Male	25 (53.19)
• Female	22 (46.81)
Length of stay (d)	
• 3-7	34 (72.34)
• 8-12	7 (14.89)
11-21	3 (6.38)
Comorbid	
• Anemia unspecified	9 (19.15)
• Hypertension	9 (19.15)
• Sepsis unspecified	8 (17.02)
• Observastion febris	6 (12.77)
• Chronic kidney disease	4 (8.51)
• Hyponatremia	3 (6.38)
• Cyst of kidney	2 (4.26)
• Hypoglikemia	2 (4.26)
• Diabetic nephropaty	2 (4.26)
• Acute renal failure	1 (2.13)
• Metabolic acidosis	1 (2.13)
• Hypernatremia	1 (2.13)
• Hypoalbumin	1 (2.13)
• Hypokalemia post hyperkalemia	1 (2.13)
• Hypotermia	1 (2.13)
• Observation dyspnoea	1 (2.13)
• Osteomyelitis	1 (2.13)
• Other and unspecified atrioventricular	
• Block	1 (2.13)
• Parkinson	1 (2.13)
• Pneumonia unspecified	1 (2.13)

TABEL 2. Profile prescribed daily dose (PDD) and profile days of therapy (DOT) of antibiotics at the Hutama Usada Private Hospital, Surabaya

ATC Code	Type of antibiotics	Total PDD (g/d) [n (%)]	Total DOT [n (%)]
J01DD04	Ceftriaxone	2.39 (19.78)	4.09 (33.68)
J01DD08	Cefixime	0.63 (5.22)	0.45 (3.68)
J01DE01	Cefepime	1.86 (15.40)	0.30 (2.46)
J01DH02	Meropenem	2.28 (18.87)	1.62 (13.3)
J01GB04	Kanamycin	0.92 (7.62)	0.28 (2.28)
J01MA02	Ciprofloxacin	1.00 (8.28)	0.15 (1.23)
J01MA12	Levofloxacin	0.68 (5.63)	0.96 (7.89)
J01XD01	Metronidazole	1.46 (12.09)	4.15 (34.21)
J02AC01	Fluconazole	0.86 (7.12)	0.15 (1.23)
		Mean	1.35
		SD	1.55

TABEL 3. Suitability with therapeutic guidelines (n=47)

Type of antibiotics	n	Dosage/d	Interval	Duration	Therapeutic Guidelines ^{12,13}	Description
Monotherapy						
• Ceftriaxone	8				Ceftriaxone 2 g/d	No suitable
• Cefepime	1				+ metronidazole 1.5 g/d	No suitable
Combination therapy					Duration 7-14 d	
• Ceftriaxone+metronidazole	4	2g; 1.5g	Every 12 hr; every 8 hr	7-9 d		Suitable (8.5%)
	15			<7 d		No suitable
	4	2g; 1.5g	Every 8 hr; every 12 hr			No suitable
	1	1g; 1.5g				No suitable
• Meropenem+ceftriaxone +metronidazole	3					No suitable
• Meropenem+metronidazole	3					No suitable
• Meropenem+ceftriaxone	2					No suitable
• Other*	7					No suitable

*There was one patient for every combination antibiotic therapy. Those combination antibiotics were ceftriaxone+cefixime; levofloxacin+metronidazole; meropenem+cefepime; cefixime+metronidazole; ceftriaxone+cefixime+metronidazole; ceftriaxone+metronidazole+kanamycin; meropenem +metronidazole+ fluconazole.

The antibiotics recommended by the therapeutic guidelines for ischaemic limb/necrosis/gas performing, moderate to severe diabetic foot wounds (osteomyelitis) infections are combination ceftriaxone 2 g/d and metronidazole 500mg every 8 hr for 1-2 wk (10 d).

DISCUSSION

Among 47 patients involved in this study, the age group of 46-55 yr was 31.91%, >65 yr was 29.79%, and 56-65 yr was 27.66% (TABLE 1). A study conducted by Sari *et al.*³ at the inpatient installation of Dr. M Dajmil General Hospital, Padang showed that most patients were 45-60 yr (46.44%). Another study by Al-Rubeaan *et al.*¹⁴ reported that diabetic ulcer patients were more common in men aged >75 yr and women aged between 65-74 yr. The incidence of diabetic ulcers will increase with age. The age of 40 is the age when glucose intolerance begins, caused by the decreased ability of pancreatic beta cells to produce insulin.¹⁵ In addition, skin cells can experience a decrease in skin vascularization fluid and fat glands so that the skin become inelastic and reduce the ability of cell regeneration when exposed to wounds and slow wound healing.³

There were 25 patients of men (53.19%) and 22 samples of women (46.81) involved in this study (TABLE 1). This is in line with study conducted by Agistia *et al.*¹⁰ at the Internal Medicine Unit which showed that there were 63.16% more diabetic ulcer sufferers in men compared to 36.84% in women. The increasing prevalence of diabetic ulcers in men is associated with decreased joint mobility and high pressure on the feet because they tend to wear inappropriate footwear.¹⁴ Other studies have also shown that men with diabetes have twice the risk of developing neuropathy, which is the main factor causing diabetic ulcers, compared to women. Therefore,

the incidence of diabetic ulcers is higher in men than women.¹⁶

The results of the length of hospitalization for diabetic ulcer patients for 3-7 d was 72.34%, for 8-12 d was 14.89%, and for 11-21 d was 6.38% (TABLE 1). Most of the hospitalization period was in the range of 3-7 d because, on average, the patients treated receive referrals, surgery, and debridement. The length of hospitalization is influenced by several factors such as the severity of acute and chronic infections, sources of funding, and comorbid factors.

The most common comorbid diseases experienced by diabetic ulcer patients were hypertension (9 patients or 19.15%), anemia (9 patients or 19.15%), and sepsis (8 patients or 17.02%) (TABLE 1). The emergence of anemia in diabetic ulcers is caused by several factors such as chronic inflammation, malnutrition, and diabetic nephropathy.¹⁷ A study at the Surabaya Tertiary Hospital showed that 78.66% of diabetic ulcer patients were anemic.¹⁸ The chronic inflammation suppresses hematopoietic function and reduces serum iron levels, leading to a shortage of hematopoietic raw materials.¹⁸ Decreased hemoglobin can lead to reduced oxygen throughout the tissue resulting in worsening healing and control of ulcer infection.¹⁹ Hypertension at high blood pressure can cause endothelial lesions, damage to the endothelium through the process of platelet adhesion and aggregation can result in vascular deficiency resulting in tissue hypoxia and ulcers.^{20,21} The next comorbidity after anemia and hypertension is sepsis; sepsis in diabetic ulcer patients is 17.02%. A study at the Surabaya Tertiary Hospital showed that 86.30% of diabetic ulcer patients had comorbid sepsis.¹⁹ Sepsis is caused by an impaired blood supply, thereby significantly reducing the wound healing process.²²

The PDD value showed that the largest value for the antibiotic ceftriaxone was

2.39 g/d, the second was meropenem at 2.28 g/d, and the third was metronidazole at 1.46 g/d (TABLE 2). The antibiotic ceftriaxone in the therapeutic guidelines was 2 g/d. This value was smaller than the ceftriaxone value (2.39 g/d), while the metronidazole antibiotic was greater than the therapeutic guideline (1.5 g/d). Both PDD values of antibiotics were greater than the therapeutic guidelines; this was caused by several factors such as the duration of antibiotic administration and the number of grams of antibiotics given. In addition, a high PDD value indicates that more doses of antibiotics prescribed in a day may increase toxicity if the dose prescribed exceeds the usual prescribed dose and will pose a risk of antibiotic resistance or bacterial resistance to antibiotics.²³

The DOT value was obtained from the duration of antibiotic administration (d) multiplied by 1 DOT. Each antibiotic received over 24 hr is called 1 DOT. The highest DOT value was obtained for the antibiotic metronidazole at 4.15 DOT, followed by the antibiotic ceftriaxone at 4.09 DOT (TABLE 2).

The percentage of suitability low because of the antibiotic recommended for mild infection differ than for moderate or severe infections; metronidazole was antibiotic recommended for ischaemic limb/necrosis/gas forming moderate to severe infections. The antibiotics recommended by the therapeutic guidelines for no complicating features, moderate to severe diabetic foot wounds (osteomyelitis) infections are ampicillin sulbaktam I.V 3 g every 6 hr or ceftriaxone 2 g/d and oral clindamycin 300-450mg every 8 hr for patient that allergic to antibiotic penicillin for 1-2 wk (10 d). Combination antibiotic therapy, ceftriaxone and metronidazole indicated for moderate infections with ischaemic limb/necrosis/gas performing. A specific diagnosis including, level of severity and supporting by microbiological culture need for better antibiotic prescribing in the future.

CONCLUSION

The high PDD and DOT values do not align with treatment guidelines and could lead to antibiotic resistance. Antibiotic use in foot diabetics should consider the bacterial origin and antibiotic distribution to infected tissue or site of infection.

ACKNOWLEDGEMENTS


The authors would like to thank the Director of the Husada Utama Private Hospital, Surabaya and the Faculty of Pharmacy, University of Surabaya, as well as all parties involved during the research process. The author has no conflict of interest with the agencies involved in the research.

REFERENCES

1. Ibrahim A. IDF Clinical practice recommendations on the diabetic foot: A guide for healthcare professionals. *Diabetes Res Clin Pract* 2017; 127:169-70.
<https://doi.org/10.1016/j.diabres.2017.04.013>
2. Kementrian Kesehatan Republik Indonesia. Tetap produktif, cegah dan atasi diabetes mellitus. Jakarta: Pusat Data dan Informasi Kementrian Kesehatan RI, 2020.
3. Sari YO, Almasdy D, Fatimah A. Evaluasi penggunaan antibiotik pada pasien ulkus diabetikum di Instalasi Rawat Inap (IRNA) Penyakit Dalam RSUP Dr. M. Djamil Padang. *J Sains Farm Klin* 2018; 5(2):102.
<https://doi.org/10.25077/jsfk.5.2.102-111.2018>
4. Roza RL, Afriant R, Edward Z. Faktor risiko terjadinya ulkus diabetikum pada pasien diabetes mellitus yang dirawat jalan dan inap di RSUP Dr. M. Djamil dan RSI Ibnu Sina Padang. *J Kesehat Andalas* 2015; 4(1):229.
<https://doi.org/10.25077/jka.v4i1.229>
5. Pemayun TGD, Naibaho RM,

- Novitasari D, Amin N, Minuljo TT. Risk factors for lower extremity amputation in patients with diabetic foot ulcers: A hospital-based case-control study. *Diabet Foot Ankle* 2015; 6:29629.
<https://doi.org/10.3402/dfa.v6.29629>
6. Darwis I, Hidayat H, Wisnu GNPP, Mentari S. Bacteriological profile and antibiotic susceptibility pattern of diabetic foot infection in a tertiary care hospital in Lampung, Indonesia. *Malays J Med Sci* 2021; 28(5):42-53.
<https://doi.org/10.21315/mjms2021.28.5.4>
7. Ramirez-Acuña JM, Cardenas-Cadena SA, Marquez-Salas PA, Garza-Veloz I, Perez-Favila A, Cid-Baez MA, *et al.* Diabetic foot ulcers: Current advances in antimicrobial therapies and emerging treatments. *Antibiotics* 2019; 24(4):193.
<https://doi.org/10.3390/antibiotics8040193>
8. Perkumpulan Endokrinologi Indonesia (PERKENI). Pedoman pengelolaan dan pencegahan diabetes mellitus tipe 2 dewasa di Indonesia, 2021. Jakarta: Perkumpulan Endokrinologi Indonesia (PERKENI), 2021.
9. Menteri Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia No. 8 Tahun 2015 tentang Program Pengendalian Resistensi Antimikroba di Rumah Sakit. Jakarta: Hukor Depkes RI, 2015;23-4.
10. Agistia N, Mukhtar H, Nasif H. Efektivitas antibiotik pada pasien ulkus kaki diabetik. *J Sains Farm Klin* 2017; 4(1):43.
<https://doi.org/10.29208/jsfk.2017.4.1.144>
11. Lomasky LE, Teson FR. The state of the world. *Justice a distance*. 2015; 1-30.
<https://www.cdc.gov/drugresistance/index.html>
12. Senneville É, Albalawi Z, van Asten SA, Abbas ZG, Allison G, Aragon-Sanches J, *et al.* IWGDF/IDSA Guidelines on the Diagnosis and Treatment of Diabetes-related Foot Infections (IWGDF/IDSA 2023). *Clin Infect Dis* 2023; 2:ciad527.
<https://doi.org/10.1093/cid/ciad527>
13. Menteri Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2021 tentang Pedoman Penggunaan Antibiotik. Jakarta: Hukor Depkes RI, 2021.
14. Al-Rubeaan K, Al Derwish M, Ouizi S, Youssef AM, Subhani SN, Ibrahim HM, *et al.* Diabetic foot complications and their risk factors from a large retrospective cohort study. *PLoS One* 2015; 10(5):e0124446.
15. Trisnawati SK, Setyorogo S. Faktor risiko kejadian diabetes melitus tipe II di Puskesmas Kecamatan Cengkareng Jakarta Barat tahun 2012. *J Ilm Kesehat* 2013; 5(1):611.
16. Khalique S. Evaluation of the Effect of inadaptable risk factors & social status on diabetic foot ulcer. *Int J ENDORSING Heal Sci Res* 2014; 2(2):78-81.
<https://doi.org/10.29052/IJEHSR.v2.i2.2014.78-81>
17. Chuan F, Zhang M, Yao Y, Tian W, He X, Zhou B. Anemia in patients with diabetic foot ulcer: Prevalence, clinical characteristics, and outcome. *Int J Low Extrem Wounds* 2016; 15(3):220-6.
<https://doi.org/10.1177/1534734616660224>
18. Hariftyani AS, Novida H, Edward M. Profile of diabetic foot ulcer patients at tertiary care hospital in Surabaya, Indonesia. *J Berkal Epidomol* 2021; 9(3):293-302.
<https://doi.org/10.20473/jbe.V9I32021.293-302>
19. Khanbhai M, Loukogeogarkis S, Wright J, Hurel S, Richards T. Anemia, infection, diabetic foot disease: What are the relationship? *Diab Foot J* 2012; 15(4): 150-8.
20. Mutmainah I. Hubungan kadar gula darah dengan hipertensi pada penderita diabetes melitus

- tipe 2 di Rumah Sakit Umum Daerah Karanganyar. Surakarta: Fakultas Kedokteran Universitas Muhammadiyah Surakarta, 2013.
21. Umboh MJ, Tooy GC, Bajak CMA, Kasaluhe MD. Faktor- faktor yang berhubungan dengan kejadian ulkus kaki diabetik di Wilayah Kerja Puskesmas Manganitu Sangihe. *J Ilm Sesebanua* 2022; 6(1):1-7.
<https://doi.org/10.54484/jis.v6i1.492>
22. Gibbons GW. Diabetic foot sepsis. *Semin Vasc Surg.* 1992;5(4):244–8.
23. Nugroho J. Perbedaan antara *prescribed daily dose* dengan *who defined daily dose* pada persepan antibiotik untuk pasien rawat jalan di Puskesmas Mantri Jeron, Yogyakarta. 2011. Yogyakarta: Fakultas Kedokteran Universitas Islam Indonesia, 2011.
<https://dspace.uii.ac.id/handle/123456789/34408>

Volume 56 No 4, 2024



Indonesian Journal
of Biomedicine and Clinical Sciences

Register Login
ISSN: 3032-3134 (ONLINE)

[ABOUT](#)[EDITORIAL TEAM](#)[CURRENT](#)[ARCHIVES](#)[ANNOUNCEMENTS](#)[CONTACT](#)[Search](#)[HOME](#) / [Editorial Team](#)

Editor in Chief

- [Hardyanto Soebono](#), Department of Dermatology and Venereology Faculty of Medicine, Public Health, and Nursing Universitas Gadjah Mada, Indonesia, Indonesia, Indonesia

Associate Editors

- [Berry Juliandi](#), Department of Biology, IPB University, Indonesia
- [Dewi Kartikawati Paramita](#), Department of Histology and Cell Biology, Faculty of Medicine, Universitas Gadjah Mada, Indonesia
- [Eti Nurwening Sholikah](#), Department of Pharmacology and Therapy Faculty of Medicine, Universitas Gadjah Mada, Indonesia
- [Fara Silvia Yuliani](#), Department of Pharmacology and Therapy Faculty of Medicine, Universitas Gadjah Mada, Indonesia
- [Gunadi](#), Universitas Gadjah Mada, Sleman, Indonesia
- [Junaedy Yunus](#), Faculty of Medicine, Public Health, and Nursing, Universitas Gadjah Mada, Indonesia
- [Mae Sri Hartati Wahyuningsih](#), Faculty of Medicine, Public Health, and Nursing Universitas Gadjah Mada, Indonesia
- [Mardiah Suci Hardianti](#), Faculty of Medicine, Public Health, and Nursing, Universitas Gadjah Mada, Indonesia
- [Mei Neni Sitaresmi](#), Department of Pediatric Faculty of Medicine, Universitas Gadjah Mada, Indonesia
- [Muhammad Bayu Sasongko](#), Universitas Gadjah Mada, Indonesia
- [Mustofa](#), Faculty of Medicine, Public Health, and Nursing Universitas Gadjah Mada, Indonesia
- [Loeki Enggar Fitri](#), Department of Parasitology, Faculty of Medicine, University of Brawijaya, Indonesia
- [Pamungkas Bagus Satriyo](#), Department of Pharmacology and Therapy Faculty of Medicine, Universitas Gadjah Mada, Indonesia
- [Retno Danarti](#), Faculty of Medicine, Public Health, and Nursing, Universitas Gadjah Mada, Indonesia
- [Rina Agustina](#), Department of Nutrition, Faculty of Medicine, Universitas Indonesia – Dr. Cipto Mangunkusumo General Hospital, Jakarta, Indonesia
- [Sultana MH Faradz](#), Center for Biomedical Research , Faculty of Medicine, Universitas Diponegoro, Semarang, Indonesia

- [Supangat](#), Department of Pharmacology, Faculty of Medicine, Universitas Jember, Indonesia
- [Yana Supriatna](#), Faculty of Medicine, Public Health, and Nursing Universitas Gadjah Mada, Indonesia
- [Yohanes Widodo Wirohadidjojo](#), Faculty of Medicine, Public Health, and Nursing Universitas Gadjah Mada, Indonesia

International Advisory Board

- [Agostino Pierro](#), Department of Surgery, University Toronto, Canada
- [Alexis Valentin](#), Pharmacochimie des Substances Naturelles et Pharmacophores Redox Université Paul Sabatier, Faculté de Pharmacie, France
- [Carina Hanashima](#), RIKEN Center for Developmental Biology, Japan
- [Dorothy E. Oorschot](#), University of Otago, New Zealand, New Zealand
- [Fatima Shad Kaneez](#), University of Technology Sydney, Australia
- [Françoise Benoit-Vical](#), Service de Parasitologie et Mycologie - Hôpital Rangueil-Larrey, France
- [Gan Siew Hua](#), Director, Human Genome Centre, School of Medical Sciences, Universiti Sains Malaysia, Malaysia
- [Hisahide Nishio](#), Division of Public Health, Department of Environmental Health and Safety, Faculty of Medicine, Kobe University Graduate School of Medicine, Japan
- [Hugo A. Heij](#), University Medical Centre of Utrecht/WilhelminaChildren's Hospital and Princes Maxima Centre for Paediatric Oncology, Netherlands
- [I. Bing Tan](#), The Netherlands Cancer Institute – Antoni van Leeuwenhoek Hospital, Department of Head & Neck Oncology & Surgery, Netherlands
- [Isaak Effendy](#), Dermatologische Klinik, Philipps-Universität Marburg, Germany
- [Jaap Middeldorp](#), Department of Pathology, VU University Medical Center, Netherlands
- [Mulyoto Pangestu](#), Monash Institute of Medical Research Monash University, Australia
- [Rik J. Scheper](#), Department of Pathology, VU University Medical Center, Netherlands
- [Teguh Haryo Sasongko](#), Human Genome Center, School of Medical Sciences, Universiti Sains Malaysia, Malaysia
- [William R Faber](#), Academic Medical Center, University of Amsterdam Department of Dermatology, Academic Medical Centre, Netherlands
- [Yoshitake Hayashi](#), Division of Molecular Medicine and Medical Genetics, International Center for Medical Research and Treatment (ICMRT), Kobe University Graduate School of Medicine, Japan
- [Zilfalil Bin Alwi](#), Department of Paediatrics, School of Medical Science, Universiti Sains Malaysia, Health Campus, Malaysia

Old Website:



ISSN: 2356-3931 (Online)

Journal of the Medical Sciences

(Berkala Ilmu Kedokteran)

Gadjah Mada Journal of the Medical Sciences

Home | About | Login | Search | Current | Archives | Announcements | Statistics | Indexing & Abstracting | Sitemap | Contact

Home > Vol 55, No 4 (2023)

Journal of the Medical Sciences (Berkala Ilmu Kedokteran)

Journal of Medical Sciences (*Berkala Ilmu Kedokteran*) ends in Volume 55 Number 4 in 2023. In 2024, JMedSci changes its Name, ISSN, and Website to: "Indonesian Journal of Biomedicine and Clinical Sciences (InaJBSC)" which is published at <https://Jurnal.ugm.ac.id/v3/InaJBSC> January 2024 edition Volume 56 Number 1.

Journal of the Medical Sciences (*Berkala Ilmu Kedokteran*) or Gadjah Mada Journal of the Medical Sciences (JMedSci) is an international, open-access, and double-blind peer-reviewed journal, multidisciplinary journal dedicated to the publication of original research articles, reviews articles, case reports, and book reviews in all area of medical sciences from basic to clinical sciences.


JMedSci has been published since 1973 quarterly on January, April, July, and October and accepts high-quality manuscripts featuring well-design studies with clearly analyzed and logically interpreted results. A strong preference is given to studies that have significant contributions to the field of medical sciences and related fields.

JMedSci aims to promote the translational of basic research into clinical studies and of clinical evidence into practice. JMedSci publishes studies that substantially enhance our standing of disease etiology and physiology; the development of prognostic and diagnostic technologies; trials that test the efficacy of specific interventions and those that compare different treatments. JMedSci invites authors to submit articles in the fields of biomedical sciences including biomedical genetics, bioinformatics, cardiovascular medicine, endocrinology, gastroenterology, geriatrics, infectious diseases, medical oncology, physiology, pharmacology and toxicology, and phytomedicine medicine.

JMedSci is published by the Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia, and abstracted and indexed in DOAJ, Crossref, Google Scholar, Sinta, Indonesia One Search. JMedSi is nationally accredited by the Director General of Research and Development of the Ministry of Research, Technology, and Higher Education, Republic of Indonesia, Decree No. 36/E/KPT/2019, valid until 2024.

Journal of the Medical Sciences (*Berkala Ilmu Kedokteran*)
Available online at <https://jurnal.ugm.ac.id/bik>
Email: jmedscie@ugm.ac.id

Published by Universitas Gadjah Mada
ISSN: [2356-3931 \(Online\)](https://jurnal.ugm.ac.id/bik)



Focus & Scope

Online Submission

Author Guidelines

Template of manuscript

Article Processing Charge

Peer Reviews Process

Peer Reviewers

Reviewer Guidelines

Ethics and Malpractice Statement

Copyright & Permissions/ Rightslink

Screening For Plagiarism

Editorial Board

Journal History

USER

Username

Password

☐ Remember me

Login

NOTIFICATIONS

► View

► Subscribe

Open Access Policy

Aims & Scope

Online Submission

Author Guidelines

Template of manuscript

Article Processing Charge

[Peer Reviews Process](#)

[Peer Reviewers](#)

[Reviewer Guidelines](#)

[Ethics and Malpractice Statement](#)

[Copyright & Permissions/ Rightslink](#)


[Screening For Plagiarism](#)

[Journal History](#)

[Statistics](#)

[Journal License](#)

[Indexing & Abstracting](#)



Reference Management Tools:



MOST READ LAST WEEK

Toxoplasma encephalitis in HIV/AIDS patients in Prof. Dr. I.G.N.G. Ngoerah General Hospital, Bali, Indonesia

👁 394

Current topics in human varicella infection: Pearls and challenges

👁 192

Perception and use of herbal medicine by Indonesian Medical Doctors

👁 175

Reversible total atrioventricular block in a very high-risk non-ST-elevation myocardial infarction (NSTEMI) during conservative

treatment in a limited resource setting: a case report

👁 156

Effects of garlic tablet (GARLET) in combination with telmisartan on high blood pressure

👁 147



[View My Stats](#)

[Indonesian Journal of Biomedicine and Clinical Sciences](#) by

Universitas Gadjah Mada is licensed under

[Attribution-NonCommercial 4.0 International](#)

Faculty of Medicine, Public Health, and Nursing, Universitas
Gadjah Mada, Farmako Street, Sekip Utara ,Yogyakarta
55281 Indonesia

Platform &
workflow by
OJS / PKP



Indonesian Journal
of Biomedicine and Clinical Sciences

[Register](#) [Login](#)
ISSN: 3032-3134 (ONLINE)

[ABOUT](#)

[EDITORIAL TEAM](#)

[CURRENT](#)

[ARCHIVES](#)

[ANNOUNCEMENTS](#)

[CONTACT](#)

Search


[HOME](#) / [ARCHIVES](#) / Vol 56 No 4 (2024)

InaJBCS

Indonesian Journal
of Biomedicine and Clinical Sciences

ISSN: 3032-3134 (ONLINE)

Volume 56 No 4, 2024



Published by
Faculty of Medicine, Public Health, and Nursing,
Universitas Gadjah Mada, Yogyakarta, Indonesia

PUBLISHED: 2024-10-30

ARTICLES

Association between chemotherapy-related cardiac dysfunction (CTRCD) and 6-minute walking distance (6MWD) in breast cancer patient receiving anthracycline-based chemotherapy

Putri Ayudhia Trisnasari, Irsad Andi Arso, Hasanah Mumpuni, Vita Yanti Anggraeni, Susanna Hilda Hutajulu, Mardiah Suci Hardianti, Anggoro Budi Hartopo

 PDF Abstract views: 237 |  views: 172

Toxoplasma encephalitis in HIV/AIDS patients in Prof. Dr. I.G.N.G. Ngoerah General Hospital, Bali, Indonesia

Anak Agung Ayu Suryapraba, Cokorda Istri Dyah Sintarani, Aurelia Vania, Ni Made Susilawathi, Anak Agung Raka Sudewi

 PDF Abstract views: 418 |  views: 704

Analysis of antibiotic use in diabetic ulcer patients at a private hospital in Surabaya

Fauna Herawati, Nadila Suleman, Rika Yulia, Heru Wijono

 PDF Abstract views: 156 |  views: 182

Outcome of intravesical doxorubicin installation in T1 non muscle invasive bladder cancer: experience from a tertiary hospital in Indonesia

Adhika Restanto Purnomo, Andy Zulfiquar

 PDF Abstract views: 107 |  views: 99

The effect of fluid restriction monitoring guidelines using the Heart Failure Self-Care Application (Aplikasi Perawatan Mandiri Heart Failure/ATRIA) on reducing risk of fluid retention in heart failure patients at Dr. Saiful Anwar Hospital Malang

Ghazyarda Aqilah Setya, Mifetika Lukitasari, Suryanto, Ika Setyo Rini, Hikmawan Wahyu Sulistomo, Cholid Tri Tjahjono Candra, Mohammad Saifur Rohman, Ardian Rizal

 PDF Abstract views: 103 |  views: 91

The role of toxoplasma, rubella, cytomegalo virus, herpes virus infection as a risk factor for sensory hearing loss in children

Bambang Udji Djoko Rianto, Veby Novri Yendri, Gesit Purnama Giana Deta

 PDF Abstract views: 152 |  views: 173

Current topics in human varicella infection: Pearls and challenges

Luthvia Annisa, Mohamad S. Hakim, Abu T. Aman



 Abstract views: 699 |  views: 456

Neuro-ophthalmologic manifestations of COVID-19: a review

Indra Tri Mahayana, Stefani Melisa Karina, Nyssa Alexandra Tedjonegoro



 Abstract views: 175 |  views: 221

Treatment challenges of nevirapine-induced Stevens-Johnson syndrome: a case report

Milanitalia Gadys Rosandy, Dewi Indiasari, Didi Candradikusuma, Niniek Budiarti, Heri Sutanto, Dinda Amalia



 Abstract views: 109 |  views: 132

Triple valve replacement on rheumatic heart disease patient: a case report

Haryo Aribowo, Yoga Arditya, Yosua Martin



 Abstract views: 122 |  views: 117

Old Website:



ISSN: 2356-3931 (Online)

Journal of the Medical Sciences

(Berkala Ilmu Kedokteran)

Gadjah Mada Journal of the Medical Sciences

[Home](#) | [About](#) | [Login](#) | [Search](#) | [Current](#) | [Archives](#) | [Announcements](#) | [Statistics](#) | [Indexing & Abstracting](#) | [Sitemap](#) | [Contact](#)

[Home](#) > **Vol 55, No 4 (2023)**

Journal of the Medical Sciences (Berkala Ilmu Kedokteran)

Journal of Medical Sciences (Berkala Ilmu Kedokteran) ends in Volume 55 Number 4 in 2023. In 2024, JMedSci changes its Name, ISSN, and Website to: "Indonesian Journal of Biomedicine and Clinical Sciences (InaJBCS)" which is published at <https://Jurnal.ugm.ac.id/v3/InaJBCS> January 2024 edition Volume 56 Number 1.

Journal of the Medical Sciences (*Berkala Ilmu Kedokteran*) or Gadjah Mada Journal of the Medical Sciences (JMedSci) is an international, open-access, and double-blind peer-reviewed journal, multidisciplinary journal dedicated to the publication of original research articles, reviews articles, case reports, and book reviews in all area of medical sciences from basic to clinical sciences.

JMedSci has been published since 1973 quarterly on January, April, July, and October and accepts high-quality manuscripts featuring well-design studies with clearly analyzed and logically interpreted results. A strong preference is given to studies that have significant contributions to the field of medical sciences and related fields.

JMedSci aims to promote the translational of basic research into clinical studies and of clinical evidence into practice. JMedSci publishes studies that substantially enhance our standing of disease etiology and physiology; the development of prognostic and diagnostic technologies; trials that test the efficacy of specific interventions and those that compare different treatments. JMedSci invites authors to submit articles in the fields of biomedical sciences including biomedical genetics, bioinformatics, cardiovascular medicine, endocrinology, gastroenterology, geriatrics, infectious diseases, medical oncology, physiology, pharmacology and toxicology, and phytomedicine medicine.

JMedSci is published by the Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia, and abstracted and indexed in DOAJ, Crossref, Google Scholar, Sinta, Indonesia One Search. JMedSi is nationally accredited by the Director General of Research and Development of the Ministry of Research, Technology, and Higher Education, Republic of Indonesia, Decree No. 36/E/KPT/2019, valid until 2024.

Journal of the Medical Sciences (*Berkala Ilmu Kedokteran*)
Available online at <https://jurnal.ugm.ac.id/bik>
Email: jmedscie@ugm.ac.id

Published by Universitas Gadjah Mada
ISSN: [2356-3931 \(Online\)](#)



[Focus & Scope](#)

[Online Submission](#)

[Author Guidelines](#)

[Template of manuscript](#)

[Article Processing Charge](#)

[Peer Reviews Process](#)

[Peer Reviewers](#)

[Reviewer Guidelines](#)

[Ethics and Malpractice Statement](#)

[Copyright & Permissions/ Rightslink](#)

[Screening For Plagiarism](#)

[Editorial Board](#)

[Journal History](#)

USER

Username

Password

☐ Remember me

[Login](#)

NOTIFICATIONS

[View](#)

[Subscribe](#)

[Open Access Policy](#)


[Aims & Scope](#)

[Online Submission](#)

[Author Guidelines](#)

[Template of manuscript](#)

[Article Processing Charge](#)

[Peer Reviews Process](#)[Peer Reviewers](#)[Reviewer Guidelines](#)[Ethics and Malpractice Statement](#)[Copyright & Permissions/ Rightslink](#)[Screening For Plagiarism](#)[Journal History](#)[Statistics](#)[Journal License](#)[Indexing & Abstracting](#)[Reference Management Tools:](#)

MOST READ LAST WEEK

Toxoplasma encephalitis in HIV/AIDS patients in Prof. Dr. I.G.N.G. Ngoerah General Hospital, Bali, Indonesia

👁 394

Current topics in human varicella infection: Pearls and challenges

👁 192

Perception and use of herbal medicine by Indonesian Medical Doctors

👁 175

Reversible total atrioventricular block in a very high-risk non-ST-elevation myocardial infarction (NSTEMI) during conservative

treatment in a limited resource setting: a case report

👁 156

Effects of garlic tablet (GARLET) in combination with telmisartan on high blood pressure

👁 147



[View My Stats](#)

[Indonesian Journal of Biomedicine and Clinical Sciences](#) by

Universitas Gadjah Mada is licensed under

[Attribution-NonCommercial 4.0 International](#)

Faculty of Medicine, Public Health, and Nursing, Universitas
Gadjah Mada, Farmako Street, Sekip Utara ,Yogyakarta
55281 Indonesia

Platform &
workflow by
OJS / PKP

Get More with
SINTA Insight

Go to Insight



INDONESIAN JOURNAL OF BIOMEDICINE AND CLINICAL SCIENCES

UNIVERSITAS GADJAH MADA

P-ISSN : 0 <> E-ISSN : 30323134



0.71621
6
Impact



1311
Google Citations




Sinta 3
Current
Accreditation

[Google Scholar](#) [Garuda](#) [Website](#) [Editor URL](#)

History Accreditation

2024 2025 2026 2027 2028 2029

Citation Per Year By Google Scholar



Journal By Google Scholar

	All	Since 2020
Citation	1311	998
h-index	14	13
i10-index	29	20

[Garuda](#) [Google Scholar](#)

[Perception and use of herbal medicine by Indonesian Medical Doctors](#)

Published by Universitas Gadjah Mada [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 64-74](#)

2025 DOI: 10.22146/inajbcs.v57i1.15768 Accred : Sinta 3

[Multidrug resistance organisms \(MDRO\) infection and multidimensional approaches as predictors of mortality in complicated intra-abdominal infection](#)

Published by Universitas Gadjah Mada [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 29-42](#)

2025 DOI: 10.22146/inajbcs.v57i1.16036 Accred : Sinta 3

[Effect of Hibiscus sabdariffa Linn. on the development of atherosclerosis in diabetes mellitus: a rapid review](#)

Published by Universitas Gadjah Mada [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 82-95](#)

2025 DOI: 10.22146/inajbcs.v57i1.19981 Accred : Sinta 3

[A neonate presenting with hip septic arthritis: a rare case report](#)

Published by Universitas Gadjah Mada [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 115-122](#)

2025 DOI: 10.22146/inajbcs.v57i1.20152 Accred : Sinta 3

[The relationship between the degree of low back pain and concentration levels among RICCI Catholic High School Jakarta students during the COVID-19 pandemic](#)

Published by Universitas Gadjah Mada [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 2 \(2025\)](#)

 2025  DOI: [10.22146/inajbcs.v57i2.20200](https://doi.org/10.22146/inajbcs.v57i2.20200)  Accred : [Sinta 3](#)

[Factors influencing auditory verbal therapy outcome among children with cochlear implant](#)

Published by Universitas Gadjah Mada  [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 75-81](#)

 2025  DOI: [10.22146/inajbcs.v57i1.12244](https://doi.org/10.22146/inajbcs.v57i1.12244)  Accred : [Sinta 3](#)

[The relationship between frailty incidence and polypharmacy in the elderly age group in Melinggih Village, Gianyar Regency, Bali](#)

Published by Universitas Gadjah Mada  [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 21-28](#)

 2025  DOI: [10.22146/inajbcs.v57i1.16258](https://doi.org/10.22146/inajbcs.v57i1.16258)  Accred : [Sinta 3](#)

[Comparison of GeneXpert and line probe assay for the detection of Mycobacterium tuberculosis in direct sputum samples](#)

Published by Universitas Gadjah Mada  [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 1-10](#)

 2025  DOI: [10.22146/inajbcs.v57i1.16720](https://doi.org/10.22146/inajbcs.v57i1.16720)  Accred : [Sinta 3](#)

[Correlation between D-dimer and first-ever acute ischemic stroke \(AIS\) severity in Dr. Sardjito General Hospital, Yogyakarta](#)

Published by Universitas Gadjah Mada  [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 1 \(2025\) 56-63](#)

 2025  DOI: [10.22146/inajbcs.v56i4.16770](https://doi.org/10.22146/inajbcs.v56i4.16770)  Accred : [Sinta 3](#)

[The activity antibiofilm of betadine leaf \(*Jatropha multifida* Linn\) juice on urinary catheters](#)

Published by Universitas Gadjah Mada  [Indonesian Journal of Biomedicine and Clinical Sciences Vol 57 No 2 \(2025\)](#)


 2025  DOI: [10.22146/inajbcs.v57i2.18065](https://doi.org/10.22146/inajbcs.v57i2.18065)  Accred : [Sinta 3](#)

[View more ...](#)

Get More with
SINTA Insight

[Go to Insight](#)

Citation Per Year By Google Scholar



Journal By Google Scholar

	All	Since 2020
Citation	1311	998
h-index	14	13
i10-index	29	20