



Cultural Differences in the Efficacy of Group Psychotherapy for Social Anxiety Disorder: A Meta-Analysis Comparing Asia and Western Countries

Adinda Nasha Ayu Febrianthi and Ananta Yudiarso*

Faculty of Psychology, University of Surabaya, Surabaya, Indonesia

*E-mail: ananta@staff.ubaya.ac.id

Abstract

This study aims to evaluate the effectiveness of group-based psychotherapy interventions in reducing social anxiety. This meta-analysis included 12 articles involving 539 participants (323 in the intervention group and 216 in the control group). This study hypothesized that group psychotherapy is effective in reducing the symptoms of social anxiety disorder. Data analyzed included sample size (N), mean (M), and standard deviation (SD) to calculate the effect size using a random-effects model. The results showed a Hedge's g effect size of -0.809 (95% CI -1.202 to -0.416) with moderate heterogeneity ($I^2 = 73.84\%$). Moderator analysis based on country of origin revealed a difference in effect size of -1.217 (95% CI -2.109 to -0.325) with lower heterogeneity ($I^2 = 61.28\%$). These findings indicate that group-based psychotherapy is significantly effective in reducing social anxiety. Furthermore, Asian countries demonstrated greater effectiveness compared to Western countries in using group psychotherapy to alleviate social anxiety symptoms. This study highlights the importance of incorporating cultural contexts into the development of group psychotherapy interventions.

Keywords: meta-analysis; group psychotherapy; social anxiety.

1. INTRODUCTION

Social anxiety disorder (also known as social phobia) is a condition in which an individual experiences intense and persistent feelings of fear, where the individual feels that they are being watched or evaluated by other people around them (National Institute of Mental Health [NIMH], 2016). The core symptomatology is characterized by persistent fear and avoidance of social and performance situations (see DSM 5-TR criteria, American Psychiatric Association [APA], 2022). Individuals who experience social anxiety disorder will have a negative impact, such as impairment in social function, role, and career development, as well as decreased subjective well-being and quality of life (Wittchen & Fehm, as cited in Swasti & Martani, 2013). Social anxiety disorder can affect the emergence of chronic feelings of loneliness, problems in school activities, the risk of developing other anxiety disorders, depression, and drug abuse (Agersnap et al., 2022).

Social anxiety is a rapidly increasing issue that is believed to affect young people more than others (Jefferies & Ungar, 2020). National Comorbidity Survey [NCS], as stated in Stein et al. (2017), suggests that social anxiety disorder is one of the most common of all mental disorders in the world. Furthermore, Stein et al. (2017) suggest that higher-income countries show higher levels of social anxiety than lower-income countries. Global estimates suggest that approximately 27% of all depression cases and 23% of all anxiety cases occur in the Southeast Asia Region (World Health Organization [WHO], 2016, as cited in Lemon et al., (2024)). A survey conducted by Indonesia National Adolescent Mental Health (2022) found that one in three adolescents in

Indonesia have mental health issues, which equals 15.5 million people. One in 20 adolescents, equal to 2.45 people, is diagnosed with a mental health disorder. That survey stated that 3.7% of those are experiencing a Social Anxiety Disorder, followed by Major Depressive Disorder (1.0%), behavioral problems (0.9%), Post Traumatic Stress Disorder (0.5%), and Attention Deficit Hyperactivity Disorder (0.5%). This shows that social anxiety disorder is a prevalent concern globally in the world.

Several psychological interventions are known to be adequate to overcome social anxiety symptoms, such as Cognitive Behavioral Therapy, Mindfulness-Based Therapy, Interpersonal Therapy, Self Help Strategy, and Group Psychotherapy (Liu et al., 2021; Mayo-Wilson et al., 2014). Group psychotherapy can be a practical approach, remembering its cost-effectiveness in reducing symptoms of a social anxiety disorder (Barkowski et al., 2016). Although individuals with social anxiety tend to get anxious when confronted with a group of people, additional therapeutic factors are introduced by treating patients in specific settings, including in-session exposure to social situations and the ability to work with a broader range of interpersonal behavior (Barkowski et al., 2016). Group psychotherapy is an intervention that has been proven to be able to treat anxiety disorders using various scientifically proven approaches (Barkowski et al., 2020). Individuals gain therapeutic benefits through normalizing symptoms, learning from the experiences of others, practicing social skills, and having social pressure to complete treatment until the end (McEvoy, 2007).

Research conducted by Herbert, et al (2002) found that group psychotherapy carried out in a short and intensive time was shown to have a significant long-term effect on reducing symptoms of social anxiety. In line with this study, Colhoun et al. (2021) found that group psychotherapy was effective in reducing symptoms of social anxiety in individuals diagnosed with severe social anxiety disorder. Another study conducted by Bangun (2022) showed that group psychotherapy was able to reduce symptoms of anxiety and depression in individuals with anxiety and depression disorders. Referring to the results of the previous studies (Barkowski et al., 2016), we are interested in replicating and validating the previous meta-analysis and exploring specific moderators, such as cultural differences, in the treatment of social anxiety disorder. This replication is essential to validate the reliability of previous findings, further reinforcing the effectiveness of group therapy. Additionally, cultural norms play a significant role in shaping mental health treatment outcomes. A comparative analysis between Western and Asian countries provides valuable insights into how societal structures influence therapy success, enabling clinicians to refine and optimize treatment approaches for diverse populations. In this meta-analysis, our aim was (1) to quantify the effect size of group psychotherapy for social anxiety disorder, and (2) to compare the effectiveness of group psychotherapy on social anxiety disorder in Western and Asian countries.

2. METHODS

2. 1. Meta-Analysis

This study uses quantitative research design with meta-analysis techniques. Meta-analysis is a statistical approach used to collect and analyze data from several independent studies with similar research questions. This study looked at effect size (comparison of scores between experimental and control groups) to measure the effect of group psychotherapy on social anxiety. The effect size value illustrates the influence of the group psychotherapy intervention variable on the social anxiety variable. Data searches were conducted using the PRISMA 2020 standard (Page et al., 2021).

2. 2. Participants

This study's total number of participants was 539, consisting of 323 experimental and 216 control groups. The twelve articles combined obtained the number of participants based on the criteria determined by the researcher. From several studies analyzed, it is known that several countries were involved, including USA (25%), Indonesia (16.67%), Canada (16.67%), Australia (8.33%), Switzerland (8.33%), Iran (8.33%), Brazil (8.33%), and England (8.34%).

2. 3. Procedure


Researcher started the search by using the keywords “Group Therapy” AND “Social Anxiety Disorder”- “Review”, “*Psikoterapi Kelompok*” AND “*Gangguan Kecemasan Sosial*”- “Review”, and “Group Therapy” AND “Social Anxiety Disorder”- “Trial”. Then, the researcher applied sorting based on the title and abstract of the article, until finally, twelve studies were found that met the inclusion criteria in this study. The inclusion criteria in this study are studies that use experimental research methods, use English or Indonesian as their writing, have control groups and experimental groups, and mention each group's mean, SD, and N values. The exclusion criteria in this study are articles that do not have control and experimental groups, do not have pre-test scores, and take measurements routinely (weekly). The effect sizes were extracted by a single coder using a standardized extraction protocol to minimize potential bias and ensure consistency.

2. 4. Data Analysis

The meta-analysis used for this research is Hedge's G model, which uses the mean, standard deviation, and number of participants to conduct the analysis. The data were analyzed using Jamovi 2.2.5 software (The Jamovi Project, 2021). The hedge's g value of 0.2 is classified as small effect size, then the value of 0.5 is classified as medium, while the value ≥ 0.8 is classified as large (Cohen, 1992). In addition, the heterogeneity value is also seen, namely if the I^2 value is around 25% classified as low heterogeneity, 50% as moderate, and 75% classified as large, and $I^2 \approx 0\%$ represents homogeneity (Huedo-medina et al. as cited in Card, 2012). If the studies only differ by the sampling error (homogenous case), a fixed-effects model can be applied to obtain the effect size. By contrast, if the study results show a heterogeneous case, then meta-analysis can assume a random effects model (Huedo-medina et al., 2006). It is also noted that publication bias can occur if the significance value of Egger's bias < 0.01 , while if the significance is > 0.01 then it does not show publication bias.

Figure 1

PRISMA Flow Diagram



3. RESULTS


The researcher conducted an initial search, which led to the acquisition of 372 research articles. The researcher then selected the results based on the predetermined inclusion-exclusion criteria. In the end, the researcher found twelve pieces of literature that fit the criteria.

Table 1*Literature used in the analysis*

Author	Country	Measurement Tool	Intervention	n		g	95%CI
				EG	CG		
Halperin et al. (2000)	Australia	SIAS	CBGT	7	9	-0.28	-1.27, 0.71
Baer et al. (2005)	USA	SPAI	CBGT	6	6	-1.12	-2.34, 0.10
Erickson et al. (2007)	Canada	BAI	CBGT	88	25	0.39	-0.09, 0.88
Hapsari & Hasanat (2010)	Indonesia	SAS-A	SST	8	8	-1.13	-2.18, -0.07
Duana & Hadjam (2012)	Indonesia	DCL	CBGT	5	5	-1.60	-3.02, -0.17
Kocovski et al. (2013)	Canada	SPIN	CBGT	53	31	-0.82	-1.33, -0.30
Goldin et al. (2016)	USA	LSAS-SR	CBGT	36	36	-1.35	-1.88, -0.82
Schulz et al. (2016)	Switzerland	SIAS	CGGT	45	24	-0.76	-1.27, -0.25
Khaleghi et al. (2017)	Iran	SAS-A	RTG	12	12	-2.66	-3.75, -1.56
Zaboski et al. (2018)	USA	SAQ-A30	CBT- ERP	7	8	-0.89	-1.95, 0.17
Neufeld et al. (2020)	Brazil	BAI	CBGT	27	33	0.68	0.15, 1.20
Lepage et al. (2022)	England	SPIN, SIAS, BSPS (composite)	CBGT	29	19	-0.38	-0.97, 0.20

Note. SIAS = The Social Interaction Anxiety Scale, SPAI = Social Phobia and Anxiety Inventory, BAI = Beck Anxiety Inventory, SAS-A = Social Anxiety Scale for Adolescents, DCL = Diary Checklist, SPIN = Social Phobia Inventory, LSAS-SR = Liebowitz Social Anxiety Scale, BSPS = Brief Social Phobia Inventory, SAQ-A30 = The Social Anxiety Questionnaire for Adults, CBGT = Cognitive Behavioral Group Therapy, CBT-ERP = Cognitive Behavioral Therapy Group Exposure and Response Prevention, RTG = Reality Therapy Group, CGGT = Clinician Guided Group Treatment, SST = Social Skills Training

Figure 2
Forest Plot



The results of a meta-analysis conducted on twelve previous research articles using the Random-Effects Model show the following data:

Table 2
Effect Size

Random-Effects Model (k = 12)

	Estimate	se	Z	p	CI		Heterogeneity		
					Lower Bound	Upper Bound	Q	p	I ²
Intercept	-0.809	0.201	-4.03	<.0001	-1.202	-0.416	38.049	<.001	73.84%

Note. Tau² Estimator: Restricted Maximum-Likelihood

According to the results of the analysis that has been done, the Hedge's effect size value is -0.809 (95% CI -1.202 to -0.416; $p < 0.0001$), so it can be said that the effect size of group psychotherapy to reduce social anxiety is in the large category. It indicates that group psychotherapy is significantly effective in reducing social anxiety symptoms. The heterogeneity test results in viewing variations also showed that the data consistency value I^2 was 73.84%, indicating the moderate level of heterogeneity of the data obtained (Borenstein et al., 2009).

Figure 3
Funnel Plot




Table 3
Publication Bias Assessment

Test Name	value	p
Fail-Safe N	239.000	< .001
Begg and Mazumdar Rank Correlation	-0.394	0.086
Egger's Regression	-1.947	0.052
Trim and Fill Number of Studies	2.000	.

Note. Fail-safe N Calculation Using the Rosenthal Approach

Egger's Regression test results show no publication bias in this study, as shown by the p -value = 0.052 ($p > 0.01$). This means that the research articles used in this study tend to provide diverse results.

Moderator Analysis


The moderator variable used in analyzing potential differences in effect size is country of origin. Out of the 12 studies used in the analysis, there are two countries coded: (1) Western ($k=9$), (2) Asian ($k=3$). The analysis shows the following data:

Table 4*Moderator Analysis*Mixed-Effects Model ($k = 12$)

	Estimate	se	Z	p	CI Lower Bound	CI Upper Bound	Heterogeneity		
							Q	p	I ²
Moderator	-1.217	0.455	-2.67	0.007	-2.109	-0.325	25.975	0.004	61.28%

Note. Tau² Estimator: Restricted Maximum-Likelihood

Based on the statistical results obtained, different countries of origin significantly affect the treatment outcomes (Hedges' $g = -1.217$; 95% CI -2.109 to -0.325 ; $p = 0.007$). This indicates that group psychotherapy conducted in Asia is more effective in treating social anxiety disorder than in Western countries.

Figure 4*Forest Plot***4. DISCUSSION**

Social anxiety is a psychological condition characterized by excessive fear when placed in social situations. According to Hedman et al. (2013), social anxiety can be identified by the emergence of excessive fear when dealing with other people and trying to avoid activities that can cause feelings of fear. Christensen et al. (2003) explained that people who experience social anxiety disorder will view themselves negatively and have the belief that other people also judge them negatively. If it continues, this can negatively affect daily life and the ability to interact with others.

The meta-analysis conducted in this study showed the results of a large, significant effect in the treatment of social anxiety disorder compared to control. It means that group psychotherapy has been proven to be effective in reducing symptoms of social anxiety disorder. This finding aligns with previous meta-analyses by Wersebe et al. (2013) and Barkowski et al. (2016).

The study with the highest effect size value was conducted by Khaleghi et al. (2017) entitled "Effectiveness of group reality therapy on symptoms of social anxiety, interpretation bias and interpersonal relationships in adolescents". This study used Group Reality Therapy intervention on ninth-grade female students in Sabzevar City in the 2016-2017 academic year with an average age of 15 years who had high social anxiety scores on the Social Anxiety Scale for Adolescents (SAS-A). Reality Therapy is a treatment that focuses on individual maladaptive behavior, developing the ability to cope with the pressures of reality, and taking greater responsibility in meeting their needs (American Psychological Association [APA], 2023). These results are in line with research conducted by Massah et al. (2015), which states that Group Reality Therapy is effective in reducing symptoms of stress, anxiety, and depression in individuals. However, the study that used Reality Therapy for reducing social anxiety is limited. Thus, we couldn't find meta-analyses of Reality Therapy in reducing social anxiety disorder to compare with these findings.

On the other hand, the study with the smallest effect size was conducted by Lepage et al. (2022), entitled "Manual group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial." This study used Cognitive Behavioral Group Therapy intervention for individuals with social anxiety who experienced a first episode of psychosis. The criteria for individual subjects aged 18-35 years who were diagnosed with psychotic disorders, had intermediate abilities in reading and writing English and French (education > eight years), had social anxiety scores above those set by researchers on the composite of Social Interaction Anxiety Scale, Social Phobia Inventory, and Brief-Social Phobia Scale, and met the criteria for a diagnosis of social anxiety disorder. The difference in effect size values may be due to the participants used in the study by Lepage et al. (2022), who were individuals who had been diagnosed with psychotic disorders, so they had more complex conditions and required more intensive and special attention individually to be able to deal with the symptoms they experienced. Michail et al. (2017) conducted a systematic review highlighting the effectiveness of group-based CBT in reducing social anxiety symptoms among individuals with psychosis. However, they emphasized the importance of tailoring and adapting the intervention to address this population's unique symptoms and challenges. Additionally, they suggested that the efficacy of group-based CBT for social anxiety in psychosis could be significantly improved by incorporating a focus on shame, feelings of entrapment, and concealment behaviors (Michail & Birchwood, 2013).

In comparison to the meta-analysis by Barkowski et al. (2016), which predominantly focused on evaluating the overall efficacy of group psychotherapy for Social Anxiety Disorder (SAD), our meta-analysis advances this research by incorporating recent studies and emphasizing cultural context as a moderator. Although Barkowski et al. (2016) identified a medium effect size for group psychotherapy, our analysis demonstrates a larger effect size, possibly attributed to cultural differences that their study did not explicitly examine.

Our research specifically investigates the influence of cultural factors on the efficacy of group psychotherapy for SAD, addressing a gap in Barkowski's work, which concentrated its moderator analyses on methodological variables, such as session frequency and therapist characteristics, rather than on cultural or geographical distinctions. By including cross-cultural comparisons between Asian and Western countries, our study makes a distinct contribution to understanding the impact of cultural variability on therapeutic outcomes. We acknowledge,

however, that the larger effect size observed might be influenced by the limited number of studies included in our analysis. To mitigate concerns about potential publication bias, we conducted an Egger's test, which confirmed its absence.

Hofstede's framework offers a valuable lens through which cultural dimensions, such as individualism and collectivism, can be analyzed in the context of group psychotherapy. These dimensions reflect how individuals integrate into their primary social groups, with individualistic societies emphasizing self-reliance, autonomy, and personal identity ("I" consciousness). Conversely, collectivist societies prioritize group harmony, shared identity ("we" consciousness), and mutual support (Hofstede, 2011). Indonesia and Iran, as indicated by Hofstede's Individualism Dimension (Hofstede Insights, 2023), rank among the lowest in individualism compared to other countries included in this analysis, highlighting their strong emphasis on collectivist values.

Group psychotherapy operates through mechanisms of change such as universality, altruism, instillation of hope, imparting information, interpersonal learning, and self-understanding (Malat & Leszcz, 2015). At its core, group cohesion plays a pivotal role as a precondition for other therapeutic factors to function effectively (Yalom & Leszcz, as cited in Malat & Leszcz, 2015). A cohesive group fosters trust among members and therapists, enabling participants to self-disclose, take interpersonal risks, and engage actively in group tasks. This dynamic aligns particularly well with collectivist values of interdependence and group harmony, which may contribute to better therapeutic outcomes in such societies. In these cultural contexts, group therapy creates a supportive environment that resonates with collectivist principles, offering individuals a sense of belonging, purpose, and hope throughout treatment.

In contrast, individualistic societies, which emphasize personal autonomy and self-reliance, might show a preference for individual therapy due to its focus on personalized and private therapeutic experiences. Furthermore, research has demonstrated that collectivist societies tend to exhibit higher levels of social support, which positively influences mental health treatment outcomes (Cheng, Rizkallah, & Narizhnaya, 2020). Collectivists also tend to achieve higher self-efficacy when working collaboratively within groups, while individualists tend to perform better in independent settings. Thus, within collectivist cultures, group therapy fosters mutual encouragement, trust, and shared purpose, enhancing its effectiveness and underscoring the importance of considering cultural values in tailoring therapeutic interventions.

The limitation of this research is that the cultural context used in this study is limited. The representation of the Asian region is limited to Indonesia and Iran, and the study included is rather small. This limitation arises because the researchers did not find studies that met the inclusion criteria. We recommend further research to include more data from other Asian countries get more data and explore other moderator possibilities, such as age, the severity of the disorder, etc. The practical recommendation is to consider group psychotherapy as the primary intervention to treat social anxiety disorder, especially in collectivist cultures, given the significantly large effect size in Asia regions.

REFERENCES

- Agersnap, T. N., Hougaard, E., Jensen, M. B., & Thastum, M. (2022). Diagnosis-Specific Group CBT Treating Social Anxiety in Adolescents: A Feasibility Study. *Scandinavian Journal of Child and Adolescent Psychiatry and Psychology*, 10(1), 89-101. <https://doi.org/10.2478/sjcapp-2022-0010>

- American Psychiatric Association. (2022). Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision (DSM-5-TR). American Psychiatric Association Publishing. <https://www.psychiatry.org/psychiatrists/practice/dsm>
- APA Dictionary of Psychology. (2023). American Psychology Association. Available at: <https://dictionary.apa.org/reality-therapy>
- Baer, S., & Garland, E. J. (2005). Pilot study of community-based cognitive behavioral group therapy for adolescents with social phobia. *Journal of the American Academy of Child & Adolescent Psychiatry*, 44(3), 258-264. <https://doi.org/10.1097/00004583-200503000-00010>
- Bangun, S. R. (2022). The Effectiveness of Group Psychotherapy on Reducing Anxiety and Depression Symptoms in Adolescents. *Jurnal Psikiatri Surabaya*, 11(2). 123 – 131. <http://doi.org/10.20473/jps.v11i2.35989>
- Barkowski, S., Schwartz, D., Strauss, B., Burlingame, G. M., & Rosendahl, J. (2020). Efficacy of group psychotherapy for anxiety disorders: a systematic review and meta-analysis. *Psychotherapy Research*, 30(8), 965-982. <https://doi.org/10.1080/10503307.2020.1729440>
- Barkowski, S., Schwartz, D., Strauss, B., Burlingame, G. M., Barth, J., & Rosendahl, J. (2016). Efficacy of group psychotherapy for social anxiety disorder: A meta-analysis of randomized-controlled trials. *Journal of anxiety disorders*, 39, 44-64. <http://dx.doi.org/doi:10.1016/j.janxdis.2016.02.005>
- Borenstein, M., Cooper, H., Hedges, L., & Valentine, J. (2009). Effect sizes for continuous data. *The handbook of research synthesis and meta-analysis*, 2, 221-235.
- Card, N. A. (2012). *Applied meta-analysis for social science research*. The Guilford Publications.
- Cheng, A. W., Rizkallah, S., & Narizhnaya, M. (2020). Individualism vs. collectivism. In B. J. Carducci, C. S. Nave, J. S. Mio, & R. E. Riggio (Eds.), *The Wiley encyclopedia of personality and individual differences: Models and theories* (pp. 1–5). Wiley. <https://doi.org/10.1002/9781118970843.ch313>
- Christensen, P.N., Stein, M.B., & Christensen, A.M. (2003). Social Anxiety and Interpersonal Perception: A Social Relations Model Analysis. *Behaviour Research and Therapy*, 41, 1355–1371. [https://doi.org/10.1016/S0005-7967\(03\)00064-0](https://doi.org/10.1016/S0005-7967(03)00064-0)
- Cohen, J. (1992). Statistical power analysis. *Current directions in psychological science*, 1(3), 98-101.
- Colhoun, H., Kannis-Dymand, L., Rudge, M., Le Compte, D., O'Flaherty, S., Gilbert, C., . . . Bell, C. (2021). Effectiveness of Group Cognitive Therapy for Social Anxiety Disorder in Routine Care. *Behaviour Change*, 38(2), 60-72. <https://doi.org/10.1017/bec.2020.19>
- Duana, D. A., & Hadjam, M. N. R. (2012). Terapi kognitif perilaku dalam kelompok untuk kecemasan sosial pada remaja putri dengan obesitas. *JIP (Jurnal Intervensi Psikologi)*, 4(2), 145-160. <https://doi.org/10.20885/intervensipsikologi.vol4.iss2.art1>
- Erickson, D. H., Janeck, A. S., & Tallman, K. (2007). A cognitive-behavioral group for patients with various anxiety disorders. *Psychiatric Services*, 58(9), 1205-1211. <https://doi.org/10.1176/ps.2007.58.9.1205>
- Goldin, P. R., Morrison, A., Jazaieri, H., Brozovich, F., Heimberg, R., & Gross, J. J. (2016). Group CBT versus MBSR for social anxiety disorder: A randomized controlled trial. *Journal of consulting and clinical psychology*, 84(5), 427. <https://doi.org/10.1037/ccp0000092>
- Halperin, S., Nathan, P., Drummond, P., & Castle, D. (2000). A cognitive-behavioural, group-based intervention for social anxiety in schizophrenia. *Australian & New Zealand Journal of Psychiatry*, 34(5), 809-813. <https://doi.org/10.1080/j.1440-1614.2000.00820.x>

- Hapsari, M. I., & Hasanah, N. U. (2010). Efektivitas pelatihan keterampilan sosial pada remaja dengan gangguan kecemasan sosial. *Psycho Idea*, 8(1), 45–54. <https://doi.org/10.30595/psychoidea.v8i1.195>
- Hedman, E., Strome, P., Stunkel A., & Mortberg, E. (2013). Shame and Guilt in Social Anxiety Disorder: Effects of Cognitive Behavior Therapy and Association with Social Anxiety and Depressive Symptoms. *Plos One*, Vol. 8, No. 4. <https://doi.org/10.1371/journal.pone.0061713>
- Herbert, J. D., Rheingold, A. A., & Goldstein, S. G. (2002). Brief cognitive behavioral group therapy for social anxiety disorder. *Cognitive and Behavioral Practice*, 9(1), 1-8. [https://doi.org/10.1016/S1077-7229\(02\)80033-5](https://doi.org/10.1016/S1077-7229(02)80033-5)
- Hofstede Insight's. (2023). *Country Comparison Tools*. <https://www.theculturefactor.com/country-comparison-tool>
- Hofstede, G. (2011). Dimensionalizing Cultures: The Hofstede Model in Context. *Online Readings in Psychology and Culture*, 2(1). <https://doi.org/10.9707/2307-0919.1014>
- Huedo-Medina, T. B., Sánchez-Meca, J., Marín-Martínez, F., & Botella, J. (2006). Assessing heterogeneity in meta-analysis: Q statistic or I² index?. *Psychological methods*, 11(2), 193. <https://psycnet.apa.org/doi/10.1037/1082-989X.11.2.193>
- Jefferies, P., & Ungar, M. (2020). Social anxiety in young people: A prevalence study in seven countries. *PloS one*, 15(9), e0239133. <https://doi.org/10.1371/journal.pone.0239133>
- Khaleghi, N., Amiri, M., & Taheri, E. (2017). Effectiveness of group reality therapy on symptoms of social anxiety, interpretation bias and interpersonal relationships in adolescents. *Journal of Fundamentals of Mental Health*, 19(2).
- Kocovski, N. L., Fleming, J. E., Hawley, L. L., Huta, V., & Antony, M. M. (2013). Mindfulness and acceptance-based group therapy versus traditional cognitive behavioral group therapy for social anxiety disorder: A randomized controlled trial. *Behaviour research and therapy*, 51(12), 889-898. <https://doi.org/10.1016/j.brat.2013.10.007>
- Lemon, C. A., Svob, C., Bonomo, Y., Dhungana, S., Supanya, S., Sittanomai, N., ... & Sartorius, N. (2024). Priorities for research promoting mental health in the south and east of Asia. *The Lancet Regional Health-Southeast Asia*, 23. <https://doi.org/10.1016/j.lansea.2023.100287>
- Lepage, M., Bowie, C. R., Montreuil, T., Baer, L., du Sert, O. P., Lecomte, T., ... & Malla, A. K. (2023). Manualized group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial. *Psychological Medicine*, 53(8), 3335-3344. <https://doi.org/10.1017/S0033291721005328>
- Liu, X., Yi, P., Ma, L., Liu, W., Deng, W., Yang, X., ... & Li, X. (2021). Mindfulness-based interventions for social anxiety disorder: A systematic review and meta-analysis. *Psychiatry research*, 300, 113935. <https://doi.org/10.1016/j.psychres.2021.113935>
- Malat, J., & Leszcz, M. (2015). Group Psychotherapy. In Tasman, Kay, Lieberman, First, Riba (Eds). *Psychiatry Fourth Edition*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/9781118753378.ch95>
- Marmarosh, C. L., Sandage, S., Wade, N., Captari, L. E., & Crabtree, S. (2022). New horizons in group psychotherapy research and practice from third wave positive psychology: a practice-friendly review. *Research in Psychotherapy: Psychopathology, Process, and Outcome*, 25(3). <https://doi.org/10.4081/ripppo.2022.643>
- Massah, O., Farmani, F., Karimi, R., Karami, H., Hoseini, F., & Farhoudian, A. (2015). Group reality therapy in addicts' rehabilitation process to reduce depression, anxiety and stress. *Iranian Rehabilitation Journal*, 13(1), 50-44. <https://doi.org/10.1017/S0033291721005328>

- Mayo-Wilson, E., Dias, S., Mavranetzouli, I., Kew, K., Clark, D. M., Ades, A. E., & Pilling, S. (2014). Psychological and pharmacological interventions for social anxiety disorder in adults: a systematic review and network meta-analysis. *The Lancet Psychiatry*, 1(5), 368-376. [https://doi.org/10.1016/S2215-0366\(14\)70329-3](https://doi.org/10.1016/S2215-0366(14)70329-3)
- McEvoy, P. M. (2007). Effectiveness of cognitive behavioural group therapy for social phobia in a community clinic: A benchmarking study. *Behaviour research and therapy*, 45(12), 3030-3040. <https://doi.org/10.1016/j.brat.2007.08.002>
- Michail, M., Birchwood, M., & Tait, L. (2017). Systematic review of cognitive-behavioural therapy for social anxiety disorder in psychosis. *Brain Sciences*, 7(5), 45. <https://doi.org/10.3390/brainsci7050045>
- Michail, M.; Birchwood, M. Social anxiety and shame cognitions in psychosis. *Psychol. Med.* 2013, 43, 133–142. <https://doi.org/10.1017/S0033291712001146>
- National Institute of Mental Health. (2016). Social Anxiety Disorder: More Than Just Shyness. *National Institute of Health (NIH)*.
- Neufeld, C. B., Palma, P. C., Caetano, K. A., Brust-Renck, P. G., Curtiss, J., & Hofmann, S. G. (2020). A randomized clinical trial of group and individual cognitive-behavioral therapy approaches for social anxiety disorder. *International Journal of Clinical and Health Psychology*, 20(1), 29-37. <https://doi.org/10.1016/j.ijchp.2019.11.004>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... & Moher, D. (2021). The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *International journal of surgery*, 88, 105906. <https://doi.org/10.1136/bmj.n71>
- Schulz, A., Stolz, T., Vincent, A., Krieger, T., Andersson, G., & Berger, T. (2016). A sorrow shared is a sorrow halved? A three-arm randomized controlled trial comparing internet-based clinician-guided individual versus group treatment for social anxiety disorder. *Behaviour Research and Therapy*, 84, 14-26. <https://doi.org/10.1016/j.brat.2016.07.001>
- Stein, D. J., Lim, C. C., Roest, A. M., De Jonge, P., Aguilar-Gaxiola, S., Al-Hamzawi, A., ... & WHO World Mental Health Survey Collaborators. (2017). The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. *BMC medicine*, 15, 1-21. <https://doi.org/10.1186/s12916-017-0889-2>
- Swasti, I. K., & Martani, W. (2013). Menurunkan kecemasan sosial melalui pemakaian kisah hidup. *Jurnal Psikologi*, 40(1), 39-58. <https://doi.org/10.22146/jpsi.7065>
- The jamovi project (2022). *jamovi*. (Version 2.3) [Computer Software]. Retrieved from <https://www.jamovi.org>.
- Toghiani, Z., Ghasemi, F., & Samouei, R. (2019). The effectiveness of acceptance and commitment group therapy on social anxiety in female dormitory residents in Isfahan university of medical sciences. *Journal of education and health promotion*, 8(1), 41, https://doi.org/10.4103/jehp.jehp_111_18
- Wahdi, A. E., Setyawan, A., Putri, Y. A., Wilopo, S. A., Erskine, H. E., Wallis, K., ... & Blum, R. (2022). National Adolescent Mental Health Survey (I-NAMHS) Laporan Penelitian. *Pusat Kesehatan Reproduksi: Jakarta, Indonesia*.
- Zaboski, B. A., Joyce-Beaulieu, D., Kranzler, J. H., McNamara, J. P., Gayle, C., & MacInnes, J. (2019). Group exposure and response prevention for college students with social anxiety: A randomized clinical trial. *Journal of Clinical Psychology*, 75(9), 1489-1507. <https://doi.org/10.1002/jclp.22792>



JURNAL PSIKOGENESIS

Fakultas Psikologi Universitas YARSI

Cultural Differences in the Efficacy of Group Psychotherapy for Social Anxiety Disorder: A Meta-Analysis Comparing Asia and Western Countries

Adinda Nasha Ayu Febrianthi and Ananta Yudianto

Pertemanan dan Stres: Mengurai Dampaknya pada Ide Bunuh Diri Mahasiswa Rantau

Indah Fitriani dan Alifah Nabilah Masturah

Apakah Keadilan Organisasi Berperan dalam Menampilkan Perilaku Kerja Inovatif pada Karyawan Gen Z?

Ira Alviyanti dan Arum Etikariena

Body Awareness dan Gaya Hidup Sehat Dewasa Muda

Audya Shabina Zahra dan Zulfa Febriani

The Role of Self-Compassion in Flourishing Among First-Year Students

Annisa Aulia Rahma Hanum Abdullah and Airin Yustikarini Saleh

Exploring Job Stress and Satisfaction among Probation Officers

Achmad Robbi Fathoni

Social Comparison in Social Media Among Adolescents: Is it Associated with Lower Life Satisfaction?

Reggina Bunga Marshella, Cantya Puspa Samita, and Jones Rynes S. Metekohy

Gen Z Marriage: Loneliness as a Moderator of Partner Phubbing and Marital Satisfaction

Martaria Rizky Rinaldi, Jelang Hardika, and Rinda Triastuti

[HOME](#) / [Editorial Team](#)

Editorial Team

Editor-in-Chief



Dr. Sunu Bagaskara, M.Si  

Fakultas Psikologi Universitas YARSI, Indonesia

Managing Editor



Sari Zakiah Akmal, Ph.D.  

Fakultas Psikologi Universitas YARSI, Indonesia

Editorial Board Members



Dr. Marty Mawarpury., Psi.  
Faculty of Medicine
Universitas Syiah Kuala, Indonesia



Dr. Christiany Suwartono  
Faculty of Psychology
Unika Atma Jaya, Indonesia



Arini Widyowati, M.Psi, Ph.D., Psi  
Faculty of Psychology
Universitas Ahmad Dahlan, Indonesia



Dr. Arum Etikariena, MPsi., Psi  
Faculty of Psychology
Universitas Indonesia, Indonesia

International Editorial Board



Sujin Kim, Ph.D.  
Career Development Research Unit
James Cook University, Australia



Saliha B. Selman, Ph.D.  
Psychology Department
Ibn Haldun University, Türkiye



Associate Professor Dr Amalia Madihie  
Faculty of Cognitive Sciences and Human Development
Universiti Malaysia Sarawak, Malaysia

Eunice Park, Ph.D.  
Department of Public Health
Montclair State University, USA

Section Editors



Dr. Entin Nurhayati, M.Si 
Faculty of Psychology
Universitas YARSI, Indonesia



**Titi Sahidah Fitriana, M.Psi., M.Sc.,
Ph.D.**  
Faculty of Psychology
Universitas YARSI, Indonesia



Johan Satria Putra, M.A. 
Faculty of Psychology
Universitas YARSI, Indonesia



Ratih Arruum Listiyandini, M.Psi., Ph.D.  
Faculty of Psychology
Universitas YARSI, Indonesia



Endang Fourianalistyawati, Ph.D.  
Faculty of Psychology
Universitas YARSI, Indonesia

Copy & Layout Editor



Niken Mutia, S.Psi

Faculty of Psychology Universitas YARSI, Indonesia

ABOUT THE JOURNAL

- 🔍 Focus & Scope
- 📄 Privacy Statement
- 💰 Fees & Charges
- 🌐 Open Access Statement

PEOPLE

- 🎓 Editorial Team
- ✅ Reviewers
- ✉ Contact

FOR AUTHORS

- 📁 Publication Ethics
- 📖 Submission Guidelines
- 📄 Article Template
- 📄 Online Submissions
- 👥 Peer Review Process
- ↔ Correction and Retraction

SUBMISSION TOOLS

% Plagiarism Policy

📄 Similarity Check

📄 Reference Manager

CITEDNESS

30

Citedne:

Sinta

Sinta Rai

1.4161

Sinta Imp

2592

Citation

KEYWORDS

health locus of control covid 19
parental career-related behavior
banjir
resiliensi
prompt
sma
generation Z
siswa
modal psikologis
antecedent control
komitmen karier
indonesia
keterikatan kerja
siswa sma
orang tua
perundungan shaping
self control
keberfungsian keluarga
perilaku merokok.

LANGUAGE

Bahasa Indonesia

English

INDEXED BY









Fakultas Psikologi Universitas Yarsi
Jln. Letjend Soeprapto, Cempaka Putih, Jakarta Pusat
10510
e-mail: jurnal.psikogenesis@yarsi.ac.id | Phone :
021-4223138

00431199 [View Jurnal Psikogenesis Stats](#)



Jurnal Psikogenesis is licensed under a [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License](#).



[HOME](#) / [ARCHIVES](#) / Vol. 13 No. 1 (2025): June

Vol. 13 No. 1 (2025): June



DOI: <https://doi.org/10.24854/jps.v13i1>

PUBLISHED: 26-06-2025

FULL ISSUE



[EDITORIAL BOARD](#)



[TABLE OF CONTENTS](#)

ARTICLES

[Cultural Differences in the Efficacy of Group Psychotherapy for Social Anxiety](#)

Disorder: A Meta-Analysis Comparing Asia and Western Countries

 <https://doi.org/10.24854/jps.v13i1.4615>

 **Adinda Nasha Ayu Febrianthi**, Faculty of Psychology University of Surabaya, Indonesia, Indonesia

 **Ananta Yudiantarso**, Faculty of Psychology University of Surabaya, Indonesia, Indonesia

 1-13

 Abstract views: 102 times  Downloaded: 64 times

 **PDF**

Friendship and Stress: Unraveling Their Impact on Suicidal Ideation Among Students

 <https://doi.org/10.24854/jps.v13i1.4578>

 **Indah Fitriani**, Universitas Muhammadiyah Malang, Indonesia

 **Alifah Nabilah Masturah**, Universitas Muhammadiyah Malang, Indonesia

 14-26

 Abstract views: 106 times  Downloaded: 61 times

 **PDF (BAHASA INDONESIA)**

Does Organizational Justice Play a Role in Exhibiting Innovative Work Behaviors in Gen Z Employees?

 <https://doi.org/10.24854/jps.v13i1.4436>

 **Ira Alviyani**, Fakultas Psikologi Universitas Indonesia, Indonesia

 **Arum Etikariena**, Fakultas Psikologi Universitas Indonesia, Indonesia

 27-39

 Abstract views: 78 times  Downloaded: 54 times

 **PDF (BAHASA INDONESIA)**

Body Awareness dan Healthy Lifestyle in Young Adults

 <https://doi.org/10.24854/jps.v13i1.4712>

 **Audya Shabina Zahra**, Fakultas Psikologi Universitas YARSI, Indonesia

 **Zulfa Febriani**, Fakultas Psikologi Universitas YARSI, Indonesia

 40-53

 Abstract views: 64 times  Downloaded: 40 times

 **PDF (BAHASA INDONESIA)**

The Role Of Self-Compassion In Flourishing Among First-Year Students

 <https://doi.org/10.24854/jps.v13i1.4727>

 **Annisa Aulia Rahma Hanum Abdullah**, Faculty of Psychology, Universitas Indonesia, Indonesia

 **Airin Yustikarini Saleh**, Faculty of Psychology, Universitas Indonesia, Indonesia

 54-73

 Abstract views: 78 times  Downloaded: 52 times

 PDF

Exploring Job Stress and Satisfaction among Probation Officers

 <https://doi.org/10.24854/jps.v13i1.4709>

 **Achmad Robbi Fathoni**, Politeknik Pengayoman Indonesia, Indonesia

 74-89

 Abstract views: 45 times  Downloaded: 30 times

 PDF

Social Comparison in Social Media Among Adolescents: Is it Associated with Lower Life Satisfaction?

 <https://doi.org/10.24854/jps.v13i1.4672>

 **Reggina Bunga Marshella**, Faculty of Psychology Universitas Negeri Surabaya, Indonesia

 **Cantya Puspa Samita**, Faculty of Psychology Universitas Negeri Surabaya, Indonesia

 **Jones Rynes S. Metekohy**, Faculty of Psychology Universitas Negeri Surabaya, Indonesia

 90-97

 Abstract views: 81 times  Downloaded: 55 times

 PDF

Gen Z Marriage: Loneliness as a Moderator of Partner Phubbing and Marital Satisfaction

 <https://doi.org/10.24854/jps.v13i1.4762>

 **Martaria Rizky Rinaldi**, Fakultas Psikologi, Universitas Mercu Buana Yogyakarta, Indonesia

<https://orcid.org/0000-0002-7199-6031>

 **Jelang Hardika**, Fakultas Psikologi, Universitas Mercu Buana Yogyakarta, Indonesia

<https://orcid.org/0009-0008-5885-4451>

 **Rinda Triastuti**, Fakultas Psikologi, Universitas Mercu Buana Yogyakarta, Indonesia

 98-112

 Abstract views: 148 times  Downloaded: 66 times

 PDF

ABOUT THE JOURNAL

-  Focus & Scope
-  Privacy Statement
-  Fees & Charges
-  Open Access Statement

PEOPLE

-  Editorial Team
-  Reviewers
-  Contact

FOR AUTHORS

-  Publication Ethics
-  Submission Guidelines
-  Article Template
-  Online Submissions
-  Peer Review Process
-  Correction and Retraction

SUBMISSION TOOLS

-  Plagiarism Policy
-  Similarity Check

↓^A_Z Reference Manager

CITEDNESS



KEYWORDS

shaping
perilaku belajar
komitmen karier
keterikatan kerja
prompt
modal psikologis
mahasiswa
siswa sma
siswa
generation Z
remaja
indonesia
strategi coping
orang tua
banjir
covid 19
parental career-related behavior
stres kerja
resiliensi sma
antecedent control

LANGUAGE

Bahasa Indonesia

English

INDEXED BY



DOAJ



SINTA



GARUDA

GARBA RUJUKAN DIGITAL





Crossref




indonesia
oneSearch
by PERPUSNAS



DIRECTORY
OF OPEN ACCESS
SCHOLARLY
RESOURCES

Fakultas Psikologi Universitas Yarsi
Jln. Letjend Soeprapto, Cempaka Putih,
Jakarta Pusat 10510
e-mail: jurnal.psikogenesis@yarsi.ac.id |
Phone : 021-4223138

80431200 [View Jurnal Psikogenesis Stats](#)



Jurnal Psikogenesis is licensed under a
[Creative Commons Attribution-
NonCommercial-ShareAlike 4.0 International
License](#).

Get More with
SINTA Insight

Go to Insight



JURNAL PSIKOGENESIS

📍 [FAKULTAS PSIKOLOGI UNIVERSITAS YARSI](#)

★ P-ISSN : 23033177 < > E-ISSN : 25977547



1.41667
Impact



2592
Google Citations




Sinta 3
Current
Accreditation

🔍 [Google Scholar](#) 📖 [Garuda](#) 🌐 [Website](#) 🌐 [Editor URL](#)

History Accreditation

2017 2018 2019 2020 2021 2022 2023 2024 2025

Citation Per Year By Google Scholar



Journal By Google Scholar

	All	Since 2020
Citation	2592	2271
h-index	28	25
i10-index	58	56

[Garuda](#) [Google Scholar](#)

[Apakah Keadilan Organisasi Berperan dalam Menampilkan Perilaku Kerja Inovatif pada Karyawan Gen Z?](#)

[Fakultas Psikologi Universitas YARSI](#) [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 27-39](#)

📅 2025 [DOI: 10.24854/jps.v13i1.4436](#) [Accred : Sinta 3](#)

[Pertemanan dan Stres: Mengurai Dampaknya pada Ide Bunuh Diri Mahasiswa](#)

[Fakultas Psikologi Universitas YARSI](#) [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 14-26](#)

📅 2025 [DOI: 10.24854/jps.v13i1.4578](#) [Accred : Sinta 3](#)

[Cultural Differences in the Efficacy of Group Psychotherapy for Social Anxiety Disorder: A Meta-Analysis Comparing Asia and Western Countries](#)

[Fakultas Psikologi Universitas YARSI](#) [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 1-13](#)

📅 2025 [DOI: 10.24854/jps.v13i1.4615](#) [Accred : Sinta 3](#)

[Social Comparison in Social Media Among Adolescents: Is it Associated with Lower Life Satisfaction?](#)

[Fakultas Psikologi Universitas YARSI](#) [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 90-97](#)

📅 2025 [DOI: 10.24854/jps.v13i1.4672](#) [Accred : Sinta 3](#)

[Exploring Job Stress and Satisfaction among Probation Officers](#)

[Fakultas Psikologi Universitas YARSI](#) [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 74-89](#)

📅 2025 [DOI: 10.24854/jps.v13i1.4709](#) [Accred : Sinta 3](#)

Body Awareness dan Gaya Hidup Sehat Dewasa Muda

Fakultas Psikologi Universitas YARSI [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 40-53](#)

2025 DOI: 10.24854/jps.v13i1.4712 Accred : [Sinta 3](#)

Peran Self-Compassion Terhadap Flourishing Pada Mahasiswa Tahun Pertama

Fakultas Psikologi Universitas YARSI [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 54-73](#)

2025 DOI: 10.24854/jps.v13i1.4727 Accred : [Sinta 3](#)

Gen Z Marriage: Loneliness as a Moderator of Partner Phubbing and Marital Satisfaction

Fakultas Psikologi Universitas YARSI [Jurnal Online Psikogenesis Vol 13 No 1 \(2025\): Juni 98-112](#)

2025 DOI: 10.24854/jps.v13i1.4762 Accred : [Sinta 3](#)

Penelusuran Pustaka Tentang Trauma Perempuan Korban Perdagangan Seksual

Fakultas Psikologi Universitas YARSI [Jurnal Online Psikogenesis Vol 12 No 1 \(2024\): June 94-101](#)

2024 DOI: 10.24854/jps.v12i1.2073 Accred : [Sinta 3](#)

Apakah Psychological Contract Memengaruhi Safety Behavior? Kajian pada Karyawan di Industri Kelapa Sawit

Fakultas Psikologi Universitas YARSI [Jurnal Online Psikogenesis Vol 12 No 1 \(2024\): June 113-121](#)


2024 DOI: 10.24854/jps.v12i1.3026 Accred : [Sinta 3](#)

[View more ...](#)

Get More with
SINTA Insight

[Go to Insight](#)

Citation Per Year By Google Scholar



Journal By Google Scholar

	All	Since 2020
Citation	2592	2271
h-index	28	25
i10-index	58	56